



Economic Feasibility of Briquetted Fuel

By S. H. Sengar, S. S. Patil A. & D. Chendake

College of Agriculture Engineering

Abstract - Commercialization of briquetting technology, it is essential to know whether the technology was economically viable or not. Therefore an attempt was made for estimation of economics of the briquettes prepared from carbonized cashew nut shell and other selected biomass. The briquettes were prepared on screw press extruder briquetting machine for different combinations of major biomass. The prepared briquettes after sun drying were subjected to various tests for assessing the quality of fuel. The suitability of briquetted fuel as domestic fuel was studied with standard water boiling test. Cashew shell briquettes burnt with good flame in cook stove and observed 15.5 per cent thermal efficiency. Better results in cashew shell briquettes related to calorific value, shattering indices test, tumbling test, degree of densification, energy density ratio, resistance to water penetration and water boiling test as compared to grass and rice husk briquettes were observed. Calorific value was found more in cashew shell briquetted fuel as 5154.58 kcal/kg. Net Present Value of cashew shell, grass and rice husk briquettes were 1935370.8, 2256434.38 and 631948.8 respectively. Pay back period for cashew shell, grass, rice husk briquettes were 8.1, 7.56 and 29.35 months respectively. Benefit Cost Ratio for cashew shell, grass, and rice husk briquettes were 2.8, 2.93 and 1.51 respectively.

Keywords : screw extruder, economics, NPW, IRR, BC ratio.

GJRE-C Classification : FOR Code: 090405



Strictly as per the compliance and regulations of :



Economic Feasibility of Briquetted Fuel

S. H. Sengar ^α, S. S. Patil A. ^σ & D. Chendake ^ρ

Abstract - Commercialization of briquetting technology, it is essential to know whether the technology was economically viable or not. Therefore an attempt was made for estimation of economics of the briquettes prepared from carbonized cashew nut shell and other selected biomass. The briquettes were prepared on screw press extruder briquetting machine for different combinations of major biomass. The prepared briquettes after sun drying were subjected to various tests for assessing the quality of fuel. The suitability of briquetted fuel as domestic fuel was studied with standard water boiling test. Cashew shell briquettes burnt with good flame in cook stove and observed 15.5 per cent thermal efficiency. Better results in cashew shell briquettes related to calorific value, shattering indices test, tumbling test, degree of densification, energy density ratio, resistance to water penetration and water boiling test as compared to grass and rice husk briquettes were observed. Calorific value was found more in cashew shell briquetted fuel as 5154.58 kcal/kg. Net Present Value of cashew shell, grass and rice husk briquettes were 1935370.8, 2256434.38 and 631948.8 respectively. Pay back period for cashew shell, grass, rice husk briquettes were 8.1, 7.56 and 29.35 months respectively. Benefit Cost Ratio for cashew shell, grass, and rice husk briquettes were 2.8, 2.93 and 1.51 respectively.

Keywords : screw extruder, economics, NPW, IRR, BC ratio.

I. INTRODUCTION

India produces nearly 350 million tonnes of agricultural waste per year (Naidu, 1999). It has been estimated that 110-150 million tonnes crop residues is surplus to its present utilization as a cattle feed, constructional and industrial raw material and as industrial fuel. Due to their heterogeneous nature, biomass material possesses inherently low bulk densities and thus it is difficult to efficiently handle large quantities of most feedstock. Therefore, large expenses are incurred during material handling, transportation, storage etc. Transportation had the 2nd highest cost by considering all factors, when the biomass power plant was run at full capacity (Kumar et al.2003). It is noted that transportation cost will increase with increasing power plant size. In order to combat the negative handling aspects of bulk biomass, densification is often required. If such crop residues are converted into briquettes they can provide huge and reliable source of feedstock for thermo chemical conversion (Anonymous, 2002). Apart from the problems of transportation, storage and handling, the

direct burning of loose biomass in conventional grates is associated with very low thermal efficiency and widespread air pollution (Grover and Mishra, 1996). In India total area under cashew nut cultivation 7,20,000 ha of which 76,270 ha are productive producing 4,50,000 MT of cashew. On an average shell makes 50 % of weight of nut while CNSL makes 15 to 30 per cent of shell production of cashew nut shells may be estimated to 2,25,000 MT from available statistics (Raina & Kulkarni, 2005). The CNSL removed, deoiled shells are abundantly available as a biomass waste. The waste biomass generated in cashew processing is utilized as a substitute to wood fuel or thrown as waste. This biomass requires much energy to make it in powder form for briquette. On such typical task, only the solution is to convert this biomass firstly into activated carbon form which is easier to make briquette from carbonization of cashew nut shell, grass, rice husk and hence keeping in view study is undertaken.

II. MATERIALS AND METHODS

The carbonized biomass samples were obtained by burning them in a kiln. A kiln made up of a cylindrical metal drum which incomed about 100 kg of biomass. A kiln was closed with metal lid after loading with biomass as shown in Fig 1 (1). Little amount of biomass was used in the firing portion to ignite the kiln. Due to absence of air heat spreaded over a biomass and carbonized samples were obtained.

a) Process for briquette preparation

The carbonized cashew shell, rice husk and grass were used as major constituents for briquetting without any binding material. The various combinations of major constituents were tried in order to get briquettes of the desired quality. Different combinations as 50:25:25, 25:50:25 and 25:25:50 for cashew shell, rice husk and grass were made for observing the properties of briquettes. The known quantity of water was added in mixture using thumb rule for that the material should get bind by hand pressing after addition of water. The mixture was fed to briquetting machine and briquetting machine was operated at rated speed and power. The complete setup for briquettes preparation and testing is shown in Fig. 1.

Author α : Associate Professor, Renewable Energy, College of Agriculture Engineering, NAU, Dediapada, Dist-Narmada, Gujrat-393040.

Author σ : Students, College of Agricultural Engineering and Technology, DBSKKV, Dapoli, Dist: Ratnagiri-415712.





Figure 1 : Complete setup for briquettes preparation and testing

b) *Screw press extruder type briquetting machine*

The screw press extruder type briquetting machine was used in the present study. It consists of driving motor, screw, die, and hopper and power transmission system. Pulley and belt were used to transmit power from motor to the screw. The raw material was fed to the hoppers, which convey it to

screw by gravity. The material was pushed forward due to geometry of screw. As the material was pushed, it got compressed and binded material comes out of die in the form of briquettes. The detail technical specification of screw extruder type briquetting machine is shown in Table 1.

Table 1 : Technical specifications of the screw extruder type briquetting machine

Sr. no.	Particular	Specifications
1	Screw dimensions	No of turns = 4 Screw pitch = 6 cm Maximum diameter of screw = 9 cm Minimum diameter of screw = 6 cm
2	Die dimensions	No of exit tubes = 3 Diameter of exit tube = 2.5 cm Length of exit tube = 4 cm
3	Voltmeter	Analog with range = 0 to 300V
4	Ammeter	Analog with range = 0 to 30 A
5	Pulley and belt	Diameter of driven pulley = 26 cm Diameter of driving pulley = 9 cm Belt type V-belt
6	Motor	Single phase induction motor Power = 1Hp Speed = 1425 rpm
7	Overall dimensions	Overall length of machine = 31 cm Overall width of machine = 31 cm Overall height of machine = 62 cm

III. ECONOMIC ANALYSIS

The cost analysis was carried out as complete briquettes processing of cashew shell, rice husk, saw dust, glyricidia and cow dung, grass residue briquettes by screw press technologies, in order to compare the

three types of combinations briquettes in respect of their economics.

Following economic indicators were used for economic analysis of briquettes prepared from caarbonized cashew nut shell and other selected biomass under this study.

1. Benefit cost ratio (B/C)
2. Payback period (PBP)
3. Net present worth (NPW)
4. Internal rate of return (IRR)

a) *Net present worth (NPW)*

The present values of the future returns calculated through the use of discounting. Discounting was essentially a technique by which future benefits and cost streams can be reduced to their present worth. The process of finding the present worth of a future value is called discounting. The discounting rate is the interest rate assumed for discounting.

An agricultural project returns the same benefit for several years and we need to know the present worth of that future income stream to know how much it was justified in investing today to receive that income stream. After deducting capital investment from gross benefit what is left over is a residual that is available to recover the investment made in the project. The residual is the net benefit stream.

The most straightforward discounted cash flow measure of project worth is the net present worth (NPW). The net present worth may be computed by subtracting the total discounted present worth of the cost stream from that of the benefit stream.

$$NPW = \sum_{t=1}^{t=n} \frac{B_t - C_t}{(1+i)^t}$$

Where, C_t = Cost in each year
 B_t = Benefit in each year
 $t = 1, 2, 3, \dots, n$
 i = discount rate

b) *Internal rate of return (IRR)*

Another way of using the incremental net benefit stream or incremental cash flow for measuring the worth of a project is to find the discount rate that makes the net present worth of the incremental net benefit stream or incremental cash flow equal to zero. This discount rate is called the internal rate of return. It is the maximum interest that a project could pay for the resources used if the project is to recover its investment and operating costs and still break even. It is the rate of return on capital outstanding per period while it is invested in the project. The internal rate of return is a very useful measure of project worth.

$$\sum_{t=1}^{t=n} \frac{B_t - C_t}{(1+i)^t} = 0$$

c) *Benefit cost ratio (BCR)*

This ratio was obtained when the present worth of the benefit stream was divided by the present worth of the cost stream. The formal selection criterion for the benefit-cost ratio for measure of project worth was to accept projects for a benefit-cost ratio of 1 or greater.

In practice, it was probably more common not to compute the benefit-cost ratio using gross cost and gross benefit, but rather to compare the present worth of the net benefit with the present worth of the investment cost plus the operation and maintenance cost. The ratio will be computed by taking the present worth of the gross benefit less associated cost and then comparing it with the present worth of the project cost. The associated cost is the value of goods and services over and above those included in project costs needed to make the immediate products or services of the project available for use or sale. Project economic cost is the sum of installation costs, operation and maintenance cost and replacement costs.

$$\text{Benefit-cost ratio} = \frac{\sum_{t=1}^{t=n} \frac{B_t}{(1+i)^t}}{\sum_{t=1}^{t=n} \frac{C_t}{(1+i)^t}}$$

Where,

C_t = Cost in each year
 B_t = Benefit in each year
 $t = 1, 2, 3, \dots, n$
 i = discount rate

d) *Payback Period (PBP)*

The payback period is the length of time from the beginning of the project until the net value of the incremental production stream reaches the total amount of the capital investment. It shows the length of time between cumulative net cash outflow recovered in the form of yearly net cash inflows.

IV. RESULTS AND DISCUSSIONS

Cost analysis was carried out to check economic acceptability of briquetting plant by considering following assumptions:

1. Proportion of carbonized material to raw material is 1:3.3 i.e. is 30% of raw material.
2. Cost of briquetted fuel was 7 Rs/kg.
3. Output of machine was 36 kg/hr, 41 kg/hr, and 22.5 kg/hr for cashew shell, grass and rice husk respectively.
4. Initial cost of fabrication of machine was Rs. 10000.
5. Total electricity used during operation of plant was 2 kwh/day.
6. Total days for plant operation was 300 days.
7. Cost of electricity unit was 5 Rs.

Cost of installation for different briquetted fuel is depicted in Table 2,3 and 4 as well as details of income expenditure is depicted in Table 5. On the basis of income and expenditure of briquetted fuel present worth of cashew outflow present worth of cash inflow and net present worth were calculated for cashew shell, grass and rice husk show in Table 6, 7 and 8 respectively.

Table 2 : Cost of installation of briquetting plant for cashew shell

Sr. No.	Item	Quantity	Rate	Cost (Rs.)
1	Cost of casing + cost of motor	1	10000 Rs.	10000
2	Labour	300 days	150 Rs.	45000
3	Raw material	178200 kg (36 kg/hr)	0.5 Rs./kg	89100
Total				144100

Table 3 : Cost of installation of briquetting plant for grass

Sr. No.	Item	Quantity	Rate	Cost (Rs.)
1	Cost of casing +cost of motor	1	10000 Rs.	10000
2	Labour	300 days	150 Rs.	45000
3	Raw material	202950 kg (41 kg/hr)	0.5 Rs./kg	101475
Total				156475

Table 4 : Cost of installation of briquetting plant for rice husk

Sr. No.	Item	Quantity	Rate	Cost (Rs.)
1	Cost of casing +cost of motor	1	10000 Rs.	10000
2	Labour	300 days	150 Rs.	45000
3	Raw material	111375 kg (22.5kg/hr)	1 Rs./kg	111375
Total				166375

Table 5 : Details of income and expenditure for different briquetted fuel

Sr. No.	Particulars	Cashew shell	Grass	Rice husk
1	Briquettes (kg)	54000	61500	33750
2	Total revenue from briquetted fuel (Rs.)	378000	430500	236250
3	Cost of briquette preparation (Binder, water, chemicals, labour etc) (Rs.)	89100+45000 = 134100	101475+4 5000=146 475	111375+4 5000 =156375
4	Initial investment of (Rs.)	10000	10000	10000
5	Cost of electricity (Rs.)	3000	3000	3000
6	Total operation and maintenance cost (Rs.)	500	500	500

Table 6 : Cash flow for cashew shell briquetted fuel

Year	Cash outflow	PW of Cash outflow	Cash inflow	PW of Cash inflow	NPW
(1)	(2)	(3)	(4)	(5)	(5)-(3)
0.0	147100.0	147100.0	0.0	0.0	-147100.0
1.0	137100.0	123513.5	378000.0	340540.5	217027.0
2.0	137100.0	111273.4	378000.0	306793.3	195519.8
3.0	137100.0	100246.3	378000.0	276390.3	176144.0
4.0	137100.0	90312.0	378000.0	249000.3	158688.3
5.0	137100.0	81362.2	378000.0	224324.6	142962.4
6.0	137100.0	73299.3	378000.0	202094.2	128795.0
7.0	137100.0	66035.4	378000.0	182066.9	116031.5
8.0	137100.0	59491.3	378000.0	164024.2	104532.9
9.0	137100.0	53595.8	378000.0	147769.6	94173.8
10.0	137100.0	48284.5	378000.0	133125.7	84841.2
11.0	137100.0	43499.5	378000.0	119933.1	76433.6
12.0	137100.0	39188.8	378000.0	108047.8	68859.1

13.0	137100.0	35305.2	378000.0	97340.4	62035.2
14.0	137100.0	31806.5	378000.0	87694.0	55887.6
15.0	137100.0	28654.5	378000.0	79003.6	50349.1
16.0	137100.0	25814.9	378000.0	71174.5	45359.6
17.0	137100.0	23256.6	378000.0	64121.1	40864.5
18.0	137100.0	20951.9	378000.0	57766.8	36814.9
19.0	137100.0	18875.6	378000.0	52042.1	33166.5
20.0	0.0	0.0	378000.0	46884.8	46884.8
TOTAL		1074767.2		3010138.0	1935370.8

Table 7: Cash flow for grass briquetted fuel

Year	Cash outflow	PW of Cash outflow	Cash inflow	PW of Cash inflow	NPW
(1)	(2)	(3)	(4)	(5)	(5)-(3)
0.0	159475.0	159475.0	0.0	0.0	-159475.0
1.0	149475.0	134662.2	430500.0	387837.8	253175.7
2.0	149475.0	121317.3	430500.0	349403.5	228086.2
3.0	149475.0	109294.8	430500.0	314777.9	205483.1
4.0	149475.0	98463.8	430500.0	283583.7	185119.9
5.0	149475.0	88706.1	430500.0	255480.8	166774.7
6.0	149475.0	79915.4	430500.0	230162.9	150247.4
7.0	149475.0	71995.9	430500.0	207353.9	135358.1
8.0	149475.0	64861.2	430500.0	186805.4	121944.2
9.0	149475.0	58433.5	430500.0	168293.1	109859.6
10.0	149475.0	52642.8	430500.0	151615.4	98972.6
11.0	149475.0	47425.9	430500.0	136590.5	89164.5
12.0	149475.0	42726.1	430500.0	123054.5	80328.4
13.0	149475.0	38491.9	430500.0	110859.9	72367.9
14.0	149475.0	34677.4	430500.0	99873.8	65196.3
15.0	149475.0	31240.9	430500.0	89976.4	58735.4
16.0	149475.0	28145.0	430500.0	81059.8	52914.8
17.0	149475.0	25355.8	430500.0	73026.8	47671.0
18.0	149475.0	22843.1	430500.0	65789.9	42946.9
19.0	149475.0	20579.4	430500.0	59270.2	38690.9
20.0	0.0	0.0	430500.0	53396.6	53396.6
TOTAL		1171778.5		3428212.8	2256434.3

Table 8: Cash flow for rice husk

Year	Cash outflow	PW of Cash outflow	Cash inflow	PW of Cash inflow	NPW
(1)	(2)	(3)	(4)	(5)	(5)-(3)
0.0	169375.0	169375.0	0.0	0.0	-169375.0
1.0	159375.0	143581.1	236250.0	212837.8	69256.8
2.0	159375.0	129352.3	236250.0	191745.8	62393.5
3.0	159375.0	116533.6	236250.0	172744.0	56210.3
4.0	159375.0	104985.2	236250.0	155625.2	50639.9
5.0	159375.0	94581.3	236250.0	140202.9	45621.6
6.0	159375.0	85208.4	236250.0	126308.9	41100.5
7.0	159375.0	76764.3	236250.0	113791.8	37027.5
8.0	159375.0	69157.0	236250.0	102515.1	33358.1
9.0	159375.0	62303.6	236250.0	92356.0	30052.3
10.0	159375.0	56129.4	236250.0	83203.6	27074.2

11.0	159375.0	50567.0	236250.0	74958.2	24391.2
12.0	159375.0	45555.9	236250.0	67529.9	21974.0
13.0	159375.0	41041.3	236250.0	60837.7	19796.4
14.0	159375.0	36974.2	236250.0	54808.8	17834.6
15.0	159375.0	33310.1	236250.0	49377.3	16067.2
16.0	159375.0	30009.1	236250.0	44484.0	14475.0
17.0	159375.0	27035.2	236250.0	40075.7	13040.5
18.0	159375.0	24356.0	236250.0	36104.2	11748.2
19.0	159375.0	21942.4	236250.0	32526.3	10584.0
20.0	0.0	0.0	236250.0	29303.0	29303.0
TOTAL		1249387.5		1881336.3	631948.8

Table 9 : Economic indicators for three combinations of briquetted fuel

Particulars	Cashew shell	Grass	Rice husk
Net Present Worth (Rs)	1935370.8	2256434.3	631948.8
Pay Back Period (Years)	0.68 (8.1 months)	0.63 (7.56 months)	2.5 (29.35 months)
Internal Rate of Return (%)	374.0	428.0	230.0
BCR for first year	2.8	2.93	1.51

All economic indications for different biomass briquetted fuel as Internal Rate of Returns (IRR), Pay Back Period (PBP), Benefit Cost Ratio (BCR), and Net Present worth (NPW) are summarized in Table 8. It was observed from Table 9 that the cost of the plant is recovered within 8 months only i.e. the pay back period of the plant was only 0.68 and 0.63 years for cashew shell and grass briquetted fuel respectively and after that the unit will produce net profit. Whereas payback period of rice husk briquetting plant is 29.35 months i.e. 2.5 years.

V. CONCLUSIONS

It was observed that combination of grass briquetted fuel is more economical than other combinations. It has net present value of Rs. 2256434.38, pay back period of 7.56 month and benefit cost ratio was 2.93.

REFERENCES RÉFÉRENCES REFERENCIAS

1. Anonymous, 2006. Waste to energy. ENVIS pondchery pollution control comity. Vol 2 (1) 1- 3
2. Grover, 1996. Biomass briquetting technology and practices. Regional Wood Energy Development Programme in Asia GCP/ RAS/154/Net Field Document No.46.
3. Grover, P.D., Mishra S.K., 1996. Biomass Briquetting. Evaluation of technologies Vol. 7 No. 1 37-43.
4. Raina, A., N. Kulkarni, 2005. Performance valuation of different methods of cashew nut shell liquid extraction. B. Tech. (Agril. engg.) thesis (unpublished), Dr. BSKKV, Dapoli
5. Rathore, N.S., N.L. Panwar, 2008. Renewable Energy Theory and Practice, Himanshu Publication, New delhi, 273.
6. Singh, R.N., U. Jena, J.B. Patel and A.M. Sharma, 2006. Feasibility study of cashew nut shell as an open core gasifier feedstock. Renewable energy. 31: 481-487.