

GLOBAL JOURNAL OF COMPUTER SCIENCE AND TECHNOLOGY INTERDISCIPLINARY Volume 12 Issue 11 Version 1.0 Year 2012 Type: Double Blind Peer Reviewed International Research Journal Publisher: Global Journals Inc. (USA) Online ISSN: 0975-4172 & Print ISSN: 0975-4350

Optimized Round Robin CPU Scheduling Algorithm

By Sukumar Babu B., Neelima Priyanka N. & Dr. P. Suresh Varma

Vijaya Institute of Technology for Women, JNTUK, Vijayawada, India

Abstract - One of the fundamental function of an operating system is scheduling. There are 2 types of uni-processor operating system in general. Those are uni-programming and multi-programming. Uniprogramming operating system execute only single job at a time while multiprogramming operating system is capable of executing multiple jobs concurrently. Resource utilization is the basic aim of multiprogramming operating system. There are many scheduling algorithms available for multiprogramming operating system. But our work focuses on design and development aspect of new and novel scheduling algorithm for multi-programming operating system in the view of optimization. We developed a tool which gives output in the form of experimental results with respect to some standard and new scheduling algorithms e.g. First come first serve, shortest job first, round robin, optimal and a novel cpu scheduling algorithm etc.

Keywords : operating system, uni-processor, uni programming, multi-programming, resource utilization, scheduling, fcfs, sjf, priority, round robin, a novel CPU scheduling algorithm etc.

GJCST-E Classification: D.4.1



Strictly as per the compliance and regulations of:



© 2012. Sukumar Babu B., Neelima Priyanka N. & Dr. P. Suresh Varma. This is a research/review paper, distributed under the terms of the Creative Commons Attribution-Noncommercial 3.0 Unported License http://creativecommons.org/licenses/by-nc/3.0/), permitting all non-commercial use, distribution, and reproduction inany medium, provided the original work is properly cited.

Optimized Round Robin CPU Scheduling Algorithm

Sukumar Babu B.^a, Neelima Priyanka N.^o & Dr. P. Suresh Varma^P

Abstract - One of the fundamental function of an operating system is scheduling. There are 2 types of uni-processor operating system in general. Those are uni-programming and multi-programming. Uni-programming operating system execute only single job at a time while multiprogramming operating system is capable of executing multiple jobs concurrently. Resource utilization is the basic aim of multiprogramming operating system. There are many scheduling algorithms available for multi-programming operating system. But our work focuses on design and development aspect of new and novel scheduling algorithm for multi-programming operating system in the view of optimization. We developed a tool which gives output in the form of experimental results with respect to some standard and new scheduling algorithms e.g. First come first serve, shortest job first, round robin, optimal and a novel cpu scheduling algorithm etc.

Keywords : operating system, uni-processor, uni programming, multi-programming, resource utilization, scheduling, fcfs, sjf, priority, round robin, a novel CPU scheduling algorithm etc.

I. INTRODUCTION

cheduling is the heart of any computer system since it contain decision of giving resources between possible processes. Sharing of computer resources between multiple processes is also called as scheduling. The CPU is one of the primary computer resources, so its scheduling is essential to an operating system's design[1]. Efficient resource utilization is achieved by sharing system resources amongst multiple users and system processes[2]. Optimum resource sharing depends on the efficient scheduling of competing users and system processes for the processor, which renders process scheduling an important aspect of a multiprogramming operating system. As the processor is the most important resource, process scheduling, which is called CPU scheduling, becomes all the more important in achieving the above mentioned objectives[1]. Part of the reason for using multiprogramming is that the operating system itself is implemented as one or more processes, so there must be a way for the operating system and application processes to share the CPU. Another main reason is the need for processes to perform I/O

Author σ : SRK Institute of Technology, JNTUK, Vijayawada.

operations in the normal course of computation. Since I/O operations ordinarily require orders of magnitude more time to complete than do CPU instructions, multiprograming systems allocate the CPU to another process whenever a process invokes an I/O operation[3].

- a) Goals for Scheduling
- Utilization/Efficiency: keep the CPU busy 100% of the time with useful work
- Throughput: maximize the number of jobs processed per hour.
- Turnaround time: from the time of submission to the time of completion, minimize the time batch users must wait for output
- Waiting time: Sum of times spent in ready queue -Minimize this
- Response Time: time from submission till the first response is produced, minimize response time for interactive users
- Fairness: make sure each process gets a fair share of the CPU.

b) Sheduling Algorithmms

We will start with five commonly used scheduling algorithms [1,2,4,5]

i. First Come First Served Scheduling Algorithm (FCFS)

FCFS is the simplest scheduling algorithm. For this algorithm the ready queue is maintained as a FIFO queue. PCB (Process Control Block) of a process submitted to the system is linked to the tail of the queue. The algorithm dispatches processes from the head of the ready queue for execution by the CPU. When a process has completed its task it terminates and is deleted from the system. The next process is then dispatched from the head of the ready queue.

ii. Shortest Job First Scheduling Algorithm (SJF)

For this algorithm the ready queue is maintained in order of CPU burst length, with the shortest burst length at the head of the queue. A PCB of a process submitted to the system is linked to the queue in accordance with its CPU burst length. The algorithm dispatches processes from the head of the ready queue for execution by the CPU. When a process has completed its task it terminates and is deleted from the system. The next process is then dispatched from the head of the ready queue.

Author α : Vijaya Institute of Technology for Women, JNTUK, Vijayawada, India.

Author ρ : University College, Adikavi Nannaya University, Rajahmundry, India.

iii. Priority Based Scheduling

In this algorithm, priority is associated with each process and on the basis of that priority CPU is allocated to the processes. Higher priority processes are executed first and lower priority processes are executed at the end. If multiple processes having the same priorities are ready to execute, control of CPU is assigned to these processes on the basis of FCFS [1]. Priority Scheduling can be preemptive and nonpreemptive in nature.

iv. Round Robin Scheduling Algorithm (RR)

For this algorithm the ready queue is maintained as a FIFO queue. A PCB of a process submitted to the system is linked to the tail of the queue. The algorithm dispatches processes from the head of the ready queue for execution by the CPU. Processes being executed are preempted on expiry of a time quantum, which is a system defined variable. A preempted process's PCB is linked to the tail of the ready queue. When a process has completed its task, i.e. before the expiry of the time quantum, it terminates and is deleted from the system. The next process is then dispatched from the head of the ready queue.

II. PROPOSED WORK : COMPARISION BETWEEN TWO NEW ALGORITHMS

In the proposed work we mainly concentrated on the new two algorithms called A Novel CPU Scheduling Algorithm – Preemptive & Non Preemptive [6], and Efficient CPU Scheduling Algorithm [7], these two algoritims are compared each other along with the existing algorithms like FCFS, SJF, Priority, Round Robin.

a) Work Procedure of A Novel CPU Scheduling Algorithm – Preemptive

The proposed algorithm A Novel CPU Scheduling algorithm is both preemptive and non-preemptive in nature. In this algorithm a new factor called condition factor(F) is calculated by the addition of burst time and arrival time ie., F = Burst Time + Arrival Time.

This factor f is assigned to each process and on the basis of this factor process are arranged in ascending order in the ready queue. Process having shortest condition factor (F) are executed first and process with next shortest factor (F) value is executed next. By considering the arrival time the new algorithms acts as preemptive or non-preemptive.

Proposed CPU scheduling algorithm reduces waiting time, turnaround time and response time and also increases CPU utilization and throughput.

The working procedure of *A Novel Preemptive Scheduling of Preemptive and Non Preemptive* algorithm is as given below:

- Take the list of processes, their burst time and arrival time.
- ✓ Find the condition factor F by adding arrival time and burst time of processes.
- ✓ First arrange the processes, burst time, condition factor based on arrival time ascending order.
- ✓ Iterate step a, b until burst time becomes zero.
- a. If arrival time of first and second process are equal the arrange them based on their condition factor f.
- b. Decrement the burst time and increment arrival time by 1
- When burst time becomes find the waiting time and turnaround time of that process.
- ✓ Average waiting time is calculated by dividing total waiting time with total number of processes.
- Average turnaround time is calculated by dividing total turnaround time by total number of processes.
 [6].
- b) Work Procedure of Efficient CPU Scheduling Algorithm

The proposed algorithm ERR is pre-emptive in nature. In this algorithm all the processes are sorted in ascending order in the ready queue. ERR scheduling algorithm maintains a small unit of time called time quantum or time slice is assigned to each process. According to that time quantum processes are executed and if time quantum of any process expires before its complete execution, it is put at the end of the ready queue and control of the CPU is assigned to the next shortest incoming process. In this algorithm ready queue is a circular queue. New processes are added to the tail of the ready queue. The CPU scheduler picks the first process from the ready queue sets of timer to interrupt after assigned time quantum, and dispatches the process.

The average waiting time and average turnaround time obtained from ERR is better than existing CPU scheduling algorithms.

ERR is fair in scheduling and effective in time sharing environment. In ERR scheduling, CPU is given to each process for equal time period, no process has to wait for long time for the CPU.

Working Procedure of the Proposed Algorithm ERR is discussed below:

- First collect all the list of processes, their burst time, arrival time and time quantum.
- Arrange processes and their burst time in ascending order based on their arrival time.
- Repeat 1 and 2 until all process complete their execution
- 1. If the current time is equal to arrival time of the ready queue process And if burst time of current process is greater than time slice then execute for time slice period else execute for burst time period.

- 2. If current time equals to arrival time and burst time equals to zero, then remove the process from the ready queue.
- During above process calculate the waiting time and turnaround time of each process. [7].

III. Performance Comparison Between Existing and New Algorithms

The simulation provides an interactive GUI interface to the user through which a user can input data related to different processes then applying different algorithms based on the algorithm choices given in the simulator. The simulator employs JAVA swings.

The front end user interfaces are developed using java awt's and swings. The parent screen allows the user to give number of processes to be in execution.

iewer: Scheduling	
Ente Number Of Process	Click
This is Class Process	Data
4	
	iewer: Scheduling Ente Humber Of Process This is Class Process

Screen1 : Enter Number of Process

Screen 2 allows the use give the details of the processes like Burst time, Arrival Time, Priority and Time slice.

Example1 : time slice=1

Applet					
		ess 4		Click	
Process Number	Burst Time	5	Arrival Time	Priority	
Enter Process - 0	02		04	06	
Enter Process - 1	04		01	02	
Enter Process - 2	06		02	04	
Enter Process - 3	01		03	05	
Select Algorithm-1		-	Select Algorithm	-2	
Enter Time Slice			1		~
Compare Any Tw	0		Compare All		

Screen 2: Enter Burst , Arrival and Priority of processes

Screen 3 allows the user to compare any two algorithms of his choice or allows the user to compare all algorithms.

manual viewer:	scheuung				
Applet					
		ess 4		Click	
Process Number	Burst Time		Arrival Time	Priority	
Enter Process - 0	02		04	06	
Enter Process - 1	04		01	02	
Enter Process - 2	06		02	04	
Enter Process - 3	01		03	05	
Select Algorithm-1		-	Select Algorithm-2		
Select Algorithm-1			1		
FCFS			Compare All		
NON PREEMPTIVE S	JF RIORITY				
PREEMPTIVE SJF					
PREEMPTIVE PRIOR	ITY				
ROUND ROBIN					
ERR					

Screen 3: Selection of Algorithm1 and Algorithm2

Screen 4 shows the GUI comparison results of the all algorithms.



Screen4: Example1 Comparission of all Algorithms

Screen 5 shows the CUI comparison results of the all algorithms.

C:\WINDOWS\system32\c	md.exe	- appletview	er Scheduling. java
D:\sukumar\nev sukumar	\ERR\n	ew>javac S	cheduling.java
D:\sukumar\new sukumar	ERR\n	ew>appletv	iewer Scheduling.ja
Compare All Algorithms			
Algorithm Name	Avg	Waiting	Avg Turn Around
FCFS	ania ania ania ania dia dia adii 1	4.7	8.0
NON PREEMPTIVE SJF		2.5	5.7
NON PREEMPTIVE PRIORIT	<u>Y</u>	4.7	8.0
NON PREEMPTIVE COMBINA	TORY	3.2	6.5
PREEMPTIVE SJF		2.2	5.5
PREEMPTIVE PRIORITY		4.7	8.0
ROUND ROBIN		3.5	6.7
ERR		2.2	5.5
PREEMPTIVE COMBINATORY		2.2	5.5
-			

Screen 5: Example1 CUI Comparision of all algorithms

Screen6 shows the GUI comparison between all algorithms when time slice=2



Screen6 : Example1 Comparing all algorithms when when time slice=?

Compare All Algorithm	ns				
Algorithm Name	Âvg	Waiting	Âvg	Turn	Around
FCFS NON PREEMPTINE SIR		4.7		8 5	.0 7

Screen7 shows the CUI comparison between all . 12

Algorithm Name	Avg Waiting	Avg Turn Around
 FCFS	4.7	8.0
NON PREEMPTIVE SJF	2.5	5.7
NON PREEMPTIVE PRIORI	IY 4.7	8.0
NON PREEMPTIVE COMBIN	ATORY 3.2	6.5
PREEMPTIVE SJF	2.2	5.5
PREEMPTIVE PRIORITY	4.7	8.0
ROUND ROBIN	3.5	6.7
ERR	2.0	5.2
PREEMPTIVE COMBINATOR	Y 2.2	5.5

screen7: CUI Comparision of all algorithms when ts=2

Example 2 : Screen 8 takes different processes burst time and arrival time and priority values

		ess 5	Click
Process Number	Burst Time	Arrival Time	Priority
Enter Process - 0	10	0	3
Enter Process - 1	1	1	1
Enter Process - 2	2	2	3
Enter Process - 3	1	3	4
Enter Process - 4	5	4	2
Select Algorithm-1		Select Algorithm	2
Enter Time Slice		2	
🔾 Compare Any Tw	0	🔘 Compare All	

Screen8: Entering Process Details : Burst, Arrival time and Priority

Screen9 shows the GUI comparison between all algorithms



Screen9: Example2 GUI Comparision

Screen10 shows the GUI comparison between all algorithms

Algorithm Name	Avg Waiting	Avg Turn Around
FCFS	7.6	11.4
NON PREEMPTIVE SJF	7.4	11.2
NON PREEMPTIVE PRIORITY	9.0	12.8
NON PREEMPTIVE COMBINATO	RY 3.4	7.2
PREEMPTIVE SJF	2.2	6.0
PREEMPTIVE PRIORITY	6.0	9.8
ROUND ROBIN	3.2	7.0
ERR	2.2	6.0
PREEMPTIVE COMBINATORY	2.2	6.0

screen10: Example2 CUI Comparision

IV. CONCLUSION

This paper mainly defines the existing algorithms and two new algorithms called A Novel CPU Scheduling Algorithm Preemptive & Non Preemptive and Efficient CPU Scheduling Algorithm. These two algorithms are compared with each other and also compared with the existing algorithms. From Example1 and Example2 it is clear that Efficient Round Robin Algorithm gives best and optimized average waiting time and average turnaround time when compared with the remaining algorithms. When the time-slice / time quantum is increasing Efficient Round Robin Algorithms gives the best average waiting and average turnaround time.

References Références Referencias

1. Hybrid Scheduling and Dual Queue Scheduling Syed Nasir Shah, Ahmad Mahmood, Alan Oxley 2009-IEEE 978-1-4244-4520-2/09 Conference.

- 2. Operating System concepts 7th Edition, By Galvin, Silberschatz, Gange John Wiley & Sons, 2005
- 3. http://www1bpt.bridgeport.edu/sed/projects/cs503/ Spring_2001/kode/os/scheduling.htm
- Milan Milenkovic, "Operting System Concepts and Design", Second Edition McGraw Hill International, 1992
- 5. Leland L. Beck, "System Software", 3rd Ed., Addison Wesley, 1997
- A Novel CPU Scheduling Algorithm Preemptive & Non Preemptive, International Journal of Modern Engineering Research, Volume2 Issue 6.
- 7. Efficient Round Robin CPU Scheduling Algorithm, International Journal of Engineering Research and Development, Paper id: 16193.

This page is intentionally left blank