



GLOBAL JOURNAL OF HUMAN-SOCIAL SCIENCE: C
SOCIOLOGY & CULTURE
Volume 25 Issue 3 Version 1.0 Year 2025
Type: Double Blind Peer Reviewed International Research Journal
Publisher: Global Journals
Online ISSN: 2249-460X & Print ISSN: 0975-587X

Industrial Activities and Pollution of the Ebrié Lagoon in the Autonomous District of Abidjan in Ivory Coast

By Kouman Koffi Mouroufié Clément & Tra Fulbert

Félix Houphouët Boigny University

Abstract- Pollution of the watercourse of Abidjan, the capital of Ivory Coast, is a major phenomenon affecting the aquatic ecosystem, biodiversity and the health of the population. Although industry contributes to the city's economic growth, it is a major factor in the pollution of the Lagune Ébrié.

This article shows the impact of industrial activities on water quality by identifying the main cause of pollution and analyzing the consequences. The article also proposes a solution to reduce this problem and ensure better management of water resources in Abidjan.

Keywords: industrial activities, pollution, ebrie lagoon, Abidjan-Ivory Coast.

GJHSS-C Classification: LCC Code: TD427.I57



Strictly as per the compliance and regulations of:



Industrial Activities and Pollution of the Ebrié Lagoon in the Autonomous District of Abidjan in Ivory Coast

Kouman Koffi Mouroufié Clément ^α & Tra Fulbert ^σ

Abstract- Pollution of the watercourse of Abidjan, the capital of Ivory Coast, is a major phenomenon affecting the aquatic ecosystem, biodiversity and the health of the population. Although industry contributes to the city's economic growth, it is a major factor in the pollution of the Lagune Ébrié.

This article shows the impact of industrial activities on water quality by identifying the main cause of pollution and analyzing the consequences. The article also proposes a solution to reduce this problem and ensure better management of water resources in Abidjan.

Keywords: industrial activities, pollution, ebrié lagoon, Abidjan-Ivory Coast.

Summary- Water pollution in Abidjan, the economic capital of Côte d'Ivoire, is a growing phenomenon affecting aquatic ecosystems, biodiversity, and human health. Industry, while contributing significantly to the city's economic growth, is a major source of pollution for the Ébrié Lagoon.

This article examines the impact of industrial activities on water quality, identifying the main sources of pollution and analyzing the environmental and health consequences. Solutions are proposed to reduce this impact and ensure sustainable management of water resources in Abidjan.

Keywords: industrial activities, pollution, ebrié lagoon, Abidjan-Ivory Coast.

I. INTRODUCTION

The Industrialization is a very essential step for the economic development of countries, it consists of developing a diversified industrial base, capable of producing manufactured goods with high added value and creating jobs for the population.

Abidjan, the second largest city in West Africa, is a hub of industry and commerce in Côte d'Ivoire. Since Côte d'Ivoire gained independence, Ivorian political authorities have made industrialization one of their major concerns. Indeed, the Ivorian government, in its development policy, has established a veritable industrial fabric based on the development of agricultural and forestry resources for their local processing. (Coulibaly Aboubakar et al 2022)

Abidjan, the economic capital of Côte d'Ivoire, is experiencing rapid industrial development in two stages, from 1960 to 1970 and from 1970 to 1980 (SETTIE,

1997). This development has contributed considerably to its economic growth. The city of Abidjan alone accounts for 70% of the country's industries and 60% of jobs in the modern sector. (Coulibaly Aboubakar et al 2022).

Its geographical location, located on the Ébrié Lagoon, makes this area a rich aquatic ecosystem. However, rapid population growth and industrial expansion have exacerbated the pollution of waterways. This pollution generated by these various factors directly impacts water quality, the aquatic ecosystem, and the health of local and surrounding populations.

Industrial companies located around the Ébrié Lagoon, including chemical, textile, agri-food, and petrochemical plants, often dump their production waste into the lagoon without proper prior treatment. This environmental situation leads to a progressive degradation of the aquatic environment, thus endangering biodiversity and human life.

II. METHODOLOGY

a) The Framework of the Study

Located in the Grands Ponts region in the southeast of Ivory Coast, the autonomous district of Abidjan has become a decentralized entity since 2011. It covers an area of 2,119 km² and is made up of the ten communes of the former city of Abidjan, to which the sub-prefectures of Songon, Bingerville, and Anyama have been added since 2001.

Abidjan did not exist at the beginning of the 20th century. In 1950, it had just passed the threshold of 50,000 inhabitants (end of 1948). To reach one million inhabitants by the end of 1975, it had to grow by 10 to 12% per year, which corresponds to a doubling every six or seven years. But the curve abruptly changed with the crisis of the 1980s.

It can be assumed that, in the last twenty years of the century, Abidjan's population growth rate will have fluctuated in a range of 3 to 6%. Natural growth has taken precedence over migratory inflows. Flows remain substantial, but departures partly offset arrivals. Positive migratory flows brought, in the year preceding the 1988 census, 80,000 people, of whom 50,000 came from the Ivorian regions and 30,000 from abroad. From Côte d'Ivoire came mainly Akans (southeast, 48%), then

Author ^α σ: Félix Houphouët Boigny University.
e-mails: clementkouman@outlook.fr, fulberttra@yahoo.fr

Mandé (northwest, 24%) and Krou (southwest, 20%). From abroad arrived Burkinabé (30%), Malians (22%), Ghanaians (19%), Nigerians (11%), and Guineans (9%). These statistics refer to the entire nation, not to Abidjan. Among non-Africans, the Lebanese outnumber Europeans, and the French outnumber all other Europeans combined. All together, non-Africans represented just 3% of Abidjan's population before the June 8, 2004, white-dominated hunt, but it was still a record for the region.

A census of the country's population was conducted in 1998. It indicated 2,877,948 inhabitants for the city. Figures for 2006 estimate the population of Abidjan at 3,796,677 inhabitants. In 2006, the Abidjan metropolitan area had 5,060,858 inhabitants. This population increase is mainly due to war displaced persons since the events of September 2002. The city welcomes many inhabitants looking for both jobs and safer accommodation. A new census was conducted in 2008.

According to the 2014 census conducted by the National Institute of Statistics, Abidjan's total population was 4,395,243. This figure has increased over a seven-year period. According to the latest Ivorian general population census of 2021, Abidjan's population is estimated at 6,321,017.

b) *The Environmental Framework of the Study*

Abidjan benefits from its openness to the Atlantic Ocean and a dense hydrographic network, marked by the presence of the Ébrié Lagoon, which crosses several of the city's municipalities. However, due to industrial waste and the use of toxic products for fishing, the Ébrié Lagoon is increasingly polluted. Algae and other aquatic plants are now proliferating. According to Côte d'Ivoire's 2009 Poverty Reduction Strategy Paper, Abidjan's industries emit 70 tons of sulfur dioxide, 21 tons of nitrogen oxide, and 12 tons of toxic dust daily. This report also highlights that vehicles contribute to the city's pollution by producing just over 6 tons of sulfur dioxide, 22 tons of nitrogen oxide, and 15 tons of toxic dust per day.

In 2022, plastic waste production was 40,000 to 100,000 tons per year and only 5 to 20% of this waste was recycled while the rest of the waste is dumped in the streets or in waterways. (CIAPOL 2022). This situation represents a health and environmental obstacle.

Furthermore, the lack of sanitation and waste-water disposal systems has an impact on the quality of the environment, the living environment, and the health of the population. Indeed, a morbidity analysis indicates that diseases linked to an unhealthy environment, such as malaria, acute respiratory infections, and diarrhea, are the most recurrent in the municipalities. In Abidjan, children under five years of age constitute the most vulnerable segment of the population. The incidence of

malaria in 2009 was 239.52 per 1,000 children, which is above the national average (222.13 per 1,000 children). The incidence of diarrhea for the same year was 76.61 per 1,000, compared to an incidence of 44.54 per 1,000 at the national level. The incidence of acute respiratory infections was 151.15 per 1000, which is higher than the national average of 87.45 per 1000.

c) *Data and Methods*

The search for information for the realization of our research work, led us to the central library of the Felix Houphouët Boigny University of Cocody, to the National Institute of Statistics (INS) for the consultation of documents such as master's dissertations, theses. Also we used digital platforms such as Google, Google scholar, HAL SHS, to consult journals, methodological works, specific, study reports, courses related to the phenomenon studied.

The documentary research and the first field survey allowed us to construct the object of study (the problem), to lay the methodological and theoretical bases of this, and even to circumscribe the work.

Beyond the role of documentary research in developing the theoretical framework, understanding the phenomenon studied could not be based solely on documentary research. We therefore had to carry out fieldwork, which consisted of visiting the populations concerned by our study to observe the manifestation of the social fact and collect data.

The investigation for this study was carried out in two phases, namely the exploratory investigation and the definitive investigation, the field investigation itself.

- *The exploratory survey*, is the phase of making contact and getting to know the field. It allowed us to meet the actors in the field, observe the manifestation and the evolution of the phenomenon studied in order to obtain information on its existence and the feasibility of carrying out the survey.
- *The field survey*, this is the stage of the final survey. During this phase, we contacted all the social actors, namely the populations residing in the industrial zones of Vridi Koumassi and Yopougon, the actors of the health system, local elected officials and Ministries in order to collect as much information as possible relating to our research. This stage took place between December 2023 and January 2024. The survey of the local populations took place on weekends because these were the periods considered suitable for free access to the populations. As for the institutional actors, the interviews took place on working days of the week in order to access the premises or services for data collection.

Therefore, we interviewed residents living in Abidjan's industrial zones (Koumassi, Yopougon, and

Vridi), as well as institutional stakeholders (CIAPOL, the Ministry of the Environment, Sustainable Development, and Ecological Transition, health centers, town halls, etc.) and industrialists to understand the manifestation of the phenomenon studied. In total, we interviewed 147 people during our final survey.

Table 1: Recap Interview of Institutional Actors

Institutions	Direction	Service	Number	Status of Investigations
Port-Bouet Town Hall	Technical Management	Environment and Living Environment Service	2	Heads of Environment and Living Environment Departments
Koumassi Town Hall	Technical Management	Sub-Directorate of the Environment	1	Deputy Director of the Environment
Yopougon Town Hall	Technical Service	Environmental Service	1	Environmental Officer
National Institute of Statistics (INS)	Sales Department	IT Department	1	Statistical Computer Scientist
Ivorian Anti-Pollution Center (CIAPOL)	Central Environmental Laboratory	Inspection	1	Inspector, responsible for industrial companies
Ministry of the Environment	Human Resources Department	Human Resources	1	Human Resources
National Institute of Public Hygiene (INHP)	Emergency Operations Center	Deputy Director Secretariat SEIGHER	1	Deputy Director SEIGHER
Vridi Canal Community Health Center	Community Health Center Management	General medicine	1	General practitioner
TECHNO Medical Clinic	Human Resources Department	Chief Physician	1	General practitioner

Table 2: Summary table of Individual Interviews carried out with Manufacturers

	Businesses	Services	Number	Statutes
Vridi Industrial Zone	Chemical manufacturing company	HQSE	2	Environmental quality manager, fire chief
Koumassi Industrial Zone	Sandal manufacturing company	Technical Service	1	Head of Control
Yopougon Industrial Zone	Plastic manufacturing company	Production unit	1	Production Manager

Source: Field survey Kouman Clément, T. 2023


Table 3: Summary Table of Individual Interviews and Focus Groups with Populations

Communes	Statutes of Interviewees	Number of Surveys	Focus Group
VRIDI	Community leaders, family leaders, youth leaders, CGQ representatives, residents (men, women and young people)	48	Association of Youth of Vridi Canal
KOUMASSI	Burkinabe community leader Head of family Residents (Man, Woman and Youth)	40	Grouping of young mechanics and factory employees
YOPOUGON	Head of the Banco and Micao neighborhood Head of the family Residents (Man, Woman and Youth)	45	Banco II Restaurateurs' Association

Source: Field survey Kouman C. Fulbert T.2023

employing more than 80,000 people. 23% of the area is occupied by housing, especially precarious. The environmental situation is alarming in the area, especially in terms of sanitation and liquid discharges. In this area, there are several solid waste disposal points, some of which are incinerated and others causing the scattering of light and flying waste all around. Industrial wastewater discharges are channeled into a combined network with overflows in some manholes and even at the level of the transfer pipe of these waters.

Mapping of the Yopougon industrial zone




Source: Field data, mapping produced by INS 2024

– The Koumassi industrial zone

The commune of Koumassi is home to one of the largest industrial zones in Abidjan. It covers an area of 120 hectares, consisting of agri-food, plastics processing, and household goods manufacturing industries. According to the AGEDI census in 2019, the Koumassi industrial zone has 236 companies (AGEDI, 2019, p. 123).

In a study of the Kabyle agglomeration (Algeria), carried out by Hadjem M. & Khaled G. (2019), they counted 27 textile units. And these different industries in their operation produce solid and liquid waste.

Mapping of the Koumassi industrial zone



Source: Field data, mapping produced by INS 2024

The industrial zones of the autonomous district of Abidjan face enormous environmental challenges in terms of waste management. Industrial units produce solid, liquid, and hazardous waste, which requires proper disposal.

However, there is a lack of infrastructure, or even a lack of infrastructure, for waste management, which very often leads to illegal dumping or inappropriate disposal of waste, which can have a negative impact on environmental and human health.

b) Presentation and Environmental Situation of the Ebrié Lagoon

The Ébrié Lagoon, formerly known as the Ahizi Lagoon, is a brackish water lagoon located in Côte d'Ivoire. The country's economic capital, Abidjan, is built around this lagoon. With a maximum width of 7 km, a maximum depth of 20 m, an average depth of 4.8 m, and a length of 130 km, the Ébrié Lagoon covers an area of approximately 560 km². It is connected to the Gulf of Guinea by the Vridi Canal, which was built to open the port of Abidjan to the Atlantic Ocean.

The lagoon system plays a vital role in local biodiversity, housing a wide variety of plant and animal species. Unfortunately, the Ébrié Lagoon faces enormous environmental challenges. Also, accelerated urbanization around the city of Abidjan, with industrial and residential development, is leading to the dumping of industrial and household waste into the lagoon, including industrial chemicals, untreated wastewater,

and solid waste. This has a direct impact on water quality and aquatic flora and fauna.

According to the 2021 report by the French Institute for Research and Development (IRD), 200 tonnes of waste are dumped into the Ebrié lagoon every day, 80% of which is plastic and 20% is composed of organic and industrial liquids. In March 2024, nearly 2 tonnes of fish affected by lagoon pollution washed up on the shores of Biétry Bay, increasingly calling into question the environmental situation of the Ebrié lagoon and, in particular, the health of the population.

Industrial enterprises located on the Ebrié Lagoon frequently produce liquid and solid waste containing chemicals and toxic substances. When not properly treated, this effluent can contaminate surrounding waterways and impact aquatic species and even the health of the general population.

IV. RESULTS

The results of this study focus on the environmental impact of pollution of the Ebrié lagoon and the consequences on the health of local populations.

a) *Impact of Lagoon Pollution by Industries*

The results of our research show that industrial pollution of the Ebrié rivers and lagoon mainly consists of heavy metals, organic chemicals, and hydrocarbons. These pollutants are largely the result of uncontrolled discharges into the rivers and lagoon, sometimes from poorly equipped factories or through inadequate waste management practices. Concentrations of heavy metals, particularly lead and mercury, are particularly high in certain areas near industrial complexes.

In terms of water pollution, wastewater discharged by industries accounts for 6.7% of the total water discharged by all industries in the country. However, only 11.7% of the wastewater discharged by industrial enterprises meets the national cleanliness standard. After treatment, the percentage can increase to 28%, which means that 72% of the wastewater discharged directly into the environment by industries is poorly treated or even untreated. This situation tends to worsen due to less stringent and less effective control in the countryside.

In this wastewater discharged from industrial units, a large amount of toxic products such as cyanide and volatile phenol were discovered. It appears that 15.6% of the water polluted by cyanide and 42.6% by volatile phenol come from industries. Dan Eude et al (2022).

Coastal industries are largely responsible for lagoon pollution. They discharge toxic products such as glycerin from soap factories, pigments from textile industries, soda, acids, and mineral oils into these waters through sewers. The food and textile industries are dominant sources of industrial pollution. They

produce nearly 95% of pollutant loads and 85% of waste volume. In the autonomous district of Abidjan, approximately 2,600 m³ of wastewater are discharged into the Ebrié lagoon by industries and approximately 4.4 million m³ per year of residual discharges from industries and households (Ivorian State Report on the Environment 2021).

According to Boukary Sawadogo (2018), industrial wastewater includes all the water that is in principle discharged by the factory into the external environment, after having contributed to manufacturing, cleaning, transport, cooling. Wastewater contains approximately 1% of colloidal and dissolved suspended solids and 99% water.

The consequences of the emission of poorly treated or untreated wastewater can be classified into three categories:

- Negative impacts on the living environment
- *Harmful effects on human health*
- *Adverse repercussions on economic activities.*

For the author, industry is the human activity that generates the most wastewater. The composition and concentration of industrial effluents vary greatly depending on the type of industry. Thus, each industrial operation generates specific quantities and qualities of wastewater that can contain considerable pollutant loads. Beyond organic, phosphorus, or nitrogenous matter, it can notably contain toxic products, such as solvents, heavy metals, hydrocarbons, and organic micropollutants. Some of this water can be toxic to aquatic species, plants, and humans.

The environmental situation of the Ebrié lagoon and the surrounding waterways remains a major challenge because most industrial units very often produce liquid waste containing untreated chemicals and toxic substances which are discharged directly into the lagoon through the wastewater drainage channels which are directly connected between these companies and the lagoon. There are in industrial zones of the district of Abidjan, a panoply of industry which does not have adequate mechanism for the treatment of water used in their production system, for maintenance or cleaning of machines. Thus, the Ebrié lagoon which is the largest brackish water basin in Africa and a central element of the economic capital is becoming more and more polluted and this pollution affects such as fishing leading to risks of poisoning for consumers of aquatic products.

The Ivorian State Report on the Environment (2021) states that water pollution is a major source of biodiversity degradation. Indeed, many aquatic species are victims of pollution by heavy metals such as mercury, copper, zinc, lead, or organochlorines (insecticides, pesticides, etc.), which cause serious disorders that can affect certain vital functions, including reproduction and orientation. Pollution of waterways

leads to the death of fish and crustaceans, and also causes the disappearance of certain aquatic species.

In terms of biodiversity, the consequences of lagoon pollution are worrying. Aquatic fauna and flora, primarily fish and aquatic plants, are directly impacted by the effects of pollution, causing a decrease in biodiversity. Some fish species have disappeared, while others exhibit physiological and pathological abnormalities, posing a danger to human consumption. This degradation also affects human populations, who depend on lagoon water for irrigation, consumption, and fishing.

While water is a vital source for human beings, it also represents a potential vector of diseases, some of which can be fatal (Pierre André et al 2003). According to WHO 1992 estimates on child mortality, four million children under five die each year from diarrhea transmitted by biologically contaminated water.



Source: Clément Kouman, Fulbert Tra 2023

Photo No. 1: Discharge of Wastewater



Source: Clément Kouman, Fulbert Tra 2023

Photo No. 2: Discharge of Wastewater and Waste solids

These shots above were taken during our field survey in the industrial zones of Vridi and Yopougon. During this survey, we noted that several industrial companies have connected their sewers for evacuating production water to the pipelines leading directly to the Ebrié lagoon. This water, which is discharged into the

lagoon, does not undergo any prior treatment before being discharged. As the images show, the discharge of this industrial wastewater into the waterways will undeniably impact the quality of the lagoon's water and endanger the environmental situation, the consequences of which will have repercussions on the health of the population.

b) Impact of Lagoon Pollution on the Health of Populations

According to Boukary Sawadogo (2018), industry is the human activity that generates the most wastewater. The composition and concentration of industrial effluents are extremely variable depending on the type of industry. Each industrial activity generates specific quantities and qualities of wastewater that can contain considerable loads of pollutants and, apart from organic matter, nitrogen or phosphorus, can also contain toxic products, such as solvents, heavy metals, hydrocarbons and organic micropollutants, some of which can be toxic to aquatic species, plants and humans.

According to Meinck (1956), cited by Coulibaly et al (2022), the contamination of the central installation of a water distribution network cost the lives of seven infants and made 200 people sick because polluted water from an acetylene generator released toxic substances into the water distribution plant. The pollution of the Ebrié lagoon has direct consequences on the health of local populations, particularly through the transmission of waterborne diseases. Poisoning by heavy metals such as lead and mercury, present in industrial waste, ends up in the food chain through aquatic species, as well as the lack of wastewater treatment infrastructure which increases the risks of infectious diseases such as: typhoid fever, cholera, and parasitic diseases. When these products are ingested by aquatic species, they can constitute a source of contamination for humans.

For Dongo, et al (2013), 62.93% of the Abidjan population are victims of malaria due to pollution, of which 13.62% suffer from diarrheal diseases and 23.45% from acute respiratory infections.

These metals are highly toxic and can cause serious health problems, including neurological disorders when exposure to mercury, for example, affects the nervous system, leading to cognitive impairment, memory deficits, and developmental disorders in children. Similarly, kidney problems can occur with the accumulation of heavy metals in the kidneys through the consumption of infested aquatic products, causing kidney dysfunction and other complications related to vital organs. Better still, one of the more serious consequences is the development of certain carcinogenic diseases through long-term ingestion of fish contaminated with heavy metals, which

increases the risk of cancers, particularly of the liver and kidneys.

According to Aboubakar et al (2022), the consequences of industrial activity on the health of populations can range from a simple olfactory problem to the development of cancer. Indeed, even if the effects of these chemicals are only present in trace amounts, certain metallic and organic elements can prove to be very dangerous, toxic or even carcinogenic. This is, for example, the case of chemicals such as cadmium, mercury, lead, chromium, hydrocarbons, etc. Despite the laws on environmental protection in Côte d'Ivoire, the pollution of the Ebrié lagoon is a social reality that endangers the health of the local populations and remains a considerable challenge for the state and the populations.

V. DISCUSSION

The Ebrié Lagoon, Abidjan's lagoon ecosystem, plays a vital role as an interface, as it is a place of passage and exchange between water and marine waters. This environment is an urban, port, and industrial complex, a populated area. It also offers significant tourism opportunities. However, water quality is influenced by demographic change and the phenomenon of industrialization. Thus, the Ebrié Lagoon faces a pollution problem.

This pollution is of organic, microbial and chemical origin. Organic pollution results from the food industry, domestic waste and fertilizer residues in agriculture. As for microbial pollution, it most often comes from organic waste from sewers and involves pathogens. As for chemical pollution, it comes from industrial effluents (hydrocarbons, dyes, acids, heavy metals) etc. Dan Eude et al (2022). According to Danièle Maurer (1978), Biétri Bay is one of the many bays on the shores of which the main industrial center is built, most of whose wastewater, domestic and industrial, is discharged into the lagoon without prior treatment. Industrial waste discharges into Biétri Bay are numerous and significant, estimated at 18,000 m³ per day (approximately 1/1000th) of the volume of the bay's water, including 3,607 kg of oxidizable material from the oil, soap, and dyeing industries and the Port-Bouët slaughterhouse.

As for Fatima Zhora et al (2006), the contamination of the marine environment by chromium, a non-essential metal, lies in its capacity to accumulate in living beings, since, like other toxic metals, it has no known biological role, and is practically not subject to known chemical or biological degradation reactions; in addition, this metal is harmful. Chromates can, as strong oxidants, cause burns and ulcers of the skin and mucous membranes as well as irritation of the upper respiratory tract. Absorption can cause damage to the liver, kidneys and digestive system. Cr compounds have

been shown to be carcinogenic in animal tests. The lethal dose in humans is 0.5 g; it is toxic to fish from 52 mg/l, and to algae from 5 mg/l, depending on the acidity of the soil and the potential. Chromium is mainly used in the tannery and oil mill industries, and in alloys with iron, nickel or cobalt.

The pollution of the Ebrié Lagoon has far-reaching and widespread consequences that affect both the environment and the health of populations. The health impacts of pollution are of concern, as heavy metals and other pollutants present in the water lead to neurological diseases, immune system disorders, and certain carcinogenic diseases. In addition, populations living in the most exposed areas are often subject to health problems related to the consumption of unclear water.

Industrial activities, combined with a lack of strict regulations and insufficient monitoring of industrial discharges, are major contributors to this situation. The Ebrié Lagoon, essential for local ecosystems and local populations, is threatened by the loss of its biodiversity and the accumulation of chemical pollutants.

VI. CONCLUSION

The pollution of waterways in Abidjan, particularly the Ebrié Lagoon, poses a serious threat to the environment and public health. This environmental situation in the Ebrié Lagoon is a significant reality that has a significant impact on the productivity and survival of aquatic species. One of the major consequences of this lagoon pollution is the health problems it could have on the entire population, who are faced not only with the inhalation of unbearable odors but also with health problems due to the consumption of products from this polluted lagoon environment.

In view of this environmental and health reality, although efforts have been made through institutions working for the protection of the environment and the living environment and various stakeholders to regulate industrial activities and improve waste management, stricter measures and wastewater treatment initiatives would therefore be necessary because it is crucial to adopt an integrated approach to water and industry management in order to reduce pollution of the lagoon, preserve aquatic ecosystems and protect the health of the population. Therefore, a long-term commitment and collaboration between local and political authorities, industries and communities are essential to reverse this trend and ensure a healthy environmental situation, sustainable health for the population in order to restore this environmental radiance to the city of Abidjan which was otherwise called the pearl of the lagoons.

BIBLIOGRAPHY

1. Akoissi Ida Natacha Yao-Assahi, Kouassi Paul ANOH (2022). Industries and urbanization in

- southern Abidjan (Abidjan-Ivory Coast), consulted on 10/21/2022 at 3:16 p.m.
2. Audrey Garric (2012). Industrial pollution wreaks as much havoc on health as malaria, *lemonde.fr*.
3. Blacksmith Institute (2012). The World's Worst Pollution Problems: Assessing Health Risks at Hazardous Waste Sites
4. Boukary Sawadogo, doctoral thesis (2018). Treatment of industrial wastewater by membrane processes in a Sahelian climate: the case of brewery wastewater in Burkina Faso.
5. ECOWAS (2021). Environmental Profile <https://environnement.gouv.ci/wp-content/uploads/2015/08/Profil-Environnemental-de-la-Cote-d'Ivoire-Juillet-2021.pdf>, accessed on 07/27/2024 at 8:47 p.m.
6. Charles Simard. (2022). Pollution in West Africa: Critical State, accessed August 23, 2024 at 2:50 a.m., <https://perspective.usherbrooke.ca/bilan/servelet/BMAnalyse/3259>
7. Coulibaly Aboubakar (2022). State of the environment of industrial zones in the district of Abidjan: case of the industrial zone of Koumassi (Ivory Coast)
8. Coulibaly Aboubakar, Kassi Kadjo Jean Claude, Aloko N'guessan Jérôme (2022) state of the environment of industrial zones in the district of Abidjan: case of the industrial zone of Koumassi (Ivory Coast) » *International Researcher's Review* « Volume 3: Number 2 » pp: 521 – 542
9. Dan Eude Kpannieu, Kouakou Norbert Kouadio, Ignace Christian M'Bra, Coulibaly.
10. Nagnonta Hippolyte, Lacina Coulibaly, S. Ouffouet (2022). Physico-chemical pollution and trophic state of Biétry Bay (Ebrié Lagoon, Abidjan, Ivory Coast), *Journal of Materials Science and Chemical Engineering*, 2022, 10, 87-99
11. Danièle Maurer (1978). Phytoplankton and pollution of the Ebrié lagoon (Abidjan) in the Cortiou sector (Marseille), 3rd cycle doctoral thesis, *Biological oceanography*.
12. DRIRE PACA (2006). Industrial environment and impacts on health.
13. Emmanuel ADLER et al (2010). Waste treatment and health effects.
14. Environmental assessment of hazardous waste - RA-SINDRA (2012). Rhône-Alpes waste observatory, consulted on 08/09/2021 at 3:29 p.m.
15. Fatima Zohra Bouthir, Salah Souabi, Abdelghani Chafik, Samir Benbrahim1 and Mustapha Sifeddine (2006). Impact of industrial discharges on the environment: case of chromium accumulation in different aquatic compartments along the Casablanca – Mohammadia coast.
16. Galal-Gorchev (1994). The effects of chemical pollution on health (encyclopedia of occupational safety and health, 3rd French edition).
17. Hakim Khelfaou, Hicham Chaffai, Azzedine Hani and Rabah Laouan (2012). Impacts of industrial discharges on the waters of the Barrahah region (Northeast Algeria).
18. Kablan N'guessan Hassy Joseph et al (2013). Environmental impact of the industrial-port zone of Abidjan.
19. Kra Kouamé Raphaël (2012). Doctoral thesis, industrial waste and environmental policy in Ivorian law.
20. Metongo BS, Kouassi AM, Kaba N. (2013). Quantitative and qualitative assessment of effluents and pollutants: the case of Ivory Coast and the city of Abidjan.
21. Ministry of the Environment and Sustainable Development of Côte d'Ivoire (2011). National environmental policy, consulted on 01/06/2021 at 5:33 p.m.
22. Ministry of Environment and Sustainable Development of Côte d'Ivoire (2020). State of the environment in Côte d'Ivoire.
23. Nader Abbes (2013). The Environment: A Public or Private Good? In *Responsible Business*, consulted on August 20, 2024 at 6:40 a.m., <https://www.cairn.info/l-entreprise-responsable--9782343004648-page-13.htm>
24. Savadogo Boukary, doctoral thesis, (2021)
25. Social logic of maintaining populations in risk areas: the case of the commune of Attécoubé in the autonomous district of Abidjan.
26. Zongxia CAI, Institute of Geography, Chinese Academy of Sciences, Industry in the countryside and its consequences on the environment in China, consulted on August 27, 2021 at 2:10 p.m. (<https://popus.uliege.be>).

