

GLOBAL JOURNAL

OF SCIENCE FRONTIER RESEARCH: E

Interdisciplinary

Gas Field Ion Source

Acid Consumption in Canada

Highlights

Potential Health Benefits

Differentials of Birth Intervals

Discovering Thoughts, Inventing Future

VOLUME 13

ISSUE 2

VERSION 1.0



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH: E
INTERDISCIPLINARY



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH: E
INTERDISCIPLINARY

VOLUME 13 ISSUE 2 (VER. 1.0)

OPEN ASSOCIATION OF RESEARCH SOCIETY

© Global Journal of Science
Frontier Research .2013.

All rights reserved.

This is a special issue published in version 1.0
of "Global Journal of Science Frontier
Research." By Global Journals Inc.

All articles are open access articles distributed
under "Global Journal of Science Frontier
Research"

Reading License, which permits restricted use.
Entire contents are copyright by of "Global
Journal of Science Frontier Research" unless
otherwise noted on specific articles.

No part of this publication may be reproduced
or transmitted in any form or by any means,
electronic or mechanical, including
photocopy, recording, or any information
storage and retrieval system, without written
permission.

The opinions and statements made in this
book are those of the authors concerned.
Ultraculture has not verified and neither
confirms nor denies any of the foregoing and
no warranty or fitness is implied.

Engage with the contents herein at your own
risk.

The use of this journal, and the terms and
conditions for our providing information, is
governed by our Disclaimer, Terms and
Conditions and Privacy Policy given on our
website [http://globaljournals.us/terms-and-condition/
menu-1463/](http://globaljournals.us/terms-and-condition/menu-1463/)

By referring / using / reading / any type of
association / referencing this journal, this
signifies and you acknowledge that you have
read them and that you accept and will be
bound by the terms thereof.

All information, journals, this journal,
activities undertaken, materials, services and
our website, terms and conditions, privacy
policy, and this journal is subject to change
anytime without any prior notice.

Incorporation No.: 0423089
License No.: 42125/022010/1186
Registration No.: 430374
Import-Export Code: 1109007027
Employer Identification Number (EIN):
USA Tax ID: 98-0673427

Global Journals Inc.

(A Delaware USA Incorporation with "Good Standing"; **Reg. Number: 0423089**)

Sponsors: *Open Association of Research Society*
Open Scientific Standards

Publisher's Headquarters office

Global Journals Headquarters
301st Edgewater Place Suite, 100 Edgewater Dr.-Pl,
Wakefield MASSACHUSETTS, Pin: 01880,
United States of America
USA Toll Free: +001-888-839-7392
USA Toll Free Fax: +001-888-839-7392

Offset Typesetting

Global Journals Incorporated
2nd, Lansdowne, Lansdowne Rd., Croydon-Surrey,
Pin: CR9 2ER, United Kingdom

Packaging & Continental Dispatching

Global Journals
E-3130 Sudama Nagar, Near Gopur Square,
Indore, M.P., Pin:452009, India

Find a correspondence nodal officer near you

To find nodal officer of your country, please
email us at local@globaljournals.org

eContacts

Press Inquiries: press@globaljournals.org
Investor Inquiries: investers@globaljournals.org
Technical Support: technology@globaljournals.org
Media & Releases: media@globaljournals.org

Pricing (Including by Air Parcel Charges):

For Authors:

22 USD (B/W) & 50 USD (Color)
Yearly Subscription (Personal & Institutional):
200 USD (B/W) & 250 USD (Color)

INTEGRATED EDITORIAL BOARD
(COMPUTER SCIENCE, ENGINEERING, MEDICAL, MANAGEMENT, NATURAL
SCIENCE, SOCIAL SCIENCE)

John A. Hamilton, "Drew" Jr.,
Ph.D., Professor, Management
Computer Science and Software
Engineering
Director, Information Assurance
Laboratory
Auburn University

Dr. Henry Hexmoor
IEEE senior member since 2004
Ph.D. Computer Science, University at
Buffalo
Department of Computer Science
Southern Illinois University at Carbondale

Dr. Osman Balci, Professor
Department of Computer Science
Virginia Tech, Virginia University
Ph.D. and M.S. Syracuse University,
Syracuse, New York
M.S. and B.S. Bogazici University,
Istanbul, Turkey

Yogita Bajpai
M.Sc. (Computer Science), FICCT
U.S.A. Email:
yogita@computerresearch.org

Dr. T. David A. Forbes
Associate Professor and Range
Nutritionist
Ph.D. Edinburgh University - Animal
Nutrition
M.S. Aberdeen University - Animal
Nutrition
B.A. University of Dublin- Zoology

Dr. Wenying Feng
Professor, Department of Computing &
Information Systems
Department of Mathematics
Trent University, Peterborough,
ON Canada K9J 7B8

Dr. Thomas Wischgoll
Computer Science and Engineering,
Wright State University, Dayton, Ohio
B.S., M.S., Ph.D.
(University of Kaiserslautern)

Dr. Abdurrahman Arslanyilmaz
Computer Science & Information Systems
Department
Youngstown State University
Ph.D., Texas A&M University
University of Missouri, Columbia
Gazi University, Turkey

Dr. Xiaohong He
Professor of International Business
University of Quinnipiac
BS, Jilin Institute of Technology; MA, MS,
PhD,. (University of Texas-Dallas)

Burcin Becerik-Gerber
University of Southern California
Ph.D. in Civil Engineering
DDes from Harvard University
M.S. from University of California, Berkeley
& Istanbul University

Dr. Bart Lambrecht

Director of Research in Accounting and Finance
Professor of Finance
Lancaster University Management School
BA (Antwerp); MPhil, MA, PhD
(Cambridge)

Dr. Carlos García Pont

Associate Professor of Marketing
IESE Business School, University of Navarra
Doctor of Philosophy (Management),
Massachusetts Institute of Technology (MIT)
Master in Business Administration, IESE,
University of Navarra
Degree in Industrial Engineering,
Universitat Politècnica de Catalunya

Dr. Fotini Labropulu

Mathematics - Luther College
University of Regina
Ph.D., M.Sc. in Mathematics
B.A. (Honors) in Mathematics
University of Windsor

Dr. Lynn Lim

Reader in Business and Marketing
Roehampton University, London
BCom, PGDip, MBA (Distinction), PhD,
FHEA

Dr. Mihaly Mezei

ASSOCIATE PROFESSOR
Department of Structural and Chemical
Biology, Mount Sinai School of Medical
Center
Ph.D., Eötvös Loránd University
Postdoctoral Training,
New York University

Dr. Söhnke M. Bartram

Department of Accounting and Finance
Lancaster University Management School
Ph.D. (WHU Koblenz)
MBA/BBA (University of Saarbrücken)

Dr. Miguel Angel Ariño

Professor of Decision Sciences
IESE Business School
Barcelona, Spain (Universidad de Navarra)
CEIBS (China Europe International Business School).
Beijing, Shanghai and Shenzhen
Ph.D. in Mathematics
University of Barcelona
BA in Mathematics (Licenciatura)
University of Barcelona

Philip G. Moscoso

Technology and Operations Management
IESE Business School, University of Navarra
Ph.D in Industrial Engineering and Management, ETH Zurich
M.Sc. in Chemical Engineering, ETH Zurich

Dr. Sanjay Dixit, M.D.

Director, EP Laboratories, Philadelphia VA
Medical Center
Cardiovascular Medicine - Cardiac
Arrhythmia
Univ of Penn School of Medicine

Dr. Han-Xiang Deng

MD., Ph.D
Associate Professor and Research
Department Division of Neuromuscular
Medicine
Davee Department of Neurology and Clinical
Neuroscience
Northwestern University
Feinberg School of Medicine

Dr. Pina C. Sanelli

Associate Professor of Public Health
Weill Cornell Medical College
Associate Attending Radiologist
NewYork-Presbyterian Hospital
MRI, MRA, CT, and CTA
Neuroradiology and Diagnostic
Radiology
M.D., State University of New York at
Buffalo, School of Medicine and
Biomedical Sciences

Dr. Roberto Sanchez

Associate Professor
Department of Structural and Chemical
Biology
Mount Sinai School of Medicine
Ph.D., The Rockefeller University

Dr. Wen-Yih Sun

Professor of Earth and Atmospheric
SciencesPurdue University Director
National Center for Typhoon and
Flooding Research, Taiwan
University Chair Professor
Department of Atmospheric Sciences,
National Central University, Chung-Li,
TaiwanUniversity Chair Professor
Institute of Environmental Engineering,
National Chiao Tung University, Hsin-
chu, Taiwan.Ph.D., MS The University of
Chicago, Geophysical Sciences
BS National Taiwan University,
Atmospheric Sciences
Associate Professor of Radiology

Dr. Michael R. Rudnick

M.D., FACP
Associate Professor of Medicine
Chief, Renal Electrolyte and
Hypertension Division (PMC)
Penn Medicine, University of
Pennsylvania
Presbyterian Medical Center,
Philadelphia
Nephrology and Internal Medicine
Certified by the American Board of
Internal Medicine

Dr. Bassey Benjamin Esu

B.Sc. Marketing; MBA Marketing; Ph.D
Marketing
Lecturer, Department of Marketing,
University of Calabar
Tourism Consultant, Cross River State
Tourism Development Department
Co-ordinator , Sustainable Tourism
Initiative, Calabar, Nigeria

Dr. Aziz M. Barbar, Ph.D.

IEEE Senior Member
Chairperson, Department of Computer
Science
AUST - American University of Science &
Technology
Alfred Naccash Avenue – Ashrafieh

PRESIDENT EDITOR (HON.)

Dr. George Perry, (Neuroscientist)

Dean and Professor, College of Sciences

Denham Harman Research Award (American Aging Association)

ISI Highly Cited Researcher, Iberoamerican Molecular Biology Organization

AAAS Fellow, Correspondent Member of Spanish Royal Academy of Sciences

University of Texas at San Antonio

Postdoctoral Fellow (Department of Cell Biology)

Baylor College of Medicine

Houston, Texas, United States

CHIEF AUTHOR (HON.)

Dr. R.K. Dixit

M.Sc., Ph.D., FICCT

Chief Author, India

Email: authorind@computerresearch.org

DEAN & EDITOR-IN-CHIEF (HON.)

Vivek Dubey(HON.)

MS (Industrial Engineering),

MS (Mechanical Engineering)

University of Wisconsin, FICCT

Editor-in-Chief, USA

editorusa@computerresearch.org

Sangita Dixit

M.Sc., FICCT

Dean & Chancellor (Asia Pacific)

deanind@computerresearch.org

Suyash Dixit

(B.E., Computer Science Engineering), FICCTT

President, Web Administration and

Development , CEO at IOSRD

COO at GAOR & OSS

Er. Suyog Dixit

(M. Tech), BE (HONS. in CSE), FICCT

SAP Certified Consultant

CEO at IOSRD, GAOR & OSS

Technical Dean, Global Journals Inc. (US)

Website: www.suyogdixit.com

Email: suyog@suyogdixit.com

Pritesh Rajvaidya

(MS) Computer Science Department

California State University

BE (Computer Science), FICCT

Technical Dean, USA

Email: pritesh@computerresearch.org

Luis Galárraga

J!Research Project Leader

Saarbrücken, Germany

CONTENTS OF THE VOLUME

- i. Copyright Notice
- ii. Editorial Board Members
- iii. Chief Author and Dean
- iv. Table of Contents
- v. From the Chief Editor's Desk
- vi. Research and Review Papers

- 1. Generation of Ion Nano-Beams with a Gas Field Ion Source. *1-6*
- 2. A New Interdisciplinary—Extenics. *7-9*
- 3. Patterns and Differentials of Birth Intervals in Bangladesh. *11-24*

- vii. Auxiliary Memberships
- viii. Process of Submission of Research Paper
- ix. Preferred Author Guidelines
- x. Index



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH
INTERDISCIPLINARY

Volume 13 Issue 2 Version 1.0 Year 2013

Type : Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4626 & Print ISSN: 0975-5896

Generation of Ion Nano-Beams with a Gas Field Ion Source

By S. Kalbitzer & V. A. Zhukov

St. Petersburg Institute for Informatics and Automation, Russia

Abstract- With the advent of the super-tip gas field ion source very favourable conditions for generating ion nano-beams have been provided. The basic physical principles for this kind of source are described. As a consequence of a very small source emittance of $\epsilon \sim 10^{-24} \text{ m}^2\text{sr}$ ultra-bright rare gas ion beams of about $10^{16} \text{ A/m}^2\text{sr}$ can be produced. As a further consequence, very narrow probe sizes are obtainable, of $d_p < 1 \text{ nm}$, with spatial resolutions far below the classical limits of light-optics and even below the novel stimulated-emission-depletion microscopy [STED (microscopy) = stimulated emission depletion (microscopy)] Th. A. Klar, S. W. Hell, Opt.Lett. 24 (1999) 954-956]. Various ion-nanobeam applications are envisaged.

Keywords: ion nano beam, gas field ion source.

GJSFR-E Classification : FOR Code: 030199



Strictly as per the compliance and regulations of :



Generation of Ion Nano-Beams with a Gas Field Ion Source

S. Kalbitzer ^α & V. A. Zhukov ^σ

Abstract- With the advent of the super-tip gas field ion source very favourable conditions for generating ion nano-beams have been provided. The basic physical principles for this kind of source are described. As a consequence of a very small source emittance of $\epsilon \sim 10^{-24}$ m²sr ultra-bright rare gas ion beams of about 10^{16} A/m²sr can be produced. As a further consequence, very narrow probe sizes are obtainable, of $d_p < 1$ nm, with spatial resolutions far below the classical limits of light-optics and even below the novel stimulated-emission-depletion microscopy [STED (microscopy) = stimulated emission depletion (microscopy)] Th. A. Klar, S. W. Hell, Opt.Lett. 24 (1999) 954-956]. Various ion-nanobeam applications are envisaged.

Keywords: ion nano beam, gas field ion source.

I. BASIC CONSIDERATIONS

This presentation summarizes our experimental work over a period of about 15 years carried out at the Max Planck Institut für Kernphysik at Heidelberg, Germany, started in 1984.

The first most important recognition in the above context had been that all conventional ion sources, in use for accelerators and most other physical equipments, are intrinsically useless for developing ion nanobeams because of their poor emittance figures. The liquid-metal-ion source, LMIS, has much better properties, but seems to be limited to probe sizes of the order of $d_p \sim 100$ nm.[1] Thus, the only remaining perspective for $d_p \sim 1$ nm has been to try to modify the existing Müller gas field ion microscope to an efficient ion source with very low emittance figures ϵ and high brightness B:

$$\epsilon = \Delta A \Delta \Omega \sim d_0^2 \alpha_0^2, B = I/\epsilon \quad (1)$$

Where both the virtual source area ΔA of diameter d_0 and the emission solid angle $\Delta \Omega$ with bounding beam angles α_0 have to be many orders of magnitude smaller than those of standard ion sources. It is helpful, to discuss the enormous consequences of this feature. For simplicity, we consider the two limiting cases of purely chromatic and spherical aberration as shown by fig.1 in dependence on ϵ .

$$d_c = 2\eta^{1/2} C_c^{1/2} \epsilon^{1/4} \quad \text{and} \quad d_s = 2C_s^{1/4} \epsilon^{3/8}. \quad (2)$$

Author α : Ion Beam Technology, Amselgasse 11, Heidelberg 69121, Germany. e-mail: skalbitzer@aol.com

Author σ : St. Petersburg Institute for Informatics and Automation, St Petersburg 199178, Russia.

Thus, to achieve the dimensions of a nanometre beam we need a reduction of ϵ by many orders of magnitude: an atomic supertip.

In addition, there exists another quite difficult practical problem: previous pioneering attempts in this direction had not resulted in supertips stable over long-time operation periods.[2] In summary, the actual situation in 1984 did not look promising.

II. REALISATION OF THE SUPER-TIP

A gas field ion source, GFIS, operates in a gaseous environment. Its main constituent is a sharply etched tungsten wire of some 100 nm radius. The demanding task is to fabricate an even smaller single protrusion on top of this tip as sketched in fig.2 to restrict field ion emission to a single truly nano-size emitter. The basic functional principles of the source involve adsorption of the respective gas species onto the tip surface and its subsequent surface diffusion to the tip apex, where ionisation takes place. Thus, in order to produce intense ion beams, a sufficient gas coverage of the tip surface constitutes a first prerequisite. Counteraction by thermal gas desorption from the tip surface has to be kept low. Effective measures are to either provide low enough temperatures and/or high electrical fields at the emitter tip enhancing both the incoming gas kinetic flux and the gas adherence to the tip surface. The Langmuir adsorption isotherm describes these processes :

$$\partial \theta / \partial t = j \cdot (1 - \theta) - v_H \cdot \theta, \quad (3)$$

$$v_H = v_0 \exp(-H/kT), \quad H = \frac{1}{2} \alpha F^2$$

where θ is the fractional occupation of the existing surface sites; j the incoming kinetic gas flux and $H = \frac{1}{2} \alpha F^2$ the energetic barrier to gas desorption, v_H the rate of desorption, $v_0 = 10^{13}$ s⁻¹ the lattice frequency. The fractional equilibrium occupation θ of surface sites (fig.3) is derived from the steady state condition $\partial \theta / \partial t = 0$:

$$\theta = 1/(1+\gamma), \quad \gamma = v_H/j \quad \text{for any } \gamma \geq 0 \text{ and } \Phi = H/kT. \quad (4)$$

Fig.4 displays the polarisation energies $E_p = \frac{1}{2} \alpha F^2$ for all rare gas species vs. electrical field strength. The emitted ionic current $I_C(kT, E_{ps}, E_p)$ is plotted in fig.5 for an incident gas rate of $j = 10^{11}$ at/s, a physisorption energy $E_{ps} = 60$ meV and for several chosen values of induced polarisation energy E_p over a

range of thermal energies of $kT = 10 - 25\text{meV}$. While a relatively low desorption barrier of $H = 200\text{ meV}$ still leads to major desorption losses for room temperature operation, a barrier of $H = 500\text{meV}$, however, nearly completely eliminates desorption. Low temperatures and/or high electrical fields support this process. Since conventional low temperature operation with liquid helium cooling is quite expensive, we check the other possibility:

An electric field of $F = 20\text{ V/nm}$, induces a polarisation energy of $E_p = \frac{1}{2}\alpha F^2 \sim 560\text{ meV}$ for Xenon gas of polarisability $\alpha = 4.06\text{\AA}^3$, suffices to keep the Xe attached to the tip surface at room-temperature, but still mobile enough for diffusive transport to the tip apex, the diffusion sink.

The generation of an ion nano-beam, however, is mainly determined by the intrinsic source properties and only to a lesser extent by the optical transport system. All conventional ion sources have much too high emittance figures, so that the novel approach of developing a high quality source on the basis of field ionisation has been unavoidable. Virtual source size d_0 and angular spread α_0 of the emitted ion beam

determine the source emittance ϵ and also the properties of the resulting probe spot d_p :

$$\epsilon = \Delta A \Delta \Omega \sim d_0^2 \alpha_0^2. \quad (5)$$

with an observed emission angle of $\frac{1}{2}\alpha = 8\text{ mrad}$ and a calculated d_0 of 0.1 nm the result is $\epsilon \sim 10^{-24}\text{ m}^2\text{sr}$. [5] The corresponding brightness amounts to $B = I/\epsilon \sim 10^{16}\text{ A/m}^2\text{sr}$.

Already with unfavorable values of $C_s \sim 1\text{ m}$, $C_c \sim 0.1\text{m}$ and a relative energy spread of $\eta \sim 10\text{ ppm}$ spot diameters in the low nm range are predicted. In fig.1 spot sizes $d_c(\epsilon)$ and $d_s(\epsilon)$ are plotted. A 4 o.m.reduction in ϵ is needed to yield 1 o.m reduction of d_c of the chromatic image spot size, what is impossible with conventional ion sources.

A second point of concern is the gas transport along the tip surface to the apex point.

Thus, for a tip radius of 600 nm the number of atomic hops n is derived as follows.

A diffusion length of 600 nm would lead to the result:

$$L = 2(Dt)^{1/2} \text{ with } D = a^2 v_0 \text{ yields}$$

$$n = v_0 t = (L/2a)^2 \text{ and with } a \sim 3\text{\AA}: n = 10^6 \text{ diffusive hops.} \quad (5)$$

During the diffusion time of $t \sim 100\text{ ns}$ the probability of desorption should be small. It is useful to introduce the variable $\Phi = \frac{1}{2}\alpha F^2/kT$, the ratio of the induced polarisation energy and thermal energy as a figure of merit. Fig.3 is an estimate employing desorption barriers in terms of $12 < \Phi \leq 20$, at 25 meV thermal energy. Small losses in θ occur for $\Phi > 20$, so that current levels of the order of the incoming atomic gas flux appear feasible as shown in fig. 5, permitting various applications in nanotechnology.

The probe current delivered to the emitter point is given by the GFIS*-"master equation":

$$J(z, \Phi) = j_0 \int \sigma \theta \eta \zeta dA(z) dz, \quad (6)$$

where $j_0 \sigma(\Phi)$ denotes the field-enhanced gas kinetic gas flux to the tip surface, $\theta(\Phi)$ the steady state occupation of surface sites, $\eta(\Phi)$ the transport efficiency of surface atoms to the tip apex, ζ the ionisation efficiency of atoms delivered to the supertip apex, and $dA(z)dz$ is the local surface element. Note that all factors in the integral of (6) are position dependent. Calculated emitter currents are displayed in fig.5. We see that a polarisation energy of $E_p \sim 500\text{ meV}$ suffices to nearly completely deliver the incoming gas flux to the emitted ion beam. Now the remaining task is to develop an efficient ion beam optical system for both high beam transmission and nanometric resolution at still useful probe currents.

III. APPLICATIONS OF ION NANOBEAMS

With energy as parameter, the range of ion interaction with the target material varies. Table 1 lists some basic properties of the available rare gas ion beams.

a) Materials Analysis

1. Nano-scopic imaging. Surface topology is imaged by using secondary electron emission by ionic impact. He ions are to be preferred because of their high ionisation potential of about 25 eV leading to high electron emission figures. Spatial resolutions of better than 1 nm have been claimed for the Zeiss Orion device.[3].
2. Nano-scopic surface chemical analysis by using secondary atom emission and time of flight mass spectrometry (TOF-SIMS) [4]. Here Xenon is the best choice because of its high sputter coefficients for all solids. Again, nm resolution is predicted.
3. Excellent conditions for PIXE trace element analyses are provided with intense H_2^+ -nano-beams of MeV energy.

b) Materials Modification

1. Phase transitions in insulators, e.g. Si, from the crystalline to the amorphous state are readily induced with fluences of 10^{13} ions/cm^2 of the heavier rare gas species. Accompanying optical changes may be useful for optical memories of terabit storage capacity/ cm^2 with permanent data life-time.

Reading of 10 nm bits, however, poses a severe problem.

2. Nano-machining of material structures, e.g. pin holes, in solid surfaces by sputtering includes medical applications, e.g. cutting of biological material. Ne^+ ion beams allow sputter action and

simultaneous visual control of the crater by secondary electron detection.

3. Deposition of surface layers from injected gas environments near the target surface.

A recent review presents more details on these applied aspects.[5]

Table 1 : Some basic rare gas properties

Gas	Z/A	$T_c(\text{K})$	$\alpha(\text{\AA}^3)$	X(eV)	v(cm/s)	$\Lambda(\text{fm})$	Y(W)	S	I(nA)
He	2/4	4.2	0.20	24.5	9×10^5	143	~ 5	< 0.2	2
Ne	10/20	27	0.39	21.5	4×10^5	64	$< 4^*$	< 0.8	2
Ar	18/40	87	1.62	15.7	2.8×10^5	45	$< 3^*$	< 3	2
Kr	36/84	120	2.47	13.9	2.0×10^5	31	$< 2^*$	< 2	2
Xe	54/13	165	4.06	12.1	1×10^5	25	$< 2^*$	< 10	2&

[&]extrapolated value, at $E \sim 1\text{keV}$, * estimated by the relation ionisation energy/work function $Y \sim X/W - 1$, $W \sim 4.5\text{ eV}$. T_c , gas condensation temperature; α , polarisability; X, ionisation potential, v ion velocity; Λ , de Broglie wavelength; I, emitter currents at $P \sim 0.1\text{ Pa}$; Y (electrons/ion), secondary electron yield; S (atoms/ion), sputtering yield; ion energy $E \sim 10\text{ keV}$.

REFERENCES RÉFÉRENCES REFERENCIAS

1. J.W. Ward, R.L. Seliger. Vac. Sci. Technol. 19 (1981) 1082.
2. P. R. Schwoebel, & G.R. Hanson. (1985). Beam current stability from localized emission sites in a field ion source. J.Vac.Sci. Technol. B3, 214-219.
3. B. W. Ward, J. A. Notte, & N. P. Economou. (2006). Helium ion microscope: A new tool for nanoscale microscopy and metrology. J. Vac. Sci. Technol. B, 24(6), 2871-74. <http://dx.doi.org/10.1116/1.2357967>
4. ProbingReal World Samples. Analytical Chemistry, 65, 630A-640A. A. Benninghoven, B. Hagenhoff, & E. Niehuis. (1993). Surface MS – <http://dx.doi.org/10.1021/ac00062a002>
5. S. Kalbitzer and V. A. Zhukov, The development of Ion Nano-beams – A Review, Appl. Phys. Res.4 (2012) 211-221.

IV. FIGURE CAPTIONS




Figure 1 : Calculated image diameters $d_c(\epsilon)$ and $d_s(\epsilon)$ due to chromatic and spherical aberrations as a function of source emittance $\log(\epsilon) = t$. Note that an atomic size emitter of $d_0 \sim 0.1\text{ nm}$ with a narrow emitter characteristic of $\alpha^0 \sim 10\text{ mrad}$ is needed for an emittance of $\epsilon \sim 10^{-24}\text{ m}^2\text{sr}$ and correlated image aberrations disks of $d_i \sim 1\text{ nm}$.

Parameters: $\eta \sim 10^{-5}$, $C_c = 0.06\text{ m}$, $C_s = 1\text{ m}$




Figure 2 : Intended emission pattern of a regular 100 nm W-tip with a fictitious $d_0 \sim 1$ nm supertip on top and an emitter angel of $\frac{1}{2}\alpha_s \sim 10$ mrad




Figure 3 : Fractional occupation θ of surface sites for polarisation energies of $E_p = 200 - 500$ meV vs. tip temperature in units of meV. At the highest E_p the coverage remains very nearly complete: $\theta \approx 100\%$, over the entire temperature range up to 300 K




Figure 4 : Field induced polarisation energies $E_p(F)$ for all rare gases vs. electrical field- strength F . The (dotted) demarcation line at 500 meV is to indicate the level of E_p necessary for a monolayer gas coverage of the emitter surface. Note that this level is most difficult to reach for He and Ne gas. Sequence from below upwards: He, Ne, Ar, Kr, Xe




Figure 5 : Emitter current for varying source operation temperature and 5 chosen polarisation energies ($E_p = 200, 300, 400$ and 500 meV). Note that a source current of $I_0 \sim 5$ nA is transmitted by $\eta \approx 100\%$ for $\alpha_p = \alpha_s$




Figure 6 : Probe diameter d_p and correlated probe current as a function of the convergence angle α_p for our ion optical design [5]. The minimum of $d_p \sim 1$ nm occurs at an convergence angle of $\alpha_p \sim 0.1$ mrad with $I_p \sim 0.3$ pA



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH
INTERDISCIPLINARY

Volume 13 Issue 2 Version 1.0 Year 2013

Type : Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4626 & Print ISSN: 0975-5896

A New Interdisciplinary–Extenics

By Juanjuan Jiang

Guangdong University of Technology, China

Abstract- In this paper, we make a brief introduction to a new interdisciplinary--Extenics from three main parts -- extension theory, extension engineering and extension innovation methods, which can let more scholars from all over world to know what is Extenics, what achievements Extenics scholars have obtained.

Keywords: *extenics, extension theory, extension engineering, extension innovation methods.*

GJSFR-E Classification : *FOR Code: 130212*



Strictly as per the compliance and regulations of :



A New Interdisciplinary—Extenics

Juanjuan Jiang

Abstract- In this paper, we make a brief introduction to a new interdisciplinary--Extenics from three main parts -- extension theory, extension engineering and extension innovation methods, which can let more scholars from all over world to know what is Extenics, what achievements Extenics scholars have obtained.

Keywords: *extenics, extension theory, extension engineering, extension innovation methods.*

I. INTRODUCTION

In 1983, No. 1 of China's Journal of Scientific Exploration published the paper of "Extension Set and Incompatible Problems", which marked the birth of Extenics. Extenics is an original and traverse discipline, which discusses the possibility of matters' extension and rules and methods of innovation with formalized models, which are used to solve contradictory problems that people's goals cannot be reached in current conditions [1-3]. Over the past 30 years, Extenics scholars have initially established the theoretical system--extension theory, conducted the application of extension theory and extension methods in different fields--extension engineering, and studied unique method system--extension innovation method [4]. This paper briefly introduces the main three parts of Extenics--extension theory, extension engineering and extension innovation methods.

II. EXTENSION THEORY

Extension theory includes basic-element theory, extension set theory and extension logic [5]:

a) *Basic-element theory*

Basic-element theory puts forward the basic elements which describe the affair, matter and relation—"matter-element", "affair-element" and "relation-element". It discusses the extensibility of basic-elements and rules of extension transformation, and studies the extension models which combine qualitative and quantitative property. It provides formalized languages that describe changes of matters and conversion of contradictions. The basic-element theory provides a new formalized tool for expression of knowledge while extension models provide models that combine qualitative and quantitative property for expression of artificial intelligence problems, which is of great importance for the development of artificial intelligence.

b) *Extension set theory*

Extension set theory is a kind of development and breakthrough compared with traditional set theory. It is a quantitative tool which depicts the mutual transformation of matters between the positive and the negative, and the process of quantitative change and qualitative changes. Extension fields of extension set and dependent function bring hierarchy and alterability to extension set and further lay a foundation for researching contradictions and developing quantitative mathematics methods—extension mathematics and extension logic.

c) *Extension logic*

Extension logic is a science that studies the transformation alteration between contradictions and consistency, and rules of reasoning. It is the logic foundation of Extenics.

For the framework of extension theory, you can see Figure 1.




Figure 1 : Framework of extension theory

III. EXTENSION ENGINEERING

Based on extension theory, many Exenics scholars proposed lots of extension methods, such as divergent tree, decomposition and combination chains, correlative net, implication system and conjugate pair; superiority evaluation, true or false information judgment methods; basic transformations, compound transformations and transmission methods; rhombus thinking methods and transforming bridge methods. Extension engineering applies extension methods to solve contradictory problems in such fields as engineering technique, social economy, management science, computer science, biomedicine, and traffic environment protection. Application techniques in various fields are developed while methods and techniques of various subjects and majors are combined. All this is called "extension engineering" [5].

IV. EXTENSION INNOVATION METHODS

Extension innovation methods are a kind of methods with the combination of formalization, quantification and logicalization. They not only can be effectively applied to put forward creative ideas of new products and new projects, but can be applied to extend, convert, reason and identify contradictory problems. They formalize the process of solving contradictory problems by mankind, provide methods

for people to complete the process of "discover problems→establish models of problems→analyze problems→generate strategies for solving contradictory problems" with formalized models, and realize them through computer in the way of man-machine combination. It can be seen from existing application achievements that they can be used in product innovation and technological innovation as well as other innovative activities such as organizational innovation and management innovation [6]. For the framework of extension innovation methods, you can see Figure 2.




Figure 2 : Framework of extension innovation methods

V. APPLICATION STATUS OF EXTENICS

Through more than 30 years' study, Extenics have been gradually mature and are now widely applied to many fields such as engineering technique, economic and management science, computer science, information and intelligent science and biomedicine, and traffic environment protection. According to incomplete statistics, 375 journals in China have published papers on Extenics. Science Press and others have published over 30 relevant monographs such as *Extension Engineering* (Yang & Cai), *Extension design* (Zhao & Su 2010). Until 2012, the number of Extenics study projects sponsored by National Natural Science Foundation of China was 59 covering different fields. There are 17 acquired software copyrights and 8 acquired (or applied for) patents [6].

VI. CONCLUSIONS

Though Extenics scholars have obtained tremendous achievements in many fields such as engineering technique, economic and management science, computer science, information and intelligent science, concepts and theories of Extenics are still being improved.

This paper just makes a brief introduction to the main three parts of Extenics-- extension theory, extension engineering and extension innovation methods. More information about Extension theory and its applications, you can refer to *Extenics: Theory, Method and Application* (Yang & Cai 2013).

REFERENCES RÉFÉRENCES REFERENCIAS

1. Cai Wen. 1990. Extension Set and Non-Compatible Problems. *Advances in Applied Mathematics and Mechanics in China*. Peking: International Academic Publishers, 1-21.
2. Cai Wen. 1994. *Matter-element Model and Its Application*. Beijing: Science and Technology Literature Publishing House.
3. Cai Wen. 1999. Extension Theory and Its Application. *Chinese Science Bulletin*, 44(17):1538-1548.
4. Cai Wen. 2013. Thirty years' study on extension theory. *Proceedings of the International Symposium on Extenics and Innovation Methods 2013*. London: CRC Press/Balkema, 1-9.
5. Yang Chunyan & Cai Wen. 2013. *Extenics: Theory, Method and Application*. Beijing: Science Press.
6. Yang Chunyan. 2013. Overview of extension innovation methods. *Proceedings of the International Symposium on Extenics and Innovation Methods 2013* London: CRC Press/Balkema, 11-19.



This page is intentionally left blank



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH
INTERDISCIPLINARY

Volume 13 Issue 2 Version 1.0 Year 2013

Type : Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4626 & Print ISSN: 0975-5896

Patterns and Differentials of Birth Intervals in Bangladesh

By Dr. Abdul Hamid Chowdhury & Prof. Dr. Abdul Karim

International Islamic University Chittagong, Bangladesh

Abstract- This paper examines patterns and differentials of birth intervals of ever married women in Bangladesh. The study utilizes the data extracted from the 2007 Bangladesh Demographic and Health Survey (BDHS). Multivariate Proportional Hazard analysis reflects that respondents' education, region of residence, working status of the respondents, age at first marriage, spousal age difference, contraceptive use and body mass index are found to be significantly associated with first birth interval. Among the variables considered in the study, religion of the respondents and sex of the previous child have shown significant association with second birth interval only. Moreover, survival status of previous child is found to have a highly significant influence on second and subsequent birth intervals.

Keywords: birth interval, proportional hazard model, determinants.

GJSFR-E Classification : FOR Code: 060207, 920599



Strictly as per the compliance and regulations of :



Patterns and Differentials of Birth Intervals in Bangladesh

Dr. Abdul Hamid Chowdhury ^α & Prof. Dr. Abdul Karim ^σ

Abstract- This paper examines patterns and differentials of birth intervals of ever married women in Bangladesh. The study utilizes the data extracted from the 2007 Bangladesh Demographic and Health Survey (BDHS). Multivariate Proportional Hazard analysis reflects that respondents' education, region of residence, working status of the respondents, age at first marriage, spousal age difference, contraceptive use and body mass index are found to be significantly associated with first birth interval. Among the variables considered in the study, religion of the respondents and sex of the previous child have shown significant association with second birth interval only. Moreover, survival status of previous child is found to have a highly significant influence on second and subsequent birth intervals.

Keywords: birth interval, proportional hazard model, determinants.

I. INTRODUCTION

In recent years, Population scientists and policy makers have shown their keen interest to study on birth intervals and its determinants. The reasons are that birth intervals are not only related to childbearing period of women but also closely associated with fertility, reproductive health and child mortality. Lengthening the duration between births lessens the number of children a woman can have during her reproductive span assuming that the age at marriage and the age at which women cease childbearing do not change. Short birth spacing increase infant and child mortality (Mturi and Curtis, 1995), and this, in turn, can increase the number of births for a woman as infant and child mortality is positively connected to fertility in most cases (Preston, 1978).

The births of women may depend on many factors such as education, religion, socioeconomic status, region of residence, age at first marriage, sex of previous child, survival status of previous child, nutritional status and effective use of contraception. Earlier study shows that formal education of the respondents is one of the main avenues through which changes in fertility behavior take place (Gyimah, 2001). Stephen et al. (1988) has found that regional differences in childbearing patterns have mainly been interpreted in terms of socioeconomic developments and health care. Nath et al. (1999) has shown that per capita income of

the households is one of the main covariates that strongly influence the length of the first birth interval. In addition, age at first marriage of females was found to be associated only with the timing of the first two children (Gyimah, 2005).

II. METHODS AND MATERIALS

This study uses the data collected in the Bangladesh Demographic and Health Survey conducted from March to August 2007. Details of the reproductive history of women were collected using the individual women's questionnaire together with background information. In this study, for analyzing the birth intervals of different parities, the dependent variable is measured in single months. A birth interval, defined as the length of time between two successive live births, indicates the pace of childbearing. First close birth interval is the interval between the date of marriage and the date of first live birth; the second birth interval is the interval between the first and the second birth, and so on. In the BDHS data, date of birth of each child was given in birth histories. Length of birth intervals are calculated by subtracting the date of birth of a child from the date of first marriage or the date of birth of next child (CMC). In 2007 BDHS data set, maximum fourteen live birth intervals have been observed but first five birth intervals cover most of the range of fertility histories of study women. Thus, in this study we have considered only first to fifth birth intervals as dependent variables.

The study only deals ever married women who had at least one live birth. Out of 10996 ever married women, 9849 women had at least one live birth. That is, there are 9849 marriages to first birth intervals. 119 women who did not give first birth within 15 years after their marriages are excluded from the analysis considering them as primary sterile. 929 respondents whose birth intervals are less than 9 months are also excluded from the analysis. The study didn't consider those respondents who had twin or multiple births. With these restrictions, the study has finally found 9948 respondents for first birth interval for analysis.

Accordingly, the study considers 9829, 7630, 5141 and 3326 respondents for second, third, fourth and fifth birth intervals respectively.

The present study has used a proportional hazard model with fixed covariates. Cox's proportional hazard model is suitable for the analysis of the data with censored observations (Cox, 1972). The proportional

Author ^α : Department of Business Administration, International Islamic University Chittagong. e-mail: ahamidc@gmail.com

Author ^σ : Department of Statistics, University of Chittagong. e-mail: makstatcu@yahoo.com

hazard models, a specified case of the more general survival models, combined efforts of life table and regression. The model also recognizes the fact that chance of having a birth is time dependent and not constant over time. In addition, unlike parametric models, the Cox model does not make any assumption about the functional distribution of the timing and therefore, appropriate for events whose empirical distribution is unknown. The proportional hazard model assumes that all women with same covariates have identical risk of having birth over the course of study but these may vary among the groups with different covariates. The cases only considered here are those who have at least one live birth but women who do not have any birth at the time of survey are treated as right censored for first birth interval because in retrospective survey it is not possible to follow them until they either have a birth or reach menopause or even no longer to conceive. Those women who already have one child but have not given birth to a second child until the survey time are treated as "censored" for the second birth interval. Similarly, women with only two, three and four children on the survey date are considered as "censored" cases for the third to fifth birth intervals respectively. Thus, censored cases require special treatment in estimating exposure time because normal regression procedures are not appropriate. To overcome the problem of censoring, survival models make the assumptions that censored individuals will eventually experience the event at some future date. In that case, it would be appropriate to use a multivariate technique that allows for the inclusion of both censored

and uncensored cases regarding time varying variable birth intervals.

The hazard function enables one to examine the risk of such variable by exponenting the regression coefficients, $\exp(\beta)$. For the variable which is coded as dummy, each exponent of the coefficients $\exp(\beta)$ represents the effect of the covariate on the hazard function for the reference group. The category with the relative risk 1.00 represents the reference category for the categorical variables. Value greater than one indicates that the relative risk of having birth is greater for this group compared with the reference group, while value less than one indicates a decrease in the risk.

Since the dependent variables, length of birth intervals are time dependent event, the proportional hazard regression is made to the relative risk of covariates of having birth among ever-married women in Bangladesh using 12 independent variables as predictors.

III. DISTRIBUTION OF BIRTH INTERVALS

The percentage distribution of respondents by marriage to first birth and subsequent birth intervals according to interval in months has been shown in the Table 1 which shows that about 47 percent women give their first birth within two years of marriage. In case of higher parities, about 26 to 29 percent women give births within same interval from the preceding births. This indicates that women are so eager to get their first birth within short time period since first birth after marriage is the most important event in the conjugal life.

Table 1 : Cox's proportional hazard estimates of relative risk of selected factors on neonatal mortality, BDHS, 2007

Factors	Independent variables	Model-1	Model-2	Model-3	Model-4
Socioeconomic	Maternal Education				
	No education	1.000	1.000	1.000	1.000
	Primary	0.892	0.835	0.877	0.782
	Secondary and above	0.814	0.769	0.774	0.772
	Father's Education				
	No education	1.000	1.000	1.000	1.000
	Primary	0.903	0.894	0.882	0.901
	Secondary and above	0.391***	0.370***	0.406***	0.378**
	Socioeconomic Status				
	Lower	1.000	1.000	1.000	1.000
	Medium	0.976	0.987	1.041	1.064
	Higher	0.872	0.892	0.992	0.996
	Place of Residence				
	Urban	1.000	1.000	1.000	1.000
	Rural	1.526*	1.688*	1.679**	1.609*
	Region of Residence				
	Barisal	1.000	1.000	1.000	1.000
	Chittagong	0.909	0.902	0.763	0.676
	Dhaka	0.795	0.747	0.731	0.692
	Khulna	0.559	0.636	0.728	0.701
	Rajshahi	1.341	1.366	1.396	1.324
	Sylhet	1.590	1.747	1.290	1.036

Environmental	Housing material				
	Cement		1.000	1.000	1.000
	Tin		4.000***	3.575***	3.566***
	Others		3.071**	2.802**	2.763**
Demographic	Preceding birth Interval (in months)				
	≤24			1.000	1.000
	25-48			0.363***	0.345***
	49 & above			0.600**	0.596**
	Children under five				
	1			1.000	1.000
	2 and above			1.429***	2.430***
	Mother's age (in years)				
	15-19			1.000	1.000
	20-34			0.713	0.717
	35-49			0.689	0.699
	Previous death of sibling				
	No			1.000	1.000
	Yes			1.348**	1.697**

Table 1 : Contd

Factors	Independent variables	Model-1	Model-2	Model-3	Model-4
Health care	Contraceptive Use				
	0=No				1.000
	1=Yes				0.608**
	Place of Delivery				
	1=Home				1.000
	2=Hospital /other places				0.874
	Tetanus injection before birth				
	0=No				1.000
	1=Yes				0.781
	-2 log likelihood	1694.47	1684.22	1622.30	1613.44
	Chi-square	28.875	37.18	114.80	127.29
	DF	12	14	20	23
	Significance	0.004	0.003	0.000	0.003

Note: *** p <0.01; ** p <0.05; * p <0.10.

This finding is very alarming for the reproductive health of the mothers as well as their children because these births occurred before legal age at first marriage (18 years) in Bangladesh. From second to fifth birth, highest percentage of women lies between 25 to 36 months, thereafter, percentage of women sharply decreases for all births with increases of higher intervals. In addition to tabular form of birth intervals the same is also displayed in Figure 1 to observe the patterns at a glance.




Figure 1 : Frequency curves of percentage distribution of birth intervals of the respondents, 2007

The line diagram given above illustrates that higher percentage of women gave their first birth within 3 years after marriage. After that the curve is declined. The shape characteristics of the curves are found to have positively skewed and unimodal, lies between 13 to 36 months.

In addition to percentage distribution and graphical representation of the respondents by different birth intervals, the descriptive statistics of the birth intervals for all births are also shown in Table 2.

Table 2 : Cox's proportional hazard estimates of relative risk of selected factors on post-neonatal mortality, BDHS, 2007

Factors	Independent Variables	Model-1	Model-2	Model-3	Model-4	Model-5
Socioeconomic	Maternal Education					
	No education	1.000	1.000	1.000	1.000	1.000
	Primary	0.672	0.839	0.846	0.857	0.816
	Secondary & above	0.391**	0.547*	0.537*	0.522*	0.519*
	Father's Education					
	No education	1.000	1.000	1.000	1.000	1.000
	Primary	0.972	0.960	0.978	0.982	0.989
	Secondary & above	0.820	0.849	0.942	0.945	0.941
	Place of Residence					
	Urban	1.000	1.000	1.000	1.000	1.000
	Rural	1.353	1.137	1.019	1.125	1.125
	Region of Residence					
	Barisal	1.000	1.000	1.000	1.000	1.000
	Chittagong	0.688	0.592	0.539	0.466	0.464
Environmental	Drinking Water					
	River/Pond/Unprotected		1.000	1.000	1.000	1.000
	Tubewell/Pipe		0.510	0.503	0.568	0.561
	Toilet Facility					
	Flush		1.000	1.000	1.000	1.000
	Pit/Hanging toilet		1.637	1.758	1.796	1.805
	No facility		4.441**	4.598**	4.414***	4.365**
	Housing Material					
	Cement		1.000	1.000	1.000	1.000
	Tin		1.023	1.038	1.045	1.027
	Others		1.057	1.066	1.087	1.059
Demographic	Preceding Birth Interval (in months)					
	≤24			1.000	1.000	1.000
	25-48			0.391***	0.361***	0.365***
	49 & above			0.503**	0.465**	0.471**
	Children Under Five					
	1			1.000	1.000	1.000
	2 & above			1.815**	1.715*	1.615*
	Previous Death Of Sibling					
	No			1.000	1.000	1.000
	Yes			1.606**	1.585	1.506
	Mother's Age (in years)					
	15-19			1.000	1.000	1.000
	20-34			0.908	0.947	0.969
	35-49			1.223	1.298	1.258

Table 2 : Contd

Factors	Independent Variables	Model-1	Model-2	Model-3	Model-4	Model-5
Health care	Contraceptive Use					
	0=No				1.000	1.000
	1=Yes				0.438***	0.426***
	Tetanus Injection before Birth					
	0=No				1.000	1.000
	1=Yes				0.962	0.973

Nutritional	Body Mass Index					
	≤18.5					1.000
	18.51-24.99					0.923
	25 and above					1.018
	Breastfeeding					
	0=No					1.000
	1=Yes					0.227**
	-2 log likelihood	952.02	937.59	909.78	901.86	899.17
	Chi-square	37.06	55.60	91.24	105.90	111.66
	DF	10	15	21	23	26
	Significance	.000	.000	.000	.000	.000

Note: *** p <0.01; ** p <0.05; * p <0.10.

Table 2 shows that mean birth intervals of first and subsequent births in Bangladesh are found about 33.5, 41, 41, 40 and 38 months respectively. The observed intervals are higher compared to other countries. The reasons behind the higher birth intervals are lower age at first marriage which is associated with adolescent fecundity for first birth, postpartum amenorrhea and breastfeeding for second to higher births. Malnutrition, intra-uterine mortality, temporary separation and contraception may be the other reasons for higher birth intervals in Bangladesh. Unexpectedly, fourth and fifth birth intervals are found lower than first three birth intervals. The reasons may be that while collecting data mothers may not give exact date of their children birth because of memory lapse.

The figures of standard deviation for all births indicate that women are heterogeneous in their reproductive characteristics. The mean age at first birth and subsequent births considered in this research work indicate the depressing situation among women in Bangladesh. Findings from Table 2 show that the mean age at first birth of the respondents is extremely lower (17.85 years), which is lower even than the legal age at first marriage. The result further shows that at the age of 24 years mothers already gave on an average three

births in Bangladesh, which is one of the important barriers for the reduction of fertility.

IV. DIFFERENTIALS OF BIRTH INTERVALS

The purpose of this section of the study is to examine possible variation of length of birth intervals by related background characteristics of the respondents. Since duration of birth intervals of Bangladeshi females significantly varies with their socioeconomic, cultural and demographic characteristics, therefore, in the present study a detailed examination has been made of length of birth intervals and its differentials by background variables and the results are presented in Table 3 accordingly. After categorizing every variable into different suitable classes, mean length of birth intervals by different background characteristics are determined. The associations between lengths of birth intervals with categorical background characteristics are tested by Chi-square test statistic after constructing the contingency tables.

Among the socio-economic factors, women's education has been widely recognized to have a major effect on birth interval and it is hypothesized that schooling delays marriage and subsequent births.

Table 3 : Mean birth intervals (months) of respondents and corresponding p-values of chi-square by different background characteristics, 2007

Background Characteristics	1 st live birth interval		2 nd live birth interval		3 rd live birth interval		4 th live birth interval		5 th live birth interval	
	Mean	p-value	Mean	p-value	Mean	p-value	Mean	p-value	Mean	p-value
Respondent's Education										
0= No education	35.34	.000	38.55	.000	38.36	.000	38.87	.000	36.59	.096
1= Primary	30.20		39.10		40.98		40.46		38.86	
2= Secondary & above	27.35		49.11		52.48		49.56		42.60	
Husband's Education										
0= No education	33.53	.000	38.74	.000	39.09	.000	39.24	.001	36.46	.000
1= Primary	29.59		39.42		39.03		39.35		36.08	
2= Secondary & above	29.34		45.82		47.30		44.56		43.09	
Place of Residence										
Urban	29.72	.000	43.25	.000	44.28	.000	42.60	.027	41.61	.001
Rural	31.47		39.70		39.55		39.16		36.66	

Region of Residence										
Barisal	30.12		41.29		40.95		39.57		37.39	
Chittagong	28.16		37.45		38.41		39.10		36.66	
Dhaka	31.67	.000	41.55	.000	42.13	.000	41.47	.000	40.12	.000
Khulna	33.63		45.27		46.30		41.93		40.88	
Rajshahi	30.88		44.58		44.23		44.34		41.37	
Sylhet	29.64		35.20		36.15		36.64		34.22	
Socio-economic Status										
Lower	32.15	.000	39.37	.000	38.87	.000	38.51	.016	35.77	.022
Medium	30.90		39.44		38.31		39.82		38.03	
Higher	29.75		43.10		44.79		42.46		40.44	
Respondent's Working Status										
Working	32.61	.000	43.07	.000	41.92	.112	40.98	.017	37.57	.259
Not-working	30.63		40.04		40.83		39.98		38.82	
Religion										
Muslim	30.85	.204	40.84	.003	41.12	.440	40.27	.287	37.92	.268
Non-Muslim	30.50		42.52		41.65		40.39		37.99	
Access to Mass Media										
No access	31.48	.034	39.92	.000	39.07	.000	38.89	.019	36.72	.029
Have access	30.00		43.34		43.95		42.35		39.81	
Age at First Marriage (in years)										
≤14	35.34	.000	40.51	.000	40.68	.052	40.02	.856	37.93	.552
15-18	27.45		40.82		41.87		40.58		37.86	
19 & above	24.76		44.89		41.16		41.37		38.34	
Spousal Age Difference										
≤5										
6-10	31.86	.006	44.12	.000	43.05	.000	41.51	.000	39.36	.000
11 & above	31.58		40.70		41.68		40.81		37.87	
	31.14		39.62		39.75		39.02		37.76	

Table 3 : Cont

Background Characteristics	1 st live birth interval		2 nd live birth interval		3 rd live birth interval		4 th live birth interval		5 th live birth interval	
	Mean	p-value	Mean	p-value	Mean	p-value	Mean	p-value	Mean	p-value
Age of the Respondents (in years)										
≤24	22.34	.000	35.51	.000	32.62	.000	32.35	.572	22.86	.023
25-34	29.43		43.54		42.41		38.12		34.70	
35 & above	37.96		40.62		41.23		41.37		38.88	
Sex of previous Child										
Male			41.97	.025	42.15	.542	40.67	.933	38.98	.458
Female			39.96		40.13		39.92		36.90	
Survival Status of Previous Child										
No			31.01	.000	31.67	.000	33.45	.000	32.26	.000
Yes			43.11		42.94		41.52		38.94	
Contraceptive Use										
Never Use	38.98	.000	40.18	.000	37.10	.000	37.54	.001	35.14	.002
Ever Use	29.17		41.14		41.94		40.88		38.66	
Body Mass Index										
≤18.50	32.29	.078	38.50	.000	38.77	.000	39.20	.092	36.81	.000
18.51-24.99	30.20		41.04		41.23		40.36		36.98	
25 and above	30.42		45.36		45.96		42.68		45.65	

Khan et al. (1998) found that the higher the educational attainment of women, the later they would have had subsequent births. Rindfuss et al. (1982) has obtained that at higher parities the pace of fertility has been lower throughout the entire period for those with the higher education. From Table 3, two major observations can be made with respect to mean birth intervals by education. First, the mean length of first birth interval falls with the rising of women education level. Since median age at marriage for uneducated and primary educated women are comparatively low in Bangladesh (Karim, 2008) and many women got married before menarche, hence their first mean birth intervals are higher than secondary or higher educated women. Secondly, in higher parities, the mean birth intervals have a positive relationship with the education level. The test statistic shows that there is a highly significant association between length of birth interval and female education.

Women whose husbands are educated have longer birth interval in second to fifth birth intervals except first one than those whose husbands have no formal education. In first birth interval, respondents whose husbands have no education have higher birth interval compared to women whose husbands have formal education. Lower age at first marriage among illiterate couples may be the important cause for higher mean first birth interval. The test statistic shows significant association in the difference of birth intervals with husband's education.

Place of residence may be another important determinant influencing birth intervals. According to the place of residence, people's traditions and lifestyles may differ. Rural females may breastfeed for a longer period than urban females, urban women may use contraceptives more often than rural females, and the socioeconomic status of urban women may be higher than that of rural females, resulting in better health and knowledge of and easier access to family planning methods for the former. It is observed from the Table 3 that mean duration of first birth interval of rural women is higher than those of urban females. The reason behind the fact that girls born and brought up in rural areas enter into wedlock at an early age than those who are exposed grew up in urban environment. Women having an urban background naturally get civic opportunity such as education, greater access to mass media and employment as compared to their rural counterparts, consequently they less likely to marry earlier. But after entering wedlock, urban women are much eager to get as soon as their first child. Khan and Raeside (1998) have also obtained same findings while studying the determinants of first and subsequent births in urban and rural area of Bangladesh using 1989 Bangladesh fertility survey data. Mean birth interval of higher parities urban respondents are greater than rural women. Urban females are observed to space their subsequent mean

birth intervals after getting their expected first birth. The test statistic shows significant association between birth intervals and place of residence.

Region of residence plays an important role in the variation of timing of births. Regional differentials with timing of births are found to be significant in this study because of heterogeneous socio-economic characteristics among the respondents living in the different divisions of the country. The variations primarily stem from the cultural, educational, religious, climate, social and other socio-cultural diversities and differentials developmental effects that largely regulate the social norms and values. From Table 3, it is seen that women of Sylhet division have shorter birth interval than females of other divisions. Respondents living in Chittagong division have also shorter birth interval in the timing of first birth. Women residing in Khulna division have longer birth interval than women in other divisions. Higher mean age at first marriage among the women residing in Chittagong and Sylhet divisions is probably the main reason for shorter birth interval, mainly for timing of first motherhood.

Socio-economic status is an important determinant influencing in the difference of length of birth intervals. The test statistic shows significant association in the timing of first to fifth birth intervals with socio-economic status. In the marriage to first birth interval, women of lower socio-economic status have longer birth interval than women belong to medium and higher socio-economic strata. From second to fifth birth interval women belongs to lower socio-economic status have shorter mean birth interval than women of medium and higher socio-economic status.

Respondent's working status is one of the major determinants of birth interval. Mturi (1997) shows significant association between working status and length of birth intervals. Table 3 reveals that women who are working have longer spacing of births than who are not working. Higher parities women have higher mean length of birth interval than first one. The test statistic indicates statistically significant association in the first, second and fourth birth interval with employment status.

Access to mass media plays an important role in the variation of timing of spacing of births. Women who have no access to mass media have higher first birth interval than those who have access. This may occur due to early age at marriage before menarche, lower level of education and having rural background of those females who have no access to mass media. Mass media increases awareness regarding family service programs and also increase knowledge for keeping good health of mother as well as child. Thus, respondents having access to mass media have longer subsequent birth intervals compared to their counterparts.

Religion is significantly associated with birth spacing (Bavel and Kok, 2004). Mean birth interval of

Non-muslim women is slightly higher than Muslim women except first birth interval. Table 3 shows that religion has only significant association with second birth interval. Mean birth intervals of higher parities are longer than first mean birth interval.

Marriage is the starting point of legitimate sexual union and marks the beginning of child bearing period. Age at first marriage is considered as an important demographic variable affecting first and subsequent fertility. Marini and Hodsdon (1981) have shown that age at first marriage has a causal effect on the occurrence of a short first birth interval. Al-Nahedh (1999) found that age at marriage influenced not only the time to first birth but also subsequent fertility. Table 3 shows that there is an inverse relationship between age at first marriage and first birth interval. First mean birth interval is lower than mean birth intervals of higher parities. The test statistics shows significant association between age at first marriage and first to third birth intervals.

Reproductive behavior may vary depending on the age of the couples. Gubhaju (1986) demonstrated that first births exhibited many unique characteristics and tended to be proportionately more frequent in younger women in rural Nepal. There is also evidence that reproductive function declines with age and can contribute to longer interbirth intervals (Al-Nahedh, 1999). For examining the effect of age of the respondents, it is grouped into three categories based on the frequency of the respondents. Age of the respondents is found to be positively significant association with all birth intervals except fourth birth. First mean birth interval is observed to be lowest (22.34 months) for youngest cohort whereas it is increased to 29.43 months and 37.96 months for the middle aged women and women aged 35 years and above respectively. Same patterns of results are observed in fourth and fifth birth intervals. The mean length of birth interval for youngest is found lowest in all parities. The study shows that first birth intervals are very short compared to other intervals. Couples try to have their first birth as soon as possible after marriage. The length of the first birth interval is mainly determined by fecundity, which is closely correlated with a woman's age. Lastly, length of birth interval is increased with rising age of the respondents except oldest category of second and third parity. Spousal age difference is another determinant of length of birth intervals. The test statistics shows significant association in the differences of first to fifth mean birth interval with age differences of couples. Lengths of first to fifth mean birth intervals decrease with the increasing of age differences of couples except some categories.

Sex of previous child is another determinant affecting the spacing of second and subsequent births. The Table 3 presents significant association in the timing of second birth intervals with sex of previous child

but insignificant association in the timing of other birth intervals. If first child is male then length of mean birth interval is 41.97 months whereas for female child, the mean birth interval is 39.96 months. From the Table 3, it is evident that for previous male child women have longer birth intervals than the previous female child. The results reveal that still there is a son preference among the couples in Bangladesh.

Survival status of previous child is considered a major determinant of subsequent births spacing. The death of the index child in infancy or early childhood has been found to be associated with short subsequent intervals in Tanzania (Mturi, 1997). From the Table 3, it is observed that for first dead previous child the length of second mean birth interval is 31.91 months where as for first alive previous child, the mean birth interval is 43.11 months. Thus, it is evident that for dead previous child women have shorter subsequent lengths of mean intervals than the previous alive child. The test statistic indicates significant association in the timing of spacing of births with survival status of previous child. This has been happened for several reasons. Sometimes, parents deliberately plan a new pregnancy to replace a lost child. There are involuntary causes for short spacing too-the death of a child cuts short nursing durations which results in earlier resumption of menses and ovulation. Reduction of infant and child mortality could increase the subsequent birth intervals.

Several studies reveal that contraceptive use affects length of birth interval (Yeahey et al., 2009; Bumpass et al., 1986). Sather (1988) suggests that the use of contraception is protective against short birth intervals. First mean birth interval of those women who didn't use contraception is found longer than that of ever users. Though the finding may be unexpected but is consistent with some earlier studies (Sather, 1988 and Azad, 2001). It has occurred due to the fact that most of the never users have no education, come from countryside and have lower age at first marriage. In higher parities women, birth intervals of ever users are found higher than those of never users. It has been found to be significant association between birth intervals and contraceptive use.

Nutritional status of women is known to affect the length of birth intervals. The women whose body mass index is less than 18.50 (malnourished) have shorter birth interval than those whose body mass index is greater than 18.50 except first birth interval. In the timing first birth, the women whose body mass index is less than 18.50 have longer birth interval. The test statistic presents significant association in the timing of first to fifth birth interval with body mass index of study women in Bangladesh.

V. COVARIATES OF BIRTH INTERVALS: PROPORTIONAL HAZARD ANALYSIS

In the preceding section, to study variations among categories of different background characteristics, mean birth intervals are examined. The associations of certain explanatory variables with the length of birth intervals have also been discussed on the basis of bivariate analysis. In the analysis, tests for independence were employed to identify the factors associated with duration of birth intervals of the females in Bangladesh. However, it is impossible to draw

conclusions about presence or absence of controlled birth spacing by background characteristics from a simple comparison of mean lengths of birth interval between groups and testing associations (Knodel, 1987). However, from the forgoing analysis and discussion, it is obvious that some of the independent variables selected for the study have considerable impact on length of birth intervals. The results of the hazard analysis in terms of the hazard coefficients [exp (B)] are presented in the Table 4. As suggested by the log likelihood ratio and the associated chi-square, the models are found to be statistically significant.

Table 4 : Cox's proportional hazard estimates of relative risk of birth intervals from first to fifth birth, Bangladesh

Background Characteristics	1 st live birth interval	2 nd live birth interval	3 rd live birth interval	4 th live birth interval	5 th live birth interval
Respondent's Education					
0= No education	0.904***	1.436***	1.660***	1.538***	1.405***
1= Primary	0.993*	1.362***	1.489***	1.382***	1.280***
2= Secondary & above	1.000	1.000	1.000	1.000	1.000
Place of Residence					
Urban	1.012	0.938**	0.902**	0.933*	0.847**
Rural	1.000	1.000	1.000	1.000	1.000
Region of Residence					
Barisal	0.843***	0.709***	0.636***	0.704***	0.675***
Chittagong	0.958	0.923**	0.893**	0.864**	0.802**
Dhaka	0.820***	0.732***	0.673***	0.662***	0.651***
Khulna	0.754***	0.588***	0.446***	0.500***	0.510***
Rajshahi	0.892***	0.636***	0.547***	0.495***	0.484***
Sylhet	1.000	1.000	1.000	1.000	1.000
Socio-economic Status					
Lower					
Medium	1.028	1.129***	1.087*	1.139**	1.188**
Higher	1.010	1.086**	1.097**	1.099*	0.982
	1.000	1.000	1.000	1.000	1.000
Respondent's Working Status					
Not-working	1.047**	1.184***		1.166***	
Working	1.000	1.000		1.000	
Religion					
Muslim		1.141***			
Non-Muslim		1.000			
Age at First Marriage (in years)					
≤14	0.737***	1.262***	1.459***		
15-18	0.921**	1.170***	1.318***		
19 & above	1.000	1.000	1.000		
Spousal Age Difference					
≤5					
6-10	0.872***	0.871***	0.882***	0.920	0.806***
11 & above	0.956**	0.903***	0.906***	0.890***	0.919*
	1.000	1.000	1.000	1.000	1.000
Sex of Previous Child					
Male	-	0.891***			
Female		1.000			

Table 04 : Cont

Background Characteristics	1 st live birth interval	2 nd live birth interval	3 rd live birth interval	4 th live birth interval	5 th live birth interval
Survival Status of Previous Child					
No	-	1.738***	2.120***	1.897***	1.763***
Yes		1.000	1.000	1.000	1.000
Contraceptive Use					
Never use	0.531***	1.127***	1.212***	1.315**	1.089
Ever use	1.000	1.000	1.000	1.000	1.000
Body Mass Index					
≤18.50	1.026	1.106***	1.131**	1.149**	1.158*
18.51-24.99	1.052**	1.091**	1.066	1.058	1.127
25 & above	1.000	1.000	1.000	1.000	1.000
-2log Likelihood	103035.99	125535.48	83314.78	51985.65	29648.45
Chi-square	1290.14	1303.49	1276.26	705.44	381.26
Model Significance	.000	.000	.000	.000	.000
Degree of freedom	18	21	18	17	16

Note: *** p < 0.01; ** p < 0.05; * p < 0.10.

Women's education has important significant effect on risk of having births. From Table 4, it is observed that women with no educational background have less chance of having first birth than educated women specially, women having secondary and above level of education. From second to fifth birth intervals, the likelihood of having births decreases with the increasing level of education of the respondents. In general, educated women marry relatively in late. They intend to get first child in short period after marriage but not for subsequent births. The spacing between births after first birth among educated women indicates the intention to limit total children ever born.

Place of residence is an important factor in explaining the variation of vital events in the country like Bangladesh. In this study, the place of residence is found to have a significant impact on timing of first motherhood and also on the subsequent births.

Table 4 indicates that urban women have 1.012 times more risk to terminate first birth than rural women. As urban women are more educated and are get married late, they are more eager to get first birth and are intended to lengthen subsequent births. The findings of this study show that urban women are less likely to terminate their subsequent births compared to their rural counterparts.

The regional variation of birth intervals in Bangladesh is remarkable. The odd ratios reveal that women living in Chittagong, Rajshahi, Barisal, Dhaka, and Khulna division are likely to have 4 percent, 11 percent, 16 percent, 18 percent, and 25 percent less risk of first birth than women living in Sylhet division. Women of Khulna division have comparatively longer first to third birth intervals than other divisions. Women residing in Rajshahi division have longer fourth and fifth birth intervals than women of other divisions. Women from Chittagong division have shorter birth interval than other divisions except Sylhet division. Most of the women of

five divisions have longer spacing of births than Sylhet division.

Socio-economic status has been observed to have significant influence on termination of second to fifth birth intervals but insignificant impact on first birth interval. Women of lower and medium socio-economic status have shorter birth interval than women belonging to higher socio-economic status. The risk of having second birth by women of lower and medium socio-economic status is 1.129 and 1.086 times higher compared to respondents of higher socio-economic stratum.

Respondent's working status has been found to have significant influence on termination of birth intervals. Women who are not working are 5, 18 and 17 percent more likely to cease first to second and fourth birth respectively than women who are working. Working women have longer birth intervals than non-working women. The cultural variable like religion is one of the important predictors for the variation of length of birth intervals. In a multivariate analysis, Nath et al. (1993) and Singh et al. (1993) reported substantial variations in the duration of birth intervals among different castes and religions. The findings of the study indicate that there are higher chances of having birth in Muslim women than to non-Muslims. The likelihood of having second birth is 1.14 times higher in Muslim respondents compared to non-Muslim females. The less contraceptive use and religiosity may be important causes for shorter birth intervals and consequently higher total children ever born. The study thus suggests that the fertility among vast majority is higher in Bangladesh.

Marriage is almost universal in Bangladesh and births are confined within wedlock. Therefore, marriage has a direct effect on fertility. In this study, age at first marriage is found to have significant impact on the first three birth intervals. The results in table 4 indicate that among the covariates considered in this analysis age at

marriage of the respondents is found to have a significant predictor of the probability of having births in Bangladesh. The odd ratios show that for first birth interval, women married at age less than 14 years and (15-18) years have 26 percent, and 8 percent lower risk of having a first birth respectively compared to those who got married at age 19 years and above. Though the result may be considered as unexpected but it may occur because of two reasons. Firstly, many women got married at a very low age of around their menarche and hence first birth is taking long time because of immaturity regarding reproductive performance.

Secondly, late marrying women may attempt to make up their lost time in a single state and hence having short first birth interval.

As age differences of couples are apparently higher in Bangladesh (9.5 years), spousal age difference is one of the important covariates in fertility analysis. In a study based on 54 developing countries, Abadian (1996) reported that fertility was strongly related to spousal age difference. From Table 3.4, it has been observed that spousal age difference has a significant influence on risk of having first to fifth births. The women whose spousal age difference is ≤ 5 and (6 -10) years have 13 percent and 4 percent less chances for having first birth than the women whose spousal age difference is 11 and more years. Almost similar patterns have been observed for higher birth orders. One of the important reasons is that higher spousal age difference usually be the higher age of male partners and higher age at first marriage for males. In these circumstances, the male partners are less likely to use contraception for achieving desired family size, which may be the cause of shorter birth intervals among couples whose spousal age difference is high.

Sex of previous child has been found to have strong significant effect on termination of second birth interval. Recent researches (Low, 1991 and Mace and Sear, 1997) indicate that the length of birth intervals is influenced by the sexes of the children born at the beginning and end of the birth interval. The odd ratios show that woman for previous male child are about 11 percent less likely to terminate their second birth interval than women who have female previous child. Blanchard and Bogaert (1997) show that birth intervals are longer following a male than a female child. The greater the cost of each child to the mother, and the longer the period over which that cost is extracted, the longer the birth interval should be. A few empirical studies (Hrды, 1987 and Sieff, 1990) demonstrate within society differences in the attention, care and resource allocation to sons and daughters. It has been hypothesized that parents provide better care for males than females when males have a reproductive advantage over females with respect to resource access (Trivers and Willard, 1973).

Survival status of the previous child is one of the major determinants of termination of birth intervals. The

odd ratios show that child survival has a significant impact on length of birth intervals. The women whose previous child is dead have about twice more likely to terminate birth intervals than women whose previous child is alive. An inverse relationship has been frequently observed between birth interval and infant mortality (Pebley et al., 1991; Fuster et al., 1995).

Contraceptive use is one of the important proximate determinants of fertility, which has direct effect on birth interval dynamics. Couples use contraceptive methods either to space birth intervals or for stopping fertility. Contraceptive use has significant effect on termination of first to fourth birth and insignificant on fifth birth. Table 4 presents that never user women are 47 percent less likely to have first birth than ever users. As ever user females are more educated, get married in late and in greater access to mass media, thus they expect their first birth soon than their never user counterparts. The odd ratios also show that never user respondents have 13, 21, 32, and 9 percent more likelihood of having second to fifth birth than ever user females. The result implies that after having first birth, ever user females may lengthen their subsequent birth intervals.

Body mass index has been observed to have significant effect on having first to fifth birth. From Table 4, it has been observed that women whose body mass index is less than 25 have shorter birth interval than women whose body mass index is greater than 25. For first birth interval, women whose body mass index is less than 25 are 2.6 percent and 5.2 percent respectively more likelihood for termination of first birth interval than those whose body mass index is greater than 25.

VI. CONCLUSION

The purpose of this paper is to analyze five consecutive birth intervals to gain a better understanding of the fertility behavior of Bangladeshi women. For understanding distribution of birth intervals, percentage distribution of respondents of marriage to first birth and subsequent birth intervals is made. The study reveals that about 50 percent of ever married women become mother within first two years of marriage. The mean age at first marriage and first birth of the respondents are found 15.49 years and 17.85 years respectively. Thus, the results indicate that existing legal age at marriage act (18 years for females) is not functioning well across the country. From the curves of percentage distribution of birth intervals, it is observed that the distributions are positively skewed and unimodal.

Mean length of birth intervals of different background characteristics are calculated in order to study the variations among the categories. To examine whether there is any association between duration of birth spacing and selected background characteristics,

chi-square test for independence is employed. Bivariate analysis reveals that all independent variables have shown significant association with marriage to first birth interval except religion of the respondents. Similarly, except few variables, all explanatory variables are significantly related to third to fifth birth intervals. In addition to examine the association, to investigate the effect of each variable independently, which are found significant in bivariate analysis, Cox's proportional hazard regression model is employed.

Among the socio-economic factors, education level of women has been found to have important significant impact on risk of having birth. Educated respondents intend to get first birth in short period after marriage but longer period for subsequent births which is probably to limit family size. Therefore, emphasis should be given to increase the literacy rates irrespective of gender, which can increase spacing of births in Bangladesh. Urban-rural differentials have been observed in birth intervals. Thus, along with educational opportunities better civic facilities should be ensured in the vast populated rural areas. Women who have no work experience have more chances of having first and subsequent births compared to those who have work experience. It may be concluded that creating opportunity of work status of females could reduce the fertility in Bangladesh.

The women whose previous child is dead have about 2 times more likely to terminate birth intervals than women whose previous child is alive. Based on the findings, it can be concluded that reduction of infant and child mortality could increase the subsequent birth intervals. The Contraceptive use is also found to have significant effect on birth intervals. Modern and effective contraceptive methods should be supplied among mothers particularly to rural adolescent and illiterate women. In this context, unmet need of contraception should be ensured. Women whose previous child was male have longer birth interval than those whose previous child is female. As Bangladesh is still an agriculture-based, male-dominant, backward-cultured and developing country, couples expect male child who will eventually be inheritor and family earning member.

REFERENCES RÉFÉRENCES REFERENCES

1. Abadian, S. (1996). "Women's Autonomy and its Impact on Fertility." *World Development*, **24**(12): 1793-1809.
2. Al-Nahedh, N. N. A. (1999). "The Effect of Socio-demographic Variables on Child-spacing in Rural Saudi Arabia." *Eastern Mediterranean Health Journal*, **5**(1): 136 -140.
3. Azad, A. K. (2001). "Birth Spacing, Child Survival and Fertility in Bangladesh." Unpublished M.Sc. thesis, Department of Statistics, University of Dhaka.
4. Blanchard, R. and A. F. Bogaert. (1997). "The Relation of Closed Birth Intervals to the Sex of the Preceding Child and the Sexual Orientation of the Succeeding Child." *Journal of Biosocial Science*, **29** (1): 111-118.
5. Bavel, J. V. and J. Kok. (2004). "Birth Spacing in the Netherlands: The Effects of Family Composition, Occupation and Religion on Birth Intervals, 1820-1885." *European Journal of Population*, **20**(2): 119 -140.
6. Bumpass, L. L., R. R. Rindfuss, and J. A. Palmore. (1986). "Determinants of Korean Birth Intervals: The Confrontation of Theory and Data." *Population Studies*, **40** (3): 403 - 423.
7. Fuster, V., A. Jimenez, and B. Morales. (1995). "Birth Intervals Regarding Infant Mortality and Extramarital Reproduction in a Spanish Rural Community." *Journal of Biosocial Science*. **27**: 421- 429.
8. Gyimah, S. O. (2001). "Childhood Mortality and Reproductive Behavior in Ghana and Kenya: An Examination of Frailty and Non-Frailty Models." An Unpublished Ph.D. Dissertation, Faculty of Graduate Studies, the University of Western Ontario, London, Canada.
9. Gubhaju, B. B. (1986). "Effect of Birth Spacing on Infant and Child Mortality in Rural Nepal." *Journal of Biosocial Science*, **18**: 435-448.
10. Hrdy, S. B. (1987). Sex-Biased Investment in Primates and Mammals. In R. Gelles and J. Lancaster (eds) *Child Abuse and Neglect*. Hawthorne, NY: Aldine de Gruyter. 97-147.
11. Karim, A. (2008). "Age at First Marriage and Reproductive Behavior of Women in Bangladesh." An Unpublished Ph.D. Dissertation, University of Chittagong, Chittagong, Bangladesh.
12. Khan, H. T. A. and R. Raeside. (1998). "The Determinants of First and Subsequent Births in Urban and Rural Areas of Bangladesh." *Asia-Pacific Population Journal*, **13**(2): 39 -72.
13. Low, B. S. (1991). "Reproductive Life in Nineteenth Century Sweden: An Evolutionary Perspective on Demographic Phenomena." *Ethology and Sociobiology*, **12**: 411-448.
14. Gyimah, S. O. (2005). "The Dynamics of Spacing and Timing of Births in Ghana." *Journal of Comparative Family Studies*, **36** (1): 41-61.
15. Mace, R., and R. Sear. (1997). "Birth Interval and Sex of Children in a Traditional African Population: An Evolutionary Analysis." *Journal of Biosocial Science*, **29**: 449-507.
16. Marini, M. M. and P. J. Hodsdon. (1981). "Effects of the Timing of Marriage and First Birth of the Spacing of Subsequent Births." *Demography*, **18**: 529 - 548.
17. Mturi, A.J. and S.L. Curtis. (1995). "the Determinants of Infant and Child Mortality in Tanzania." *Health Policy and Planning*, **10**:384-394.

17. Mturi, A. J. (1997). "The Determinants of Birth intervals Among Non-contraceptive Tanzanian." *African Population Studies*, Vol. 12 no.2.
18. Nath, D. C., K. K. Singh, K. C. Land, and P. K. Talukdar. (1993). "Age at Marriage and the Length of the First Birth Interval in a Traditional Society: Life Table and Hazards Model Analysis." *Human Biology*, **65** (5): 783 - 797.
19. Nath, D. C., K. C. Land and G. Goswami. (1999). "Effects of the Status of Woman on the First Birth Interval in Indian Urban Society." *Journal of Biosocial Science*, **31**: 55 - 69.
20. Pebley, A. R., A. I. Hermalin, and J. Knodel. (1991). "Birth Spacing and Infant Mortality: Evidence for Eighteenth and Nineteenth Century German Villages." *Journal of Biosocial Science*, **23**: 445-459.
21. Preston, S. H. (1978). "The Effects of Infant and Child Mortality on Fertility." Academic Press, New York.
22. Rindfuss, R. R., L. L. Bumpass, J. A. Palmore, Dae Woo Han. (1982). "The Transformation of Korean Child-spacing Practices." *Population Studies*, **36** (1): pp. 87-104.
23. Sather, Z. A. (1988). "Birth Spacing in Pakistan." *Journal of Biosocial Science*, **20**(2):175-194.
24. Sieff, D. (1990). "Explaining Biased Sex Ratios in Human Populations - A Critique of Recent Studies." *Current Anthropology*, **31**:25-48.
25. Singh, K. K., C. M. Suchindran, V. Singh and R. Ramkumar. (1993). "Analysis of Birth Intervals in India's Uttar Pradesh and Kerala States." *Journal of Biosocial Science*, **25**: 143 -153.
26. Stephen, E. H., R. R. Rindfuss and F. D. Bean. (1988). "Racial Differences in contraceptive choice: Complexity and Implications." *Demography*, **25** (1): 53 -70.
27. Trivers, R. L. and D. E. Willard. (1973). "Natural Selection of Parental Ability to Vary the Sex Ratio Offspring." *Science*, **179**: 90-92.
28. Yeakey, M. P., C. J. Muntifering, D. V. Ramachandran, Y. Myint, A. A. Creanga and A. O. Tsui. (2009). "How Contraceptive Use Affects Birth Intervals: Results of a Literature Review." *Studies in Family Planning*, **40** (3): 205-214.

GLOBAL JOURNALS INC. (US) GUIDELINES HANDBOOK 2013

WWW.GLOBALJOURNALS.ORG

FELLOWS

FELLOW OF ASSOCIATION OF RESEARCH SOCIETY IN SCIENCE (FARSS)

Global Journals Incorporate (USA) is accredited by Open Association of Research Society (OARS), U.S.A and in turn, awards “FARSS” title to individuals. The 'FARSS' title is accorded to a selected professional after the approval of the Editor-in-Chief/Editorial Board Members/Dean.

● The “FARSS” is a dignified title which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., FARSS or William Walldroff, M.S., FARSS.

FARSS accrediting is an honor. It authenticates your research activities. After recognition as FARSB, you can add 'FARSS' title with your name as you use this recognition as additional suffix to your status. This will definitely enhance and add more value and repute to your name. You may use it on your professional Counseling Materials such as CV, Resume, and Visiting Card etc.

The following benefits can be availed by you only for next three years from the date of certification:

FARSS designated members are entitled to avail a 40% discount while publishing their research papers (of a single author) with Global Journals Incorporation (USA), if the same is accepted by Editorial Board/Peer Reviewers. If you are a main author or co-author in case of multiple authors, you will be entitled to avail discount of 10%.

Once FARSB title is accorded, the Fellow is authorized to organize a symposium/seminar/conference on behalf of Global Journal Incorporation (USA). The Fellow can also participate in conference/seminar/symposium organized by another institution as representative of Global Journal. In both the cases, it is mandatory for him to discuss with us and obtain our consent.

You may join as member of the Editorial Board of Global Journals Incorporation (USA) after successful completion of three years as Fellow and as Peer Reviewer. In addition, it is also desirable that you should organize seminar/symposium/conference at least once.


We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.





The FARSS can go through standards of OARS. You can also play vital role if you have any suggestions so that proper amendment can take place to improve the same for the benefit of entire research community.

As FARSS, you will be given a renowned, secure and free professional email address with 100 GB of space e.g. johnhall@globaljournals.org. This will include Webmail, Spam Assassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.



The FARSS will be eligible for a free application of standardization of their researches. Standardization of research will be subject to acceptability within stipulated norms as the next step after publishing in a journal. We shall depute a team of specialized research professionals who will render their services for elevating your researches to next higher level, which is worldwide open standardization.

The FARSS member can apply for grading and certification of standards of their educational and Institutional Degrees to Open Association of Research, Society U.S.A. Once you are designated as FARSS, you may send us a scanned copy of all of your credentials. OARS will verify, grade and certify them. This will be based on your academic records, quality of research papers published by you, and some more criteria. After certification of all your credentials by OARS, they will be published on your Fellow Profile link on website <https://associationofresearch.org> which will be helpful to upgrade the dignity.



The FARSS members can avail the benefits of free research podcasting in Global Research Radio with their research documents. After publishing the work, (including published elsewhere worldwide with proper authorization) you can upload your research paper with your recorded voice or you can utilize chargeable services of our professional RJs to record your paper in their voice on request.



The FARSS member also entitled to get the benefits of free research podcasting of their research documents through video clips. We can also streamline your conference videos and display your slides/ online slides and online research video clips at reasonable charges, on request.





The FARSS is eligible to earn from sales proceeds of his/her researches/reference/review Books or literature, while publishing with Global Journals. The FARSS can decide whether he/she would like to publish his/her research in a closed manner. In this case, whenever readers purchase that individual research paper for reading, maximum 60% of its profit earned as royalty by Global Journals, will be credited to his/her bank account. The entire entitled amount will be credited to his/her bank account exceeding limit of minimum fixed balance. There is no minimum time limit for collection. The FARSS member can decide its price and we can help in making the right decision.

The FARSS member is eligible to join as a paid peer reviewer at Global Journals Incorporation (USA) and can get remuneration of 15% of author fees, taken from the author of a respective paper. After reviewing 5 or more papers you can request to transfer the amount to your bank account.



MEMBER OF ASSOCIATION OF RESEARCH SOCIETY IN SCIENCE (MARSS)

The ' MARSS ' title is accorded to a selected professional after the approval of the Editor-in-Chief / Editorial Board Members/Dean.

The “MARSS” is a dignified ornament which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., MARSS or William Walldroff, M.S., MARSS.



MARSS accrediting is an honor. It authenticates your research activities. After becoming MARSS, you can add 'MARSS' title with your name as you use this recognition as additional suffix to your status. This will definitely enhance and add more value and repute to your name. You may use it on your professional Counseling Materials such as CV, Resume, Visiting Card and Name Plate etc.

The following benefits can be availed by you only for next three years from the date of certification.



MARSS designated members are entitled to avail a 25% discount while publishing their research papers (of a single author) in Global Journals Inc., if the same is accepted by our Editorial Board and Peer Reviewers. If you are a main author or co-author of a group of authors, you will get discount of 10%.

As MARSS, you will be given a renowned, secure and free professional email address with 30 GB of space e.g. johnhall@globaljournals.org. This will include Webmail, Spam Assassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.





We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.

The MARSS member can apply for approval, grading and certification of standards of their educational and Institutional Degrees to Open Association of Research, Society U.S.A.

Once you are designated as MARSS, you may send us a scanned copy of all of your credentials. OARS will verify, grade and certify them. This will be based on your academic records, quality of research papers published by you, and some more criteria.

It is mandatory to read all terms and conditions carefully.



AUXILIARY MEMBERSHIPS

Institutional Fellow of Global Journals Incorporation (USA)-OARS (USA)

Global Journals Incorporation (USA) is accredited by Open Association of Research Society, U.S.A (OARS) and in turn, affiliates research institutions as “Institutional Fellow of Open Association of Research Society” (IFOARS).

The “FARSC” is a dignified title which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., FARSC or William Walldroff, M.S., FARSC.

The IFOARS institution is entitled to form a Board comprised of one Chairperson and three to five board members preferably from different streams. The Board will be recognized as “Institutional Board of Open Association of Research Society”-(IBOARS).

The Institute will be entitled to following benefits:

The IBOARS can initially review research papers of their institute and recommend them to publish with respective journal of Global Journals. It can also review the papers of other institutions after obtaining our consent. The second review will be done by peer reviewer of Global Journals Incorporation (USA). The Board is at liberty to appoint a peer reviewer with the approval of chairperson after consulting us.

The author fees of such paper may be waived off up to 40%.

The Global Journals Incorporation (USA) at its discretion can also refer double blind peer reviewed paper at their end to the board for the verification and to get recommendation for final stage of acceptance of publication.

The IBOARS can organize symposium/seminar/conference in their country on behalf of Global Journals Incorporation (USA)-OARS (USA). The terms and conditions can be discussed separately.

The Board can also play vital role by exploring and giving valuable suggestions regarding the Standards of “Open Association of Research Society, U.S.A (OARS)” so that proper amendment can take place for the benefit of entire research community. We shall provide details of particular standard only on receipt of request from the Board.



The board members can also join us as Individual Fellow with 40% discount on total fees applicable to Individual Fellow. They will be entitled to avail all the benefits as declared. Please visit Individual Fellow-sub menu of GlobalJournals.org to have more relevant details.



We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.



After nomination of your institution as “Institutional Fellow” and constantly functioning successfully for one year, we can consider giving recognition to your institute to function as Regional/Zonal office on our behalf.

The board can also take up the additional allied activities for betterment after our consultation.

The following entitlements are applicable to individual Fellows:

Open Association of Research Society, U.S.A (OARS) By-laws states that an individual Fellow may use the designations as applicable, or the corresponding initials. The Credentials of individual Fellow and Associate designations signify that the individual has gained knowledge of the fundamental concepts. One is magnanimous and proficient in an expertise course covering the professional code of conduct, and follows recognized standards of practice.



Open Association of Research Society (US)/ Global Journals Incorporation (USA), as described in Corporate Statements, are educational, research publishing and professional membership organizations. Achieving our individual Fellow or Associate status is based mainly on meeting stated educational research requirements.

Disbursement of 40% Royalty earned through Global Journals : Researcher = 50%, Peer Reviewer = 37.50%, Institution = 12.50% E.g. Out of 40%, the 20% benefit should be passed on to researcher, 15 % benefit towards remuneration should be given to a reviewer and remaining 5% is to be retained by the institution.

We shall provide print version of 12 issues of any three journals [as per your requirement] out of our 38 journals worth \$ 2376 USD.

Other:

The individual Fellow and Associate designations accredited by Open Association of Research Society (US) credentials signify guarantees following achievements:

- The professional accredited with Fellow honor, is entitled to various benefits viz. name, fame, honor, regular flow of income, secured bright future, social status etc.



- In addition to above, if one is single author, then entitled to 40% discount on publishing research paper and can get 10% discount if one is co-author or main author among group of authors.
- The Fellow can organize symposium/seminar/conference on behalf of Global Journals Incorporation (USA) and he/she can also attend the same organized by other institutes on behalf of Global Journals.
- The Fellow can become member of Editorial Board Member after completing 3yrs.
- The Fellow can earn 60% of sales proceeds from the sale of reference/review books/literature/publishing of research paper.
- Fellow can also join as paid peer reviewer and earn 15% remuneration of author charges and can also get an opportunity to join as member of the Editorial Board of Global Journals Incorporation (USA)
- • This individual has learned the basic methods of applying those concepts and techniques to common challenging situations. This individual has further demonstrated an in-depth understanding of the application of suitable techniques to a particular area of research practice.

Note :

//

- In future, if the board feels the necessity to change any board member, the same can be done with the consent of the chairperson along with anyone board member without our approval.
- In case, the chairperson needs to be replaced then consent of 2/3rd board members are required and they are also required to jointly pass the resolution copy of which should be sent to us. In such case, it will be compulsory to obtain our approval before replacement.
- In case of “Difference of Opinion [if any]” among the Board members, our decision will be final and binding to everyone.

//



PROCESS OF SUBMISSION OF RESEARCH PAPER

The Area or field of specialization may or may not be of any category as mentioned in 'Scope of Journal' menu of the GlobalJournals.org website. There are 37 Research Journal categorized with Six parental Journals GJCST, GJMR, GJRE, GJMBR, GJSFR, GJHSS. For Authors should prefer the mentioned categories. There are three widely used systems UDC, DDC and LCC. The details are available as 'Knowledge Abstract' at Home page. The major advantage of this coding is that, the research work will be exposed to and shared with all over the world as we are being abstracted and indexed worldwide.

The paper should be in proper format. The format can be downloaded from first page of 'Author Guideline' Menu. The Author is expected to follow the general rules as mentioned in this menu. The paper should be written in MS-Word Format (*.DOC,*.DOCX).

The Author can submit the paper either online or offline. The authors should prefer online submission.Online Submission: There are three ways to submit your paper:

(A) (I) First, register yourself using top right corner of Home page then Login. If you are already registered, then login using your username and password.

(II) Choose corresponding Journal.

(III) Click 'Submit Manuscript'. Fill required information and Upload the paper.

(B) If you are using Internet Explorer, then Direct Submission through Homepage is also available.

(C) If these two are not convenient, and then email the paper directly to dean@globaljournals.org.

Offline Submission: Author can send the typed form of paper by Post. However, online submission should be preferred.



PREFERRED AUTHOR GUIDELINES

MANUSCRIPT STYLE INSTRUCTION (Must be strictly followed)

Page Size: 8.27" X 11"

- Left Margin: 0.65
- Right Margin: 0.65
- Top Margin: 0.75
- Bottom Margin: 0.75
- Font type of all text should be Swis 721 Lt BT.
- Paper Title should be of Font Size 24 with one Column section.
- Author Name in Font Size of 11 with one column as of Title.
- Abstract Font size of 9 Bold, "Abstract" word in Italic Bold.
- Main Text: Font size 10 with justified two columns section
- Two Column with Equal Column with of 3.38 and Gaping of .2
- First Character must be three lines Drop capped.
- Paragraph before Spacing of 1 pt and After of 0 pt.
- Line Spacing of 1 pt
- Large Images must be in One Column
- Numbering of First Main Headings (Heading 1) must be in Roman Letters, Capital Letter, and Font Size of 10.
- Numbering of Second Main Headings (Heading 2) must be in Alphabets, Italic, and Font Size of 10.

You can use your own standard format also.

Author Guidelines:

1. General,
2. Ethical Guidelines,
3. Submission of Manuscripts,
4. Manuscript's Category,
5. Structure and Format of Manuscript,
6. After Acceptance.

1. GENERAL

Before submitting your research paper, one is advised to go through the details as mentioned in following heads. It will be beneficial, while peer reviewer justify your paper for publication.

Scope

The Global Journals Inc. (US) welcome the submission of original paper, review paper, survey article relevant to the all the streams of Philosophy and knowledge. The Global Journals Inc. (US) is parental platform for Global Journal of Computer Science and Technology, Researches in Engineering, Medical Research, Science Frontier Research, Human Social Science, Management, and Business organization. The choice of specific field can be done otherwise as following in Abstracting and Indexing Page on this Website. As the all Global

Journals Inc. (US) are being abstracted and indexed (in process) by most of the reputed organizations. Topics of only narrow interest will not be accepted unless they have wider potential or consequences.

2. ETHICAL GUIDELINES

Authors should follow the ethical guidelines as mentioned below for publication of research paper and research activities.

Papers are accepted on strict understanding that the material in whole or in part has not been, nor is being, considered for publication elsewhere. If the paper once accepted by Global Journals Inc. (US) and Editorial Board, will become the copyright of the Global Journals Inc. (US).

Authorship: The authors and coauthors should have active contribution to conception design, analysis and interpretation of findings. They should critically review the contents and drafting of the paper. All should approve the final version of the paper before submission

The Global Journals Inc. (US) follows the definition of authorship set up by the Global Academy of Research and Development. According to the Global Academy of R&D authorship, criteria must be based on:

- 1) Substantial contributions to conception and acquisition of data, analysis and interpretation of the findings.
- 2) Drafting the paper and revising it critically regarding important academic content.
- 3) Final approval of the version of the paper to be published.

All authors should have been credited according to their appropriate contribution in research activity and preparing paper. Contributors who do not match the criteria as authors may be mentioned under Acknowledgement.

Acknowledgements: Contributors to the research other than authors credited should be mentioned under acknowledgement. The specifications of the source of funding for the research if appropriate can be included. Suppliers of resources may be mentioned along with address.

Appeal of Decision: The Editorial Board's decision on publication of the paper is final and cannot be appealed elsewhere.

Permissions: It is the author's responsibility to have prior permission if all or parts of earlier published illustrations are used in this paper.

Please mention proper reference and appropriate acknowledgements wherever expected.

If all or parts of previously published illustrations are used, permission must be taken from the copyright holder concerned. It is the author's responsibility to take these in writing.

Approval for reproduction/modification of any information (including figures and tables) published elsewhere must be obtained by the authors/copyright holders before submission of the manuscript. Contributors (Authors) are responsible for any copyright fee involved.

3. SUBMISSION OF MANUSCRIPTS

Manuscripts should be uploaded via this online submission page. The online submission is most efficient method for submission of papers, as it enables rapid distribution of manuscripts and consequently speeds up the review procedure. It also enables authors to know the status of their own manuscripts by emailing us. Complete instructions for submitting a paper is available below.

Manuscript submission is a systematic procedure and little preparation is required beyond having all parts of your manuscript in a given format and a computer with an Internet connection and a Web browser. Full help and instructions are provided on-screen. As an author, you will be prompted for login and manuscript details as Field of Paper and then to upload your manuscript file(s) according to the instructions.



To avoid postal delays, all transaction is preferred by e-mail. A finished manuscript submission is confirmed by e-mail immediately and your paper enters the editorial process with no postal delays. When a conclusion is made about the publication of your paper by our Editorial Board, revisions can be submitted online with the same procedure, with an occasion to view and respond to all comments.

Complete support for both authors and co-author is provided.

4. MANUSCRIPT'S CATEGORY

Based on potential and nature, the manuscript can be categorized under the following heads:

Original research paper: Such papers are reports of high-level significant original research work.

Review papers: These are concise, significant but helpful and decisive topics for young researchers.

Research articles: These are handled with small investigation and applications

Research letters: The letters are small and concise comments on previously published matters.

5. STRUCTURE AND FORMAT OF MANUSCRIPT

The recommended size of original research paper is less than seven thousand words, review papers fewer than seven thousands words also. Preparation of research paper or how to write research paper, are major hurdle, while writing manuscript. The research articles and research letters should be fewer than three thousand words, the structure original research paper; sometime review paper should be as follows:

Papers: These are reports of significant research (typically less than 7000 words equivalent, including tables, figures, references), and comprise:

- (a) Title should be relevant and commensurate with the theme of the paper.
- (b) A brief Summary, "Abstract" (less than 150 words) containing the major results and conclusions.
- (c) Up to ten keywords, that precisely identifies the paper's subject, purpose, and focus.
- (d) An Introduction, giving necessary background excluding subheadings; objectives must be clearly declared.
- (e) Resources and techniques with sufficient complete experimental details (wherever possible by reference) to permit repetition; sources of information must be given and numerical methods must be specified by reference, unless non-standard.
- (f) Results should be presented concisely, by well-designed tables and/or figures; the same data may not be used in both; suitable statistical data should be given. All data must be obtained with attention to numerical detail in the planning stage. As reproduced design has been recognized to be important to experiments for a considerable time, the Editor has decided that any paper that appears not to have adequate numerical treatments of the data will be returned un-refereed;
- (g) Discussion should cover the implications and consequences, not just recapitulating the results; conclusions should be summarizing.
- (h) Brief Acknowledgements.
- (i) References in the proper form.

Authors should very cautiously consider the preparation of papers to ensure that they communicate efficiently. Papers are much more likely to be accepted, if they are cautiously designed and laid out, contain few or no errors, are summarizing, and be conventional to the approach and instructions. They will in addition, be published with much less delays than those that require much technical and editorial correction.



The Editorial Board reserves the right to make literary corrections and to make suggestions to improve brevity.

It is vital, that authors take care in submitting a manuscript that is written in simple language and adheres to published guidelines.

Format

Language: The language of publication is UK English. Authors, for whom English is a second language, must have their manuscript efficiently edited by an English-speaking person before submission to make sure that, the English is of high excellence. It is preferable, that manuscripts should be professionally edited.

Standard Usage, Abbreviations, and Units: Spelling and hyphenation should be conventional to The Concise Oxford English Dictionary. Statistics and measurements should at all times be given in figures, e.g. 16 min, except for when the number begins a sentence. When the number does not refer to a unit of measurement it should be spelt in full unless, it is 160 or greater.

Abbreviations supposed to be used carefully. The abbreviated name or expression is supposed to be cited in full at first usage, followed by the conventional abbreviation in parentheses.

Metric SI units are supposed to generally be used excluding where they conflict with current practice or are confusing. For illustration, 1.4 l rather than $1.4 \times 10^{-3} \text{ m}^3$, or 4 mm somewhat than $4 \times 10^{-3} \text{ m}$. Chemical formula and solutions must identify the form used, e.g. anhydrous or hydrated, and the concentration must be in clearly defined units. Common species names should be followed by underlines at the first mention. For following use the generic name should be constricted to a single letter, if it is clear.

Structure

All manuscripts submitted to Global Journals Inc. (US), ought to include:

Title: The title page must carry an instructive title that reflects the content, a running title (less than 45 characters together with spaces), names of the authors and co-authors, and the place(s) wherever the work was carried out. The full postal address in addition with the e-mail address of related author must be given. Up to eleven keywords or very brief phrases have to be given to help data retrieval, mining and indexing.

Abstract, used in Original Papers and Reviews:

Optimizing Abstract for Search Engines

Many researchers searching for information online will use search engines such as Google, Yahoo or similar. By optimizing your paper for search engines, you will amplify the chance of someone finding it. This in turn will make it more likely to be viewed and/or cited in a further work. Global Journals Inc. (US) have compiled these guidelines to facilitate you to maximize the web-friendliness of the most public part of your paper.

Key Words

A major linchpin in research work for the writing research paper is the keyword search, which one will employ to find both library and Internet resources.

One must be persistent and creative in using keywords. An effective keyword search requires a strategy and planning a list of possible keywords and phrases to try.

Search engines for most searches, use Boolean searching, which is somewhat different from Internet searches. The Boolean search uses "operators," words (and, or, not, and near) that enable you to expand or narrow your affords. Tips for research paper while preparing research paper are very helpful guideline of research paper.

Choice of key words is first tool of tips to write research paper. Research paper writing is an art. A few tips for deciding as strategically as possible about keyword search:



- One should start brainstorming lists of possible keywords before even begin searching. Think about the most important concepts related to research work. Ask, "What words would a source have to include to be truly valuable in research paper?" Then consider synonyms for the important words.
- It may take the discovery of only one relevant paper to let steer in the right keyword direction because in most databases, the keywords under which a research paper is abstracted are listed with the paper.
- One should avoid outdated words.

Keywords are the key that opens a door to research work sources. Keyword searching is an art in which researcher's skills are bound to improve with experience and time.

Numerical Methods: Numerical methods used should be clear and, where appropriate, supported by references.

Acknowledgements: Please make these as concise as possible.

References

References follow the Harvard scheme of referencing. References in the text should cite the authors' names followed by the time of their publication, unless there are three or more authors when simply the first author's name is quoted followed by et al. unpublished work has to only be cited where necessary, and only in the text. Copies of references in press in other journals have to be supplied with submitted typescripts. It is necessary that all citations and references be carefully checked before submission, as mistakes or omissions will cause delays.

References to information on the World Wide Web can be given, but only if the information is available without charge to readers on an official site. Wikipedia and Similar websites are not allowed where anyone can change the information. Authors will be asked to make available electronic copies of the cited information for inclusion on the Global Journals Inc. (US) homepage at the judgment of the Editorial Board.

The Editorial Board and Global Journals Inc. (US) recommend that, citation of online-published papers and other material should be done via a DOI (digital object identifier). If an author cites anything, which does not have a DOI, they run the risk of the cited material not being noticeable.

The Editorial Board and Global Journals Inc. (US) recommend the use of a tool such as Reference Manager for reference management and formatting.

Tables, Figures and Figure Legends

Tables: Tables should be few in number, cautiously designed, uncrowned, and include only essential data. Each must have an Arabic number, e.g. Table 4, a self-explanatory caption and be on a separate sheet. Vertical lines should not be used.

Figures: Figures are supposed to be submitted as separate files. Always take in a citation in the text for each figure using Arabic numbers, e.g. Fig. 4. Artwork must be submitted online in electronic form by e-mailing them.

Preparation of Electronic Figures for Publication

Even though low quality images are sufficient for review purposes, print publication requires high quality images to prevent the final product being blurred or fuzzy. Submit (or e-mail) EPS (line art) or TIFF (halftone/photographs) files only. MS PowerPoint and Word Graphics are unsuitable for printed pictures. Do not use pixel-oriented software. Scans (TIFF only) should have a resolution of at least 350 dpi (halftone) or 700 to 1100 dpi (line drawings) in relation to the imitation size. Please give the data for figures in black and white or submit a Color Work Agreement Form. EPS files must be saved with fonts embedded (and with a TIFF preview, if possible).

For scanned images, the scanning resolution (at final image size) ought to be as follows to ensure good reproduction: line art: >650 dpi; halftones (including gel photographs) : >350 dpi; figures containing both halftone and line images: >650 dpi.



Color Charges: It is the rule of the Global Journals Inc. (US) for authors to pay the full cost for the reproduction of their color artwork. Hence, please note that, if there is color artwork in your manuscript when it is accepted for publication, we would require you to complete and return a color work agreement form before your paper can be published.

Figure Legends: Self-explanatory legends of all figures should be incorporated separately under the heading 'Legends to Figures'. In the full-text online edition of the journal, figure legends may possibly be truncated in abbreviated links to the full screen version. Therefore, the first 100 characters of any legend should notify the reader, about the key aspects of the figure.

6. AFTER ACCEPTANCE

Upon approval of a paper for publication, the manuscript will be forwarded to the dean, who is responsible for the publication of the Global Journals Inc. (US).

6.1 Proof Corrections

The corresponding author will receive an e-mail alert containing a link to a website or will be attached. A working e-mail address must therefore be provided for the related author.

Acrobat Reader will be required in order to read this file. This software can be downloaded

(Free of charge) from the following website:

www.adobe.com/products/acrobat/readstep2.html. This will facilitate the file to be opened, read on screen, and printed out in order for any corrections to be added. Further instructions will be sent with the proof.

Proofs must be returned to the dean at dean@globaljournals.org within three days of receipt.

As changes to proofs are costly, we inquire that you only correct typesetting errors. All illustrations are retained by the publisher. Please note that the authors are responsible for all statements made in their work, including changes made by the copy editor.

6.2 Early View of Global Journals Inc. (US) (Publication Prior to Print)

The Global Journals Inc. (US) are enclosed by our publishing's Early View service. Early View articles are complete full-text articles sent in advance of their publication. Early View articles are absolute and final. They have been completely reviewed, revised and edited for publication, and the authors' final corrections have been incorporated. Because they are in final form, no changes can be made after sending them. The nature of Early View articles means that they do not yet have volume, issue or page numbers, so Early View articles cannot be cited in the conventional way.

6.3 Author Services

Online production tracking is available for your article through Author Services. Author Services enables authors to track their article - once it has been accepted - through the production process to publication online and in print. Authors can check the status of their articles online and choose to receive automated e-mails at key stages of production. The authors will receive an e-mail with a unique link that enables them to register and have their article automatically added to the system. Please ensure that a complete e-mail address is provided when submitting the manuscript.

6.4 Author Material Archive Policy

Please note that if not specifically requested, publisher will dispose off hardcopy & electronic information submitted, after the two months of publication. If you require the return of any information submitted, please inform the Editorial Board or dean as soon as possible.

6.5 Offprint and Extra Copies

A PDF offprint of the online-published article will be provided free of charge to the related author, and may be distributed according to the Publisher's terms and conditions. Additional paper offprint may be ordered by emailing us at: editor@globaljournals.org.



Before start writing a good quality Computer Science Research Paper, let us first understand what is Computer Science Research Paper? So, Computer Science Research Paper is the paper which is written by professionals or scientists who are associated to Computer Science and Information Technology, or doing research study in these areas. If you are novel to this field then you can consult about this field from your supervisor or guide.

TECHNIQUES FOR WRITING A GOOD QUALITY RESEARCH PAPER:

1. Choosing the topic: In most cases, the topic is searched by the interest of author but it can be also suggested by the guides. You can have several topics and then you can judge that in which topic or subject you are finding yourself most comfortable. This can be done by asking several questions to yourself, like Will I be able to carry our search in this area? Will I find all necessary recourses to accomplish the search? Will I be able to find all information in this field area? If the answer of these types of questions will be "Yes" then you can choose that topic. In most of the cases, you may have to conduct the surveys and have to visit several places because this field is related to Computer Science and Information Technology. Also, you may have to do a lot of work to find all rise and falls regarding the various data of that subject. Sometimes, detailed information plays a vital role, instead of short information.

2. Evaluators are human: First thing to remember that evaluators are also human being. They are not only meant for rejecting a paper. They are here to evaluate your paper. So, present your Best.

3. Think Like Evaluators: If you are in a confusion or getting demotivated that your paper will be accepted by evaluators or not, then think and try to evaluate your paper like an Evaluator. Try to understand that what an evaluator wants in your research paper and automatically you will have your answer.

4. Make blueprints of paper: The outline is the plan or framework that will help you to arrange your thoughts. It will make your paper logical. But remember that all points of your outline must be related to the topic you have chosen.

5. Ask your Guides: If you are having any difficulty in your research, then do not hesitate to share your difficulty to your guide (if you have any). They will surely help you out and resolve your doubts. If you can't clarify what exactly you require for your work then ask the supervisor to help you with the alternative. He might also provide you the list of essential readings.

6. Use of computer is recommended: As you are doing research in the field of Computer Science, then this point is quite obvious.

7. Use right software: Always use good quality software packages. If you are not capable to judge good software then you can lose quality of your paper unknowingly. There are various software programs available to help you, which you can get through Internet.

8. Use the Internet for help: An excellent start for your paper can be by using the Google. It is an excellent search engine, where you can have your doubts resolved. You may also read some answers for the frequent question how to write my research paper or find model research paper. From the internet library you can download books. If you have all required books make important reading selecting and analyzing the specified information. Then put together research paper sketch out.

9. Use and get big pictures: Always use encyclopedias, Wikipedia to get pictures so that you can go into the depth.

10. Bookmarks are useful: When you read any book or magazine, you generally use bookmarks, right! It is a good habit, which helps to not to lose your continuity. You should always use bookmarks while searching on Internet also, which will make your search easier.

11. Revise what you wrote: When you write anything, always read it, summarize it and then finalize it.



12. Make all efforts: Make all efforts to mention what you are going to write in your paper. That means always have a good start. Try to mention everything in introduction, that what is the need of a particular research paper. Polish your work by good skill of writing and always give an evaluator, what he wants.

13. Have backups: When you are going to do any important thing like making research paper, you should always have backup copies of it either in your computer or in paper. This will help you to not to lose any of your important.

14. Produce good diagrams of your own: Always try to include good charts or diagrams in your paper to improve quality. Using several and unnecessary diagrams will degrade the quality of your paper by creating "hotchpotch." So always, try to make and include those diagrams, which are made by your own to improve readability and understandability of your paper.

15. Use of direct quotes: When you do research relevant to literature, history or current affairs then use of quotes become essential but if study is relevant to science then use of quotes is not preferable.

16. Use proper verb tense: Use proper verb tenses in your paper. Use past tense, to present those events that happened. Use present tense to indicate events that are going on. Use future tense to indicate future happening events. Use of improper and wrong tenses will confuse the evaluator. Avoid the sentences that are incomplete.

17. Never use online paper: If you are getting any paper on Internet, then never use it as your research paper because it might be possible that evaluator has already seen it or maybe it is outdated version.

18. Pick a good study spot: To do your research studies always try to pick a spot, which is quiet. Every spot is not for studies. Spot that suits you choose it and proceed further.

19. Know what you know: Always try to know, what you know by making objectives. Else, you will be confused and cannot achieve your target.

20. Use good quality grammar: Always use a good quality grammar and use words that will throw positive impact on evaluator. Use of good quality grammar does not mean to use tough words, that for each word the evaluator has to go through dictionary. Do not start sentence with a conjunction. Do not fragment sentences. Eliminate one-word sentences. Ignore passive voice. Do not ever use a big word when a diminutive one would suffice. Verbs have to be in agreement with their subjects. Prepositions are not expressions to finish sentences with. It is incorrect to ever divide an infinitive. Avoid clichés like the disease. Also, always shun irritating alliteration. Use language that is simple and straight forward. put together a neat summary.

21. Arrangement of information: Each section of the main body should start with an opening sentence and there should be a changeover at the end of the section. Give only valid and powerful arguments to your topic. You may also maintain your arguments with records.

22. Never start in last minute: Always start at right time and give enough time to research work. Leaving everything to the last minute will degrade your paper and spoil your work.

23. Multitasking in research is not good: Doing several things at the same time proves bad habit in case of research activity. Research is an area, where everything has a particular time slot. Divide your research work in parts and do particular part in particular time slot.

24. Never copy others' work: Never copy others' work and give it your name because if evaluator has seen it anywhere you will be in trouble.

25. Take proper rest and food: No matter how many hours you spend for your research activity, if you are not taking care of your health then all your efforts will be in vain. For a quality research, study is must, and this can be done by taking proper rest and food.

26. Go for seminars: Attend seminars if the topic is relevant to your research area. Utilize all your resources.



27. Refresh your mind after intervals: Try to give rest to your mind by listening to soft music or by sleeping in intervals. This will also improve your memory.

28. Make colleagues: Always try to make colleagues. No matter how sharper or intelligent you are, if you make colleagues you can have several ideas, which will be helpful for your research.

29. Think technically: Always think technically. If anything happens, then search its reasons, its benefits, and demerits.

30. Think and then print: When you will go to print your paper, notice that tables are not be split, headings are not detached from their descriptions, and page sequence is maintained.

31. Adding unnecessary information: Do not add unnecessary information, like, I have used MS Excel to draw graph. Do not add irrelevant and inappropriate material. These all will create superfluous. Foreign terminology and phrases are not apropos. One should NEVER take a broad view. Analogy in script is like feathers on a snake. Not at all use a large word when a very small one would be sufficient. Use words properly, regardless of how others use them. Remove quotations. Puns are for kids, not grunt readers. Amplification is a billion times of inferior quality than sarcasm.

32. Never oversimplify everything: To add material in your research paper, never go for oversimplification. This will definitely irritate the evaluator. Be more or less specific. Also too, by no means, ever use rhythmic redundancies. Contractions aren't essential and shouldn't be there used. Comparisons are as terrible as clichés. Give up ampersands and abbreviations, and so on. Remove commas, that are, not necessary. Parenthetical words however should be together with this in commas. Understatement is all the time the complete best way to put onward earth-shaking thoughts. Give a detailed literary review.

33. Report concluded results: Use concluded results. From raw data, filter the results and then conclude your studies based on measurements and observations taken. Significant figures and appropriate number of decimal places should be used. Parenthetical remarks are prohibitive. Proofread carefully at final stage. In the end give outline to your arguments. Spot out perspectives of further study of this subject. Justify your conclusion by at the bottom of them with sufficient justifications and examples.

34. After conclusion: Once you have concluded your research, the next most important step is to present your findings. Presentation is extremely important as it is the definite medium through which your research is going to be in print to the rest of the crowd. Care should be taken to categorize your thoughts well and present them in a logical and neat manner. A good quality research paper format is essential because it serves to highlight your research paper and bring to light all necessary aspects in your research.

INFORMAL GUIDELINES OF RESEARCH PAPER WRITING

Key points to remember:

- Submit all work in its final form.
- Write your paper in the form, which is presented in the guidelines using the template.
- Please note the criterion for grading the final paper by peer-reviewers.

Final Points:

A purpose of organizing a research paper is to let people to interpret your effort selectively. The journal requires the following sections, submitted in the order listed, each section to start on a new page.

The introduction will be compiled from reference matter and will reflect the design processes or outline of basis that direct you to make study. As you will carry out the process of study, the method and process section will be constructed as like that. The result segment will show related statistics in nearly sequential order and will direct the reviewers next to the similar intellectual paths throughout the data that you took to carry out your study. The discussion section will provide understanding of the data and projections as to the implication of the results. The use of good quality references all through the paper will give the effort trustworthiness by representing an alertness of prior workings.



Writing a research paper is not an easy job no matter how trouble-free the actual research or concept. Practice, excellent preparation, and controlled record keeping are the only means to make straightforward the progression.

General style:

Specific editorial column necessities for compliance of a manuscript will always take over from directions in these general guidelines.

To make a paper clear

- Adhere to recommended page limits

Mistakes to evade

- Insertion a title at the foot of a page with the subsequent text on the next page
- Separating a table/chart or figure - impound each figure/table to a single page
- Submitting a manuscript with pages out of sequence

In every sections of your document

- Use standard writing style including articles ("a", "the," etc.)
- Keep on paying attention on the research topic of the paper
- Use paragraphs to split each significant point (excluding for the abstract)
- Align the primary line of each section
- Present your points in sound order
- Use present tense to report well accepted
- Use past tense to describe specific results
- Shun familiar wording, don't address the reviewer directly, and don't use slang, slang language, or superlatives
- Shun use of extra pictures - include only those figures essential to presenting results

Title Page:

Choose a revealing title. It should be short. It should not have non-standard acronyms or abbreviations. It should not exceed two printed lines. It should include the name(s) and address (es) of all authors.



Abstract:

The summary should be two hundred words or less. It should briefly and clearly explain the key findings reported in the manuscript-- must have precise statistics. It should not have abnormal acronyms or abbreviations. It should be logical in itself. Shun citing references at this point.

An abstract is a brief distinct paragraph summary of finished work or work in development. In a minute or less a reviewer can be taught the foundation behind the study, common approach to the problem, relevant results, and significant conclusions or new questions.

Write your summary when your paper is completed because how can you write the summary of anything which is not yet written? Wealth of terminology is very essential in abstract. Yet, use comprehensive sentences and do not let go readability for briefness. You can maintain it succinct by phrasing sentences so that they provide more than lone rationale. The author can at this moment go straight to shortening the outcome. Sum up the study, with the subsequent elements in any summary. Try to maintain the initial two items to no more than one ruling each.

- Reason of the study - theory, overall issue, purpose
- Fundamental goal
- To the point depiction of the research
- Consequences, including definite statistics - if the consequences are quantitative in nature, account quantitative data; results of any numerical analysis should be reported
- Significant conclusions or questions that track from the research(es)

Approach:

- Single section, and succinct
- As a outline of job done, it is always written in past tense
- A conceptual should situate on its own, and not submit to any other part of the paper such as a form or table
- Center on shortening results - bound background information to a verdict or two, if completely necessary
- What you account in an conceptual must be regular with what you reported in the manuscript
- Exact spelling, clearness of sentences and phrases, and appropriate reporting of quantities (proper units, important statistics) are just as significant in an abstract as they are anywhere else

Introduction:

The **Introduction** should "introduce" the manuscript. The reviewer should be presented with sufficient background information to be capable to comprehend and calculate the purpose of your study without having to submit to other works. The basis for the study should be offered. Give most important references but shun difficult to make a comprehensive appraisal of the topic. In the introduction, describe the problem visibly. If the problem is not acknowledged in a logical, reasonable way, the reviewer will have no attention in your result. Speak in common terms about techniques used to explain the problem, if needed, but do not present any particulars about the protocols here. Following approach can create a valuable beginning:

- Explain the value (significance) of the study
- Shield the model - why did you employ this particular system or method? What is its compensation? You strength remark on its appropriateness from a abstract point of vision as well as point out sensible reasons for using it.
- Present a justification. Status your particular theory (es) or aim(s), and describe the logic that led you to choose them.
- Very for a short time explain the tentative propose and how it skilled the declared objectives.

Approach:

- Use past tense except for when referring to recognized facts. After all, the manuscript will be submitted after the entire job is done.
- Sort out your thoughts; manufacture one key point with every section. If you make the four points listed above, you will need a least of four paragraphs.



- Present surroundings information only as desirable in order hold up a situation. The reviewer does not desire to read the whole thing you know about a topic.
- Shape the theory/purpose specifically - do not take a broad view.
- As always, give awareness to spelling, simplicity and correctness of sentences and phrases.

Procedures (Methods and Materials):

This part is supposed to be the easiest to carve if you have good skills. A sound written Procedures segment allows a capable scientist to replacement your results. Present precise information about your supplies. The suppliers and clarity of reagents can be helpful bits of information. Present methods in sequential order but linked methodologies can be grouped as a segment. Be concise when relating the protocols. Attempt for the least amount of information that would permit another capable scientist to spare your outcome but be cautious that vital information is integrated. The use of subheadings is suggested and ought to be synchronized with the results section. When a technique is used that has been well described in another object, mention the specific item describing a way but draw the basic principle while stating the situation. The purpose is to text all particular resources and broad procedures, so that another person may use some or all of the methods in one more study or referee the scientific value of your work. It is not to be a step by step report of the whole thing you did, nor is a methods section a set of orders.

Materials:

- Explain materials individually only if the study is so complex that it saves liberty this way.
- Embrace particular materials, and any tools or provisions that are not frequently found in laboratories.
- Do not take in frequently found.
- If use of a definite type of tools.
- Materials may be reported in a part section or else they may be recognized along with your measures.

Methods:

- Report the method (not particulars of each process that engaged the same methodology)
- Describe the method entirely
- To be succinct, present methods under headings dedicated to specific dealings or groups of measures
- Simplify - details how procedures were completed not how they were exclusively performed on a particular day.
- If well known procedures were used, account the procedure by name, possibly with reference, and that's all.

Approach:

- It is embarrassed or not possible to use vigorous voice when documenting methods with no using first person, which would focus the reviewer's interest on the researcher rather than the job. As a result when script up the methods most authors use third person passive voice.
- Use standard style in this and in every other part of the paper - avoid familiar lists, and use full sentences.

What to keep away from

- Resources and methods are not a set of information.
- Skip all descriptive information and surroundings - save it for the argument.
- Leave out information that is immaterial to a third party.

Results:

The principle of a results segment is to present and demonstrate your conclusion. Create this part a entirely objective details of the outcome, and save all understanding for the discussion.

The page length of this segment is set by the sum and types of data to be reported. Carry on to be to the point, by means of statistics and tables, if suitable, to present consequences most efficiently. You must obviously differentiate material that would usually be incorporated in a study editorial from any unprocessed data or additional appendix matter that would not be available. In fact, such matter should not be submitted at all except requested by the instructor.



Content

- Sum up your conclusion in text and demonstrate them, if suitable, with figures and tables.
- In manuscript, explain each of your consequences, point the reader to remarks that are most appropriate.
- Present a background, such as by describing the question that was addressed by creation an exacting study.
- Explain results of control experiments and comprise remarks that are not accessible in a prescribed figure or table, if appropriate.
- Examine your data, then prepare the analyzed (transformed) data in the form of a figure (graph), table, or in manuscript form.

What to stay away from

- Do not discuss or infer your outcome, report surroundings information, or try to explain anything.
- Not at all, take in raw data or intermediate calculations in a research manuscript.
- Do not present the similar data more than once.
- Manuscript should complement any figures or tables, not duplicate the identical information.
- Never confuse figures with tables - there is a difference.

Approach

- As forever, use past tense when you submit to your results, and put the whole thing in a reasonable order.
- Put figures and tables, appropriately numbered, in order at the end of the report
- If you desire, you may place your figures and tables properly within the text of your results part.

Figures and tables

- If you put figures and tables at the end of the details, make certain that they are visibly distinguished from any attach appendix materials, such as raw facts
- Despite of position, each figure must be numbered one after the other and complete with subtitle
- In spite of position, each table must be titled, numbered one after the other and complete with heading
- All figure and table must be adequately complete that it could situate on its own, divide from text

Discussion:

The Discussion is expected the trickiest segment to write and describe. A lot of papers submitted for journal are discarded based on problems with the Discussion. There is no head of state for how long a argument should be. Position your understanding of the outcome visibly to lead the reviewer through your conclusions, and then finish the paper with a summing up of the implication of the study. The purpose here is to offer an understanding of your results and hold up for all of your conclusions, using facts from your research and generally accepted information, if suitable. The implication of result should be visibly described. Infer your data in the conversation in suitable depth. This means that when you clarify an observable fact you must explain mechanisms that may account for the observation. If your results vary from your prospect, make clear why that may have happened. If your results agree, then explain the theory that the proof supported. It is never suitable to just state that the data approved with prospect, and let it drop at that.

- Make a decision if each premise is supported, discarded, or if you cannot make a conclusion with assurance. Do not just dismiss a study or part of a study as "uncertain."
- Research papers are not acknowledged if the work is imperfect. Draw what conclusions you can based upon the results that you have, and take care of the study as a finished work
- You may propose future guidelines, such as how the experiment might be personalized to accomplish a new idea.
- Give details all of your remarks as much as possible, focus on mechanisms.
- Make a decision if the tentative design sufficiently addressed the theory, and whether or not it was correctly restricted.
- Try to present substitute explanations if sensible alternatives be present.
- One research will not counter an overall question, so maintain the large picture in mind, where do you go next? The best studies unlock new avenues of study. What questions remain?
- Recommendations for detailed papers will offer supplementary suggestions.

Approach:

- When you refer to information, differentiate data generated by your own studies from available information
- Submit to work done by specific persons (including you) in past tense.
- Submit to generally acknowledged facts and main beliefs in present tense.



ADMINISTRATION RULES LISTED BEFORE SUBMITTING YOUR RESEARCH PAPER TO GLOBAL JOURNALS INC. (US)

Please carefully note down following rules and regulation before submitting your Research Paper to Global Journals Inc. (US):

Segment Draft and Final Research Paper: You have to strictly follow the template of research paper. If it is not done your paper may get rejected.

- The **major constraint** is that you must independently make all content, tables, graphs, and facts that are offered in the paper. You must write each part of the paper wholly on your own. The Peer-reviewers need to identify your own perceptive of the concepts in your own terms. NEVER extract straight from any foundation, and never rephrase someone else's analysis.
- Do not give permission to anyone else to "PROOFREAD" your manuscript.
- **Methods to avoid Plagiarism is applied by us on every paper, if found guilty, you will be blacklisted by all of our collaborated research groups, your institution will be informed for this and strict legal actions will be taken immediately.)**
- To guard yourself and others from possible illegal use please do not permit anyone right to use to your paper and files.



CRITERION FOR GRADING A RESEARCH PAPER (COMPILATION)
BY GLOBAL JOURNALS INC. (US)

Please note that following table is only a Grading of "Paper Compilation" and not on "Performed/Stated Research" whose grading solely depends on Individual Assigned Peer Reviewer and Editorial Board Member. These can be available only on request and after decision of Paper. This report will be the property of Global Journals Inc. (US).

Topics	Grades		
	A-B	C-D	E-F
Abstract	Clear and concise with appropriate content, Correct format. 200 words or below	Unclear summary and no specific data, Incorrect form Above 200 words	No specific data with ambiguous information Above 250 words
Introduction	Containing all background details with clear goal and appropriate details, flow specification, no grammar and spelling mistake, well organized sentence and paragraph, reference cited	Unclear and confusing data, appropriate format, grammar and spelling errors with unorganized matter	Out of place depth and content, hazy format
Methods and Procedures	Clear and to the point with well arranged paragraph, precision and accuracy of facts and figures, well organized subheads	Difficult to comprehend with embarrassed text, too much explanation but completed	Incorrect and unorganized structure with hazy meaning
Result	Well organized, Clear and specific, Correct units with precision, correct data, well structuring of paragraph, no grammar and spelling mistake	Complete and embarrassed text, difficult to comprehend	Irregular format with wrong facts and figures
Discussion	Well organized, meaningful specification, sound conclusion, logical and concise explanation, highly structured paragraph reference cited	Wordy, unclear conclusion, spurious	Conclusion is not cited, unorganized, difficult to comprehend
References	Complete and correct format, well organized	Beside the point, Incomplete	Wrong format and structuring



INDEX

C

Cardiovascular · 1, 3, 7, 8, 9
Childbearing · 21

D

Demedicalize · 1, 7
Docosahexaenoic · 9
Docosahexaenoic · 1

E

Eicosapentaenoic · 1, 9
Epidemiological · 4

H

Hypercholesterolaemic · 9

M

Miscellaneous · 5
Monographs · 19

N

Nanotechnology · 11

P

Physiotherapists · 5, 6
Polarisation · 10, 11, 14, 15
Polyunsaturated · 1

S

Socioeconomic · 21, 27, 29



save our planet



Global Journal of Science Frontier Research

Visit us on the Web at www.GlobalJournals.org | www.JournalofScience.org
or email us at helpdesk@globaljournals.org

ISSN 9755896



© Global Journals