



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH: A  
PHYSICS AND SPACE SCIENCE  
Volume 16 Issue 1 Version 1.0 Year 2016  
Type : Double Blind Peer Reviewed International Research Journal  
Publisher: Global Journals Inc. (USA)  
Online ISSN: 2249-4626 & Print ISSN: 0975-5896

# First Order Reactant in the Statistical Theory of Three- Point Distribution Functions in Dusty Fluid MHD Turbulent Flow for Velocity, Magnetic Temperature and Concentration in Presence of Coriolis Force

By M. A. K. Azad, M. Mamun Miah, Mst. Mumtahinah, Abdul Malek  
& M. Masidur Rahman

*University of Rajshahi, Bangladesh*

**Abstract-** In this paper, an attempt is made to study the three-point distribution function for simultaneous velocity, magnetic, temperature and concentration fields in dusty fluid MHD turbulence in presence of coriolis force under going a first order reaction. The various properties of constructed distribution functions have been sufficiently discussed. In this study, the transport equation for three-point distribution function under going a first order reaction has been obtained. The resulting equation is compared with the first equation of BBGKY hierarchy of equations and the closure difficulty is to be removed as in the case of ordinary turbulence.

**Keywords:** *dust particles, coriolis force, magnetic temperature, concentration, three-point distribution functions, MHD turbulent flow, first order reactant.*

**GJSFR-A Classification :** FOR Code: 010506p, 040403



*Strictly as per the compliance and regulations of :*



# First Order Reactant in the Statistical Theory of Three- Point Distribution Functions in Dusty Fluid MHD Turbulent Flow for Velocity, Magnetic Temperature and Concentration in Presence of Coriolis Force

M. A. K. Azad <sup>a</sup>, M. Mamun Miah <sup>a</sup>, Mst. Mumtahinah <sup>b</sup>, Abdul Malek <sup>c</sup> & M. Masidur Rahman <sup>d</sup>

**Abstract-** In this paper, an attempt is made to study the three-point distribution function for simultaneous velocity, magnetic, temperature and concentration fields in dusty fluid MHD turbulence in presence of coriolis force under going a first order reaction. The various properties of constructed distribution functions have been sufficiently discussed. In this study, the transport equation for three-point distribution function under going a first order reaction has been obtained. The resulting equation is compared with the first equation of BBGKY hierarchy of equations and the closure difficulty is to be removed as in the case of ordinary turbulence.

**Keywords:** dust particles, coriolis force, magnetic temperature, concentration, three-point distribution functions, MHD turbulent flow, first order reactant.

## I. INTRODUCTION

At present, two major and distinct areas of investigations in non-equilibrium statistical mechanics are the kinetic theory of gases and statistical theory of fluid mechanics. In molecular kinetic theory in physics, a particle's distribution function is a function of several variables. Particle distribution functions are used in plasma physics to describe wave-particle interactions and velocity-space instabilities. Distribution functions are also used in fluid mechanics, statistical mechanics and nuclear physics. Various analytical theories in the statistical theory of turbulence have been discussed in the past by Hopf (1952) Kraichanan (1959), Edward (1964) and Herring (1965).

**Author a:** Associate Professor, Department of Applied Mathematics, University of Rajshahi, Rajshahi-6205, Bangladesh.

e-mail: azad267@gmail.com

**Author b:** Research Fellow, Department of Applied Mathematics, University of Rajshahi, Rajshahi-6205, Bangladesh,

e-mail: mamun0954@gmail.com

**Author c:** Lecturer, Department of Business Administration Ibais University, Dhanmondi-16, Dhaka, Bangladesh.

e-mail: momotamahmud@yahoo.com

**Author d:** Research Fellow, Department of Applied Mathematics, University of Rajshahi, Rajshahi-6205, Bangladesh.

e-mail: am.math.1970@gmail.com

**Author e:** Research Fellow, Department of Applied Mathematics, University of Rajshahi, Rajshahi-6205, Bangladesh.

e-mail: masidur09@gmail.com

Lundgren (1967) derived a hierarchy of coupled equations for multi-point turbulence velocity distribution functions, which resemble with BBGKY hierarchy of equations of Ta-You (1966) in the kinetic theory of gasses.

Kishore (1978) studied the Distributions functions in the statistical theory of MHD turbulence of an incompressible fluid. Pope (1979) studied the statistical theory of turbulence flames. Pope (1981) derived the transport equation for the joint probability density function of velocity and scalars in turbulent flow. Kollman and Janicka (1982) derived the transport equation for the probability density function of a scalar in turbulent shear flow and considered a closure model based on gradient – flux model. Kishore and Singh (1984) derived the transport equation for the bivariate joint distribution function of velocity and temperature in turbulent flow. Also Kishore and Singh (1985) have been derived the transport equation for the joint distribution function of velocity, temperature and concentration in convective turbulent flow. On a rotating earth the Coriolis force acts to change the direction of a moving body to the right in the Northern Hemisphere and to the left in the Southern Hemisphere. This deflection is not only instrumental in the large-scale atmospheric circulation, the development of storms, and the sea-breeze circulation. Also a first-order reaction is defined a reaction that proceeds at a rate that depends linearly only on one reactant concentration. Later, the following some researchers included coriolis force and first order reaction rate in their works.

Dixit and Upadhyay (1989) considered the distribution functions in the statistical theory of MHD turbulence of an incompressible fluid in the presence of the coriolis force. Sarker and Kishore (1991) discussed the distribution functions in the statistical theory of convective MHD turbulence of an incompressible fluid. Also Sarker and Kishore (1999) studied the distribution functions in the statistical theory of convective MHD turbulence of mixture of a miscible incompressible fluid. Sarker and Islam (2002) studied the Distribution

functions in the statistical theory of convective MHD turbulence of an incompressible fluid in a rotating system. In the continuation of the above researcher, Azad and Sarker(2003) considered the decay of MHD turbulence before the final period for the case of multi-point and multi-time in presence of dust particle. Azad and Sarker (2004a) discussed statistical theory of certain distribution functions in MHD turbulence in a rotating system in presence of dust particles. Sarker and Azad (2004b) studied the decay of MHD turbulence before the final period for the case of multi-point and multi-time in a rotating system. Sarker and Azad(2006), Islam and Sarker (2007) studied distribution functions in the statistical theory of MHD turbulence for velocity and concentration undergoing a first order reaction. Azad and Sarker(2008) deliberated the decay of temperature fluctuations in homogeneous turbulence before the final period for the case of multi- point and multi- time in a rotating system and dust particles. Azad and Sarker(2009a) had measured the decay of temperature fluctuations in MHD turbulence before the final period in a rotating system. Azad, M. A. Aziz and Sarker (2009b, 2009c) studied the first order reactant in Magneto-hydrodynamic turbulence before the final Period of decay with dust particles and rotating System. Aziz et al (2009d, 2010c) discussed the first order reactant in Magneto- hydrodynamic turbulence before the final period of decay for the case of multi-point and multi-time taking rotating system and dust particles. Aziz et al (2010a, 2010b) studied the statistical theory of certain Distribution Functions in MHD turbulent flow undergoing a first order reaction in presence of dust particles and rotating system separately. Azad et al (2011) studied the statistical theory of certain distribution Functions in MHD turbulent flow for velocity and concentration undergoing a first order reaction in a rotating system. Azad et al (2012) derived the transport equatoin for the joint distribution function of velocity, temperature and concentration in convective turbulent flow in presence of dust particles. Molla et al (2012) studied the decay of temperature fluctuations in homogeneous turbulenc before the final period in a rotating system. Bkar Pk. et al (2012) studed the First-order reactant in homogeneou dusty fluid turbulence prior to the ultimate phase of decay for four-point correlation in a rotating system. Azad and Mumtahinah(2013) studied the decay of temperature fluctuations in dusty fluid homogeneous turbulence prior to final period. Bkar Pk. et al (2013a,2013b) discussed the first-order reactant in homogeneous turbulence prior to the ultimate phase of decay for four-point correlation with dust particle and rotating system. Bkar Pk.et al (2013,2013c, 2013d)

studied the decay of MHD turbulence before the final period for four- point correlation in a rotating system and dust particles. Very recent Azad et al (2014a) derived the transport equations of three point distribution functions in MHD turbulent flow for velocity, magnetic temperature and concentration, Azad and Nazmul (2014b) considered the transport equations of three point distribution functions in MHD turbulent flow for velocity, magnetic temperature and concentration in a rotating system, Nazmul and Azad (2014) studied the transport equations of three-point distribution functions in MHD turbulent flow for velocity, magnetic temperature and concentration in presence of dust particles. Azad and Mumtahinah (2014) further has been studied the transport equatoin for the joint distribution functions in convective tubulent flow in presence of dust particles undergoing a first order reaction.Very recently, Bkar Pk.et al (2015) considering the effects of first-order reactant on MHD turbulence at four-point correlation. Azad et al (2015) derived a transport equation for the joint distribution functions of certain variables in convective dusty fluid turbulent flow in a rotating system under going a first order reaction. Bkar Pk et al (2015), Azad et al (2015a, 2015b, 2015c, and 2015d) have done their research on MHD turbulent flow considering 1<sup>st</sup> order chemical reaction for three- point distribution function. Also Bkar Pk. (2015a) studied 4-point correlations of dusty fluid MHD turbulent flow in a 1<sup>st</sup> order reaction. Bkar Pk (2015b) extended the above problem consiodering Coriolis force.

In present paper, the main purpose is to study the statistical theory of three-point distribution function for simultaneous velocity, magnetic, temperature, concentration fields in MHD turbulence in a rotating system in presence of dust particles Under going a first order reaction. Through out the study, the transport equations for evolution of distribution functions have been derived and various properties of the distribution function have been discussed. The obtained three-point transport equation is compared with the first equation of BBGKY hierarchy of equations and the closure difficulty is to be removed as in the case of ordinary turbulence.

## II. MATERIAL AND METHODS

### Basic Equations

The equations of motion and continuity for viscous incompressible dusty fluid MHD turbulent flow in a rotating system with constant reaction rate, the diffusion equations for the temperature and concentration are given by

$$\frac{\partial u_\alpha}{\partial t} + \frac{\partial}{\partial x_\beta} (u_\alpha u_\beta - h_\alpha h_\beta) = - \frac{\partial w}{\partial x_\alpha} + \nu \nabla^2 u_\alpha - 2 \epsilon_{m\alpha\beta} \Omega_m u_\alpha + f(u_\alpha - v_\alpha) \quad (1)$$

$$\frac{\partial h_\alpha}{\partial t} + \frac{\partial}{\partial x_\beta} (h_\alpha u_\beta - u_\alpha h_\beta) = \lambda \nabla^2 h_\alpha , \quad (2)$$

$$\frac{\partial \theta}{\partial t} + u_\beta \frac{\partial \theta}{\partial x_\beta} = \gamma \nabla^2 \theta , \quad (3)$$

$$\frac{\partial c}{\partial t} + u_\beta \frac{\partial c}{\partial x_\beta} = D \nabla^2 c - R c \quad (4)$$

$$\text{with } \frac{\partial u_\alpha}{\partial x_\alpha} = \frac{\partial v_\alpha}{\partial x_\alpha} = \frac{\partial h_\alpha}{\partial x_\alpha} = 0 , \quad (5)$$

where

$u_\alpha(x, t)$ ,  $\alpha$  – component of turbulent velocity,  
 $h_\alpha(x, t)$ ;  $\alpha$  – component of magnetic field;  $\theta(x, t)$ ,  
temperature fluctuation;  $c$ , concentration of  
contaminants;  $v_\alpha$ , dust particle velocity;  $\epsilon_{m\alpha\beta}$ ,  
alternating tensor;  $f = \frac{KN}{\rho}$ , dimension of frequency;  $N$ ,  
constant number of density of the dust particle;  
 $w(\hat{x}, t) = P/\rho + \frac{1}{2}|\vec{h}|^2 + \frac{1}{2}|\hat{\Omega} \times \hat{x}|^2$ , total pressure;  
 $P(\hat{x}, t)$ , hydrodynamic pressure;  $\rho$ , fluid density;  $\Omega$ ,  
angular velocity of a uniform rotation;  $v$ , Kinematic

$$\nabla^2 w = - \frac{\partial^2}{\partial x_\alpha \partial x_\beta} (u_\alpha u_\beta - h_\alpha h_\beta) = - \left[ \frac{\partial u_\alpha}{\partial x_\beta} \frac{\partial u_\beta}{\partial x_\alpha} - \frac{\partial h_\alpha}{\partial x_\beta} \frac{\partial h_\beta}{\partial x_\alpha} \right] \quad (6)$$

In a conducting infinite fluid only the particular solution of the Equation (6) is related, so that

$$w = \frac{1}{4\pi} \int \left[ \frac{\partial u'_\alpha}{\partial x'_\beta} \frac{\partial u'_\beta}{\partial x'_\alpha} - \frac{\partial h'_\alpha}{\partial x'_\beta} \frac{\partial h'_\beta}{\partial x'_\alpha} \right] \frac{\partial \bar{x}'}{|\bar{x}' - \bar{x}|} \quad (7)$$

Hence equation (1) – (4) becomes

$$\begin{aligned} \frac{\partial u_\alpha}{\partial t} + \frac{\partial}{\partial x_\beta} (u_\alpha u_\beta - h_\alpha h_\beta) &= - \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha} \int \left[ \frac{\partial u'_\alpha}{\partial x'_\beta} \frac{\partial u'_\beta}{\partial x'_\alpha} - \frac{\partial h'_\alpha}{\partial x'_\beta} \frac{\partial h'_\beta}{\partial x'_\alpha} \right] \frac{dx'}{|\bar{x}' - \bar{x}|} + \nu \nabla^2 u_\alpha \\ &\quad - 2 \epsilon_{m\alpha\beta} \Omega_m u_\alpha + f(u_\alpha - v_\alpha) , \end{aligned} \quad (8)$$

$$\frac{\partial h_\alpha}{\partial t} + \frac{\partial}{\partial x_\beta} (h_\alpha u_\beta - u_\alpha h_\beta) = \lambda \nabla^2 h_\alpha , \quad (9)$$

$$\frac{\partial \theta}{\partial t} + u_\beta \frac{\partial \theta}{\partial x_\beta} = \gamma \nabla^2 \theta , \quad (10)$$

$$\frac{\partial c}{\partial t} + u_\beta \frac{\partial c}{\partial x_\beta} = D \nabla^2 c - R c , \quad (11)$$

### *Formulation of the Problem*

It has considered that the turbulence and the concentration fields are homogeneous, the chemical reaction and the local mass transfer have no effect on the velocity field and the reaction rate and the diffusivity are constant. It is also considered a large ensemble of identical fluids in which each member is an infinite incompressible reacting and heat conducting fluid in turbulent state. The fluid velocity  $u$ , Alfvén velocity  $h$ , temperature  $\theta$  and concentration  $c$  are randomly distributed functions of position and time and satisfy their field. Different members of ensemble are subjected to different initial conditions and the aim is to find out a way by which we can determine the ensemble averages at the initial time.

Certain microscopic properties of conducting fluids such as total energy, total pressure, stress tensor which are nothing but ensemble averages at a particular time can be determined with the help of the bivariate distribution functions (defined as the averaged distribution functions with the help of Dirac delta-functions). The present aim is to construct a joint distribution function for its evolution of three-point distribution functions in dusty fluid MHD turbulent flow in

$$\{ (\bar{v}^{(1)}, \bar{g}^{(1)}, \phi^{(1)}, \psi^{(1)}), (\bar{v}^{(2)}, \bar{g}^{(2)}, \phi^{(2)}, \psi^{(2)}), \dots, (\bar{v}^{(n)}, \bar{g}^{(n)}, \phi^{(n)}, \psi^{(n)}) \}$$

Instead of considering discrete points in the flow field, if it is considered the continuous distribution of the variables  $\bar{v}, \bar{g}, \phi$  and  $\psi$  over the entire flow field, statistically behavior of the fluid may be described by the distribution function  $F(\bar{v}, \bar{g}, \phi, \psi)$  which is normalized so that

$$\int F(\bar{v}, \bar{g}, \phi, \psi) d\bar{v} d\bar{g} d\phi d\psi = 1$$

where the integration ranges over all the possible values of  $v, g, \phi$  and  $\psi$ . We shall make use of the same normalization condition for the discrete distributions also.

$$F_1^{(1)}(v^{(1)}, g^{(1)}, \phi^{(1)}, \psi^{(1)}) = \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle \quad (12)$$

where  $\delta$  is the Dirac delta-function defined as

$$\int \delta(\bar{u} - \bar{v}) d\bar{v} = \begin{cases} 1 & \text{at the point } \bar{u} = \bar{v} \\ 0 & \text{elsewhere} \end{cases}$$

Two-point distribution function is given by

$$F_2^{(1,2)} = \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle \quad (13)$$

and three point distribution function is given by

$$\begin{aligned} F_3^{(1,2,3)} = & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\ & \times \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \rangle \end{aligned} \quad (14)$$

a rotating system under going first order reaction, study its properties and derive a transport equation for the joint distribution function of velocity, temperature and concentration in dusty fluid MHD turbulent flow in a rotating system under going a first order reaction.

### *Distribution Function in MHD Turbulence and Their Properties*

In MHD turbulence, it is considered that the fluid velocity  $u$ , Alfvén velocity  $h$ , temperature  $\theta$  and concentration  $c$  at each point of the flow field. Corresponding to each point of the flow field, there are four measurable characteristics represent by the four variables by  $v, g, \phi$  and  $\psi$  and denote the pairs of these variables at the points  $\bar{x}^{(1)}, \bar{x}^{(2)}, \dots, \bar{x}^{(n)}$  as  $(\bar{v}^{(1)}, \bar{g}^{(1)}, \phi^{(1)}, \psi^{(1)}), (\bar{v}^{(2)}, \bar{g}^{(2)}, \phi^{(2)}, \psi^{(2)}), \dots, (\bar{v}^{(n)}, \bar{g}^{(n)}, \phi^{(n)}, \psi^{(n)})$  at a fixed instant of time.

It is possible that the same pair may be occurred more than once; therefore, it simplifies the problem by an assumption that the distribution is discrete (in the sense that no pairs occur more than once). Symbolically we can express the bivariate distribution as

$$\{ (\bar{v}^{(1)}, \bar{g}^{(1)}, \phi^{(1)}, \psi^{(1)}), (\bar{v}^{(2)}, \bar{g}^{(2)}, \phi^{(2)}, \psi^{(2)}), \dots, (\bar{v}^{(n)}, \bar{g}^{(n)}, \phi^{(n)}, \psi^{(n)}) \}$$

The distribution functions of the above quantities can be defined in terms of Dirac delta function.

The one-point distribution function  $F_1^{(1)}(v^{(1)}, g^{(1)}, \phi^{(1)}, \psi^{(1)})$ , defined so that  $F_1^{(1)}(v^{(1)}, g^{(1)}, \phi^{(1)}, \psi^{(1)}) dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)}$  is the probability that the fluid velocity, Alfvén velocity, temperature and concentration at a time  $t$  are in the element  $dv^{(1)}$  about  $v^{(1)}$ ,  $dg^{(1)}$  about  $g^{(1)}$ ,  $d\phi^{(1)}$  about  $\phi^{(1)}$  and  $d\psi^{(1)}$  about  $\psi^{(1)}$  respectively and is given by

Similarly, we can define an infinite numbers of multi-point distribution functions  $F_4^{(1,2,3,4)}$ ,  $F_5^{(1,2,3,4,5)}$  and so on. The following properties of the constructed distribution functions can be deduced from the above definitions:

$$\int F_1^{(1)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} = 1 ,$$

$$\int F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} = F_1^{(1)} ,$$

$$\int F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} = F_2^{(1,2)}$$

And so on. Also the integration with respect to any one of the variables, reduces the number of Delta-functions from the distribution function by one as

$$\int F_1^{(1)} dv^{(1)} = \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle ,$$

$$\int F_1^{(1)} dg^{(1)} = \langle \delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle ,$$

$$\int F_1^{(1)} d\phi^{(1)} = \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle ,$$

and

$$\int F_2^{(1,2)} dv^{(2)} = \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle$$

### b) Separation Properties

If two points are far apart from each other in the flow field, the pairs of variables at these points are statistically independent of each other i.e.,

$\lim$

$$|\vec{x}^{(2)} - \vec{x}^{(1)}| \rightarrow \infty \quad F_2^{(1,2)} = F_1^{(1)} F_1^{(2)}$$

and similarly,

$\lim$

$$|\vec{x}^{(3)} - \vec{x}^{(2)}| \rightarrow \infty \quad F_3^{(1,2,3)} = F_2^{(1,2)} F_1^{(3)} \text{ etc.}$$

### c) Co-incidence Properties

When two points coincide in the flow field, the components at these points should be obviously the same that is  $F_2^{(1,2)}$  must be zero.

Thus  $\bar{v}^{(2)} = \bar{v}^{(1)}$ ,  $\bar{g}^{(2)} = \bar{g}^{(1)}$ ,  $\bar{\phi}^{(2)} = \bar{\phi}^{(1)}$  and  $\bar{\psi}^{(2)} = \bar{\psi}^{(1)}$ , but  $F_2^{(1,2)}$  must also have the property.

$$\int F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} = F_1^{(1)}$$

and hence it follows that

$\lim$

$$|\vec{x}^{(2)} - \vec{x}^{(1)}| \rightarrow \infty \quad \int F_2^{(1,2)} = F_1^{(1)} \delta(v^{(2)} - v^{(1)}) \delta(g^{(2)} - g^{(1)}) \delta(\phi^{(2)} - \phi^{(1)}) \delta(\psi^{(2)} - \psi^{(1)})$$

Similarly,

$\lim$

$$|\vec{x}^{(3)} - \vec{x}^{(2)}| \rightarrow \infty \quad \int F_3^{(1,2,3)} = F_2^{(1,2)} \delta(v^{(3)} - v^{(1)}) \delta(g^{(3)} - g^{(1)}) \delta(\phi^{(3)} - \phi^{(1)}) \delta(\psi^{(3)} - \psi^{(1)}) \text{ etc.}$$

d) Symmetric Conditions

$$F_n^{(1,2,r,\dots,s,\dots,n)} = F_n^{(1,2,\dots,s,\dots,r,\dots,n)}.$$

e) Incompressibility Conditions

$$(i) \int \frac{\partial F_n^{(1,2,\dots,n)}}{\partial x_\alpha^{(r)}} v_\alpha^{(r)} d\bar{v}^{(r)} d\bar{h}^{(r)} = 0$$

$$(ii) \int \frac{\partial F_n^{(1,2,\dots,n)}}{\partial x_\alpha^{(r)}} h_\alpha^{(r)} d\bar{v}^{(r)} d\bar{h}^{(r)} = 0$$

*Continuity Equation in Terms of Distribution Functions*

The continuity equations can be easily expressed in terms of distribution functions. An infinite number of continuity equations can be derived for the convective MHD turbulent flow and are obtained directly by using  $\operatorname{div} u = 0$

Taking ensemble average of equation (5), we get

$$\begin{aligned} 0 &= \left\langle \frac{\partial u_\alpha^{(1)}}{\partial x_\alpha^{(1)}} \right\rangle = \left\langle \frac{\partial}{\partial x_\alpha^{(1)}} u_\alpha^{(1)} \int F_1^{(1)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \right\rangle \\ &= \frac{\partial}{\partial x_\alpha^{(1)}} \left\langle u_\alpha^{(1)} \int F_1^{(1)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \right\rangle \\ &= \frac{\partial}{\partial x_\alpha^{(1)}} \int \left\langle u_\alpha^{(1)} \right\rangle \left\langle F_1^{(1)} \right\rangle dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \\ &= \frac{\partial}{\partial x_\alpha^{(1)}} \int v_\alpha^{(1)} F_1^{(1)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \\ &= \int \frac{\partial F_1^{(1)}}{\partial x_\alpha^{(1)}} v_\alpha^{(1)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \end{aligned} \quad (15)$$

and similarly,

$$0 = \int \frac{\partial F_1^{(1)}}{\partial x_\alpha^{(1)}} g_\alpha^{(1)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \quad (16)$$

Equation (15) and (16) are the first order continuity equations in which only one point distribution function is involved. For second-order continuity equations, if we multiply the continuity equation by

$$\delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)})$$

and if we take the ensemble average, we obtain

$$\begin{aligned} 0 &= \left\langle \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \frac{\partial u_\alpha^{(1)}}{\partial x_\alpha^{(1)}} \right\rangle \\ &= \frac{\partial}{\partial x_\alpha^{(1)}} \left\langle \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) u_\alpha^{(1)} \right\rangle \\ &= \frac{\partial}{\partial x_\alpha^{(1)}} \left[ \int \left\langle u_\alpha^{(1)} \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \right\rangle \right] \end{aligned}$$

$$\begin{aligned} & \times \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} ] \\ & = \frac{\partial}{\partial x_\alpha^{(1)}} \int v_\alpha^{(1)} F_2^{(1,2)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \end{aligned} \quad (17)$$

and similarly,

$$o = \frac{\partial}{\partial x_\alpha^{(1)}} \int g_\alpha^{(1)} F_2^{(1,2)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \quad (18)$$

The Nth – order continuity equations are

$$o = \frac{\partial}{\partial x_\alpha^{(1)}} \int v_\alpha^{(1)} F_N^{(1,2,\dots,N)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \quad (19)$$

and

$$o = \frac{\partial}{\partial x_\alpha^{(1)}} \int g_\alpha^{(1)} F_N^{(1,2,\dots,N)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \quad (20)$$

The continuity equations are symmetric in their arguments i.e.

$$\frac{\partial}{\partial x_\alpha^{(r)}} \left( v_\alpha^{(r)} F_N^{(1,2,\dots,r,N)} dv^{(r)} dg^{(r)} d\phi^{(r)} d\psi^{(r)} \right) = \frac{\partial}{\partial x_\alpha^{(s)}} \int v_\alpha^{(s)} F_N^{(1,2,\dots,r,s,\dots,N)} dv^{(s)} dg^{(s)} d\phi^{(s)} d\psi^{(s)} \quad (21)$$

Since the divergence property is an important property and it is easily verified by the use of the property of distribution function as

$$\frac{\partial}{\partial x_\alpha^{(1)}} \int v_\alpha^{(1)} F_1^{(1)} dv^{(1)} dg^{(1)} d\phi^{(1)} d\psi^{(1)} \frac{\partial}{\partial x_\alpha^{(1)}} \langle u_\alpha^{(1)} \rangle = \langle \frac{\partial u_\alpha^{(1)}}{\partial x_\alpha^{(1)}} \rangle = o \quad (22)$$

and all the properties of the distribution function obtained in section (4) can also be verified.

#### *Equations for evolution of one –point distribution function $F_1^{(1)}$*

It shall make use of equations (8) - (11) to convert these into a set of equations for the variation of the distribution function with time. This, in fact, is done by making use of the definitions of the constructed distribution functions, differentiating them partially with respect to time, making some suitable operations on the right-hand side of the equation so obtained and lastly replacing the time derivative of  $u, h, \theta$  and  $c$  from the equations (8) - (11).

Differentiating equation (12) with respect to time and using equation (8) - (11), we get,

$$\begin{aligned} \frac{\partial F_1^{(1)}}{\partial t} &= \frac{\partial}{\partial t} \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle \\ &= \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial}{\partial t} \delta(u^{(1)} - v^{(1)}) \rangle \\ &\quad + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial}{\partial t} \delta(h^{(1)} - g^{(1)}) \rangle \\ &\quad + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial}{\partial t} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\ &\quad + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \frac{\partial}{\partial t} \delta(c^{(1)} - \psi^{(1)}) \rangle \\ &= \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial u^{(1)}}{\partial t} \frac{\partial}{\partial v^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \end{aligned}$$

$$\begin{aligned}
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial h^{(1)}}{\partial t} \frac{\partial}{\partial g^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial \theta^{(1)}}{\partial t} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \frac{\partial c^{(1)}}{\partial t} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle
 \end{aligned} \tag{23}$$

Using equations (8) to (11) in the equation (23), we get

$$\begin{aligned}
 \frac{\partial F_1^{(1)}}{\partial t} = & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle - \frac{\partial}{\partial x_\beta^{(1)}} (u_\alpha^{(1)} u_\beta^{(1)} - h_\alpha^{(1)} h_\beta^{(1)}) \\
 & - \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(1)}} \int \left[ \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial u_\beta^{(1)}}{\partial x_\alpha^{(1)}} - \frac{\partial h_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial h_\beta^{(1)}}{\partial x_\alpha^{(1)}} \right] \frac{d\bar{x}'}{|\bar{x}' - \bar{x}|} + \nu \nabla^2 u_\alpha^{(1)} - 2 \epsilon_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \\
 & + f(u_\alpha^{(1)} - v_\alpha^{(1)}) \times \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle - \frac{\partial}{\partial x_\beta^{(1)}} (h_\alpha^{(1)} u_\beta^{(1)} - u_\alpha^{(1)} h_\beta^{(1)}) + \lambda \nabla^2 h_\alpha^{(1)} \\
 & \times \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle - u_\beta^{(1)} \frac{\partial \theta^{(1)}}{\partial x_\beta^{(1)}} + \mathcal{N}^2 \theta^{(1)} \\
 & \times \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \rangle - u_\beta^{(1)} \frac{\partial c^{(1)}}{\partial x_\beta^{(1)}} + D \nabla^2 c - R c^1 \\
 & \times \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \\
 = & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial u_\alpha^{(1)} u_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial h_\alpha^{(1)} h_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(1)}} \int \left[ \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial u_\beta^{(1)}}{\partial x_\alpha^{(1)}} - \frac{\partial h_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial h_\beta^{(1)}}{\partial x_\alpha^{(1)}} \right] \\
 & \times \frac{d\bar{x}'}{|\bar{x}' - \bar{x}|} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \\
 & + \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times \nu \nabla^2 u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times 2 \epsilon_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle
 \end{aligned}$$

$$\begin{aligned}
 & + \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times \frac{\partial h_\alpha^{(1)} u_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times \frac{\partial u_\alpha^{(1)} h_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times \lambda \nabla^2 h_\alpha^{(1)} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times u_\beta^{(1)} \frac{\partial \theta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times \bar{\nabla}^2 \theta^{(1)} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \times u_\beta^{(1)} \frac{\partial c^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \times D \nabla^2 c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \times R c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \tag{24}
 \end{aligned}$$

Various terms in the above equation can be simplified as that they may be expressed in terms of one point and two point distribution functions.

The 1<sup>st</sup> term in the above equation is simplified as follows:

$$\begin{aligned}
 & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial u_\alpha^{(1)} u_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = \langle u_\beta^{(1)} \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = \langle -u_\beta^{(1)} \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial x_\beta^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = \langle -u_\beta^{(1)} \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial}{\partial x_\beta^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle ; (\text{since } \frac{\partial u_\alpha^{(1)}}{\partial v_\alpha^{(1)}} = 1) \\
 & = \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) u_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \tag{25}
 \end{aligned}$$

Similarly, 7<sup>th</sup>, 10<sup>th</sup> and 12<sup>th</sup> terms of right hand-side of equation (24) can be simplified as follows;  
7<sup>th</sup> term

$$\langle \delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial h_\alpha^{(1)} u_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \tag{26}$$

10<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \mu_{\beta}^{(1)} \frac{\partial \theta^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & = \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \mu_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle
 \end{aligned} \tag{27}$$

and 12<sup>th</sup> term

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \mu_{\beta}^{(1)} \frac{\partial c^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & = \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \mu_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle
 \end{aligned} \tag{28}$$

Adding these equations from (25) to (28), we get

$$\begin{aligned}
 & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \mu_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \mu_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \mu_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \mu_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & = -\frac{\partial}{\partial x_{\beta}^{(1)}} \left\langle u_{\beta}^{(1)} \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle \right\rangle \\
 & = -\frac{\partial}{\partial x_{\beta}^{(1)}} v_{\beta}^{(1)} F_1^{(1)} \quad [\text{Applying the properties of distribution function}] \\
 & = -v_{\beta}^{(1)} \frac{\partial F_1^{(1)}}{\partial x_{\beta}^{(1)}}
 \end{aligned} \tag{29}$$

Similarly second and eighth terms on the right hand-side of the equation (24) can be simplified as

$$\begin{aligned}
 & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial h_{\alpha}^{(1)} h_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = -g_{\beta}^{(1)} \frac{\partial g_{\alpha}^{(1)}}{\partial v_{\alpha}^{(1)}} \frac{\partial}{\partial x_{\beta}^{(1)}} F_1^{(1)}
 \end{aligned} \tag{30}$$

and

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial u_{\alpha}^{(1)} h_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial g_{\alpha}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & = -g_{\beta}^{(1)} \frac{\partial v_{\alpha}^{(1)}}{\partial g_{\alpha}^{(1)}} \frac{\partial}{\partial x_{\beta}^{(1)}} F_1^{(1)}
 \end{aligned} \tag{31}$$

4<sup>th</sup> term can be reduced as

$$\begin{aligned}
 & \left\langle -\nu \nabla^2 u_\alpha^{(1)} \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \right\rangle \\
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \left\langle \nabla^2 u_\alpha^{(1)} \left[ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \right] \right\rangle \\
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \frac{\partial^2}{\partial x_\beta^{(1)} \partial x_\beta^{(1)}} \left\langle u_\alpha^{(1)} \left[ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \right] \right\rangle \\
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \left\langle u_\alpha^{(2)} \left[ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \right] \right\rangle \\
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \left\langle \int u_\alpha^{(2)} \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right. \\
 &\quad \times \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \rangle \\
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \int v_\alpha^{(2)} F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \tag{32}
 \end{aligned}$$

9<sup>th</sup>, 11<sup>th</sup> and 13<sup>th</sup> terms of the right hand side of equation (24)

9<sup>th</sup> term,

$$\begin{aligned}
 & \left\langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \lambda \nabla^2 h_\alpha^{(1)} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \right\rangle \\
 &= \left\langle -\lambda \nabla^2 h_\alpha^{(1)} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \right\rangle \\
 &= -\lambda \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \int g_\alpha^{(2)} F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \tag{33}
 \end{aligned}$$

11<sup>th</sup> term,

$$\begin{aligned}
 & \left\langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \gamma \nabla^2 \theta^{(1)} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \right\rangle \\
 &= \left\langle -\gamma \nabla^2 \theta^{(1)} \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \right\rangle \tag{34}
 \end{aligned}$$

13<sup>th</sup> term,

$$\begin{aligned}
 & \left\langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) D \nabla^2 c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \right\rangle \\
 &= \left\langle -D \nabla^2 c^{(1)} \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \right\rangle
 \end{aligned}$$



$$= -D \frac{\partial}{\partial \psi^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \int \psi^{(2)} F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \quad (35)$$

We reduce the 3<sup>rd</sup> term of right hand side of equation (24), we get

$$\begin{aligned} & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(1)}} \int [ \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial u_\beta^{(1)}}{\partial x_\alpha^{(1)}} - \frac{\partial h_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial h_\beta^{(1)}}{\partial x_\alpha^{(1)}} ] \frac{d\bar{x}'}{|\bar{x}' - \bar{x}|} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ & = \frac{\partial}{\partial v_\alpha^{(1)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(2)} - \bar{x}^{(1)}|} \right) \left( \frac{\partial v_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial v_\beta^{(2)}}{\partial x_\alpha^{(2)}} - \frac{\partial g_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial g_\beta^{(2)}}{\partial x_\alpha^{(2)}} \right) F_2^{(1,2)} dx^{(2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \right] \end{aligned} \quad (36)$$

5<sup>th</sup> and 6<sup>th</sup> terms of right hand side of equation (24)

$$\begin{aligned} & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ & = \langle 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} [ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) ] \rangle \\ & = 2 \in_{m\alpha\beta} \Omega_m \frac{\partial}{\partial v_\alpha^{(1)}} \langle u_\alpha^{(1)} \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle \\ & = 2 \in_{m\alpha\beta} \Omega_m F_1^{(1)} \end{aligned} \quad (37)$$

$$\begin{aligned} & \text{and} \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ & = -\langle f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} [ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) ] \rangle \\ & = -f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \rangle \\ & = -f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} F_1^{(1)} \end{aligned} \quad (38)$$

and the last term,

$$\langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \times R c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle = R \psi^{(1)} \frac{\partial}{\partial \psi^{(1)}} F_1^{(1)} \quad (39)$$

Substituting the results (25) to (39) in equation (24) we get the transport equation for one point distribution function in MHD turbulent flow in a rotating system in presence of dust particles under going a first order reaction as

$$\begin{aligned} & \frac{\partial F_1^{(1)}}{\partial t} + v_\beta^{(1)} \frac{\partial F_1^{(1)}}{\partial x_\beta^{(1)}} + g_\beta^{(1)} \left( \frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}} + \frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}} \right) \frac{\partial F_1^{(1)}}{\partial x_\beta^{(1)}} - \frac{\partial}{\partial v_\alpha^{(1)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(2)} - \bar{x}^{(1)}|} \right) \right. \\ & \times \left. \left( \frac{\partial v_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial v_\beta^{(2)}}{\partial x_\alpha^{(2)}} - \frac{\partial g_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial g_\beta^{(2)}}{\partial x_\alpha^{(2)}} \right) F_2^{(1,2)} dx^{(2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \right] \end{aligned}$$

$$\begin{aligned}
 & + \nu \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \int v_\alpha^{(2)} F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \\
 & + \lambda \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \int g_\alpha^{(2)} F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \\
 & + \gamma \frac{\partial}{\partial \phi^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \int \phi^{(2)} F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \\
 & + D \frac{\partial}{\partial \psi^{(1)}} \lim_{\bar{x}^{(2)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(2)} \partial x_\beta^{(2)}} \int \psi^{(2)} F_2^{(1,2)} dv^{(2)} dg^{(2)} d\phi^{(2)} d\psi^{(2)} \\
 & + 2 \in_{m\alpha\beta} \Omega_m F_1^{(1)} + f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} F_1^{(1)} - R \psi^{(1)} \frac{\partial}{\partial \psi^{(1)}} F_1^{(1)} = 0
 \end{aligned} \tag{39}$$

Equations for two-point distribution function  $F_2^{(1,2)}$

Differentiating equation (13) with respect to time, we get,

$$\begin{aligned}
 \frac{\partial F_2^{(1,2)}}{\partial t} &= \frac{\partial}{\partial t} \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \\
 &\quad \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 &= \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial}{\partial t} \delta(u^{(1)} - v^{(1)}) \rangle + \langle \delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \\
 &\quad \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \frac{\partial}{\partial t} \delta(h^{(1)} - g^{(1)}) \rangle \\
 &\quad + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial}{\partial t} \delta(\theta^{(1)} - \phi^{(1)}) \rangle + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \\
 &\quad \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \frac{\partial}{\partial t} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 &\quad + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial}{\partial t} \delta(u^{(2)} - v^{(2)}) \rangle + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \\
 &\quad \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \frac{\partial}{\partial t} \delta(h^{(2)} - g^{(2)}) \rangle \\
 &\quad + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial}{\partial t} \delta(\theta^{(2)} - \phi^{(2)}) \rangle + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \\
 &\quad \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \frac{\partial}{\partial t} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 &= \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial u^{(1)}}{\partial t} \frac{\partial}{\partial v^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle
 \end{aligned}$$

$$\begin{aligned}
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial h^{(1)}}{\partial t} \frac{\partial}{\partial g^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial \theta^{(1)}}{\partial t} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial c^{(1)}}{\partial t} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial u^{(2)}}{\partial t} \frac{\partial}{\partial v^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial h^{(2)}}{\partial t} \frac{\partial}{\partial g^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \frac{\partial \theta^{(2)}}{\partial t} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \quad \delta(\theta^{(2)} - \phi^{(2)}) \frac{\partial c^{(2)}}{\partial t} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle
 \end{aligned}$$

Using equations (8) to (11) we get,

$$\begin{aligned}
 \frac{\partial F_2^{(1,2)}}{\partial t} = & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \{ -\frac{\partial}{\partial x_\beta^{(1)}} (u_\alpha^{(1)} u_\beta^{(1)} - h_\alpha^{(1)} h_\beta^{(1)}) - \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(1)}} \int [ \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial u_\beta^{(1)}}{\partial x_\alpha^{(1)}} - \frac{\partial h_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial h_\beta^{(1)}}{\partial x_\alpha^{(1)}} ] \\
 & \times \frac{d\bar{x}''}{|\bar{x}'' - \bar{x}|} + \nabla^2 u_\alpha^{(1)} - 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} + f(u_\alpha^{(1)} - v_\alpha^{(1)}) \} \times \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \{ -\frac{\partial}{\partial x_\beta^{(1)}} (h_\alpha^{(1)} u_\beta^{(1)} - u_\alpha^{(1)} h_\beta^{(1)}) + \lambda \nabla^2 h_\alpha^{(1)} \} \times \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \{ -u_\beta^{(1)} \frac{\partial \theta^{(1)}}{\partial x_\beta^{(1)}} + \gamma \nabla^2 \theta^{(1)} \} \times \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \\
 & \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \{ -u_\beta^{(1)} \frac{\partial c^{(1)}}{\partial x_\beta^{(1)}} + D \nabla^2 c^{(1)} - R c^{(1)} \} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle
 \end{aligned}$$

$$+ \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle$$

$$\{ -\frac{\partial}{\partial x_\beta^{(2)}} (u_\alpha^{(2)} u_\beta^{(2)} - h_\alpha^{(2)} h_\beta^{(2)}) - \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(2)}} \int [ \frac{\partial u_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial u_\beta^{(2)}}{\partial x_\alpha^{(2)}} - \frac{\partial h_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial h_\beta^{(2)}}{\partial x_\alpha^{(2)}} ] \frac{d\bar{x}''}{|\bar{x}'' - \bar{x}'|}$$

$$+ \nabla^2 u_\alpha^{(2)} - 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(2)} + f(u_\alpha^{(2)} - v_\alpha^{(2)}) \} \times \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle$$

$$+ \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \rangle$$

$$\delta(c^{(2)} - \psi^{(2)}) \{ -\frac{\partial}{\partial x_\beta^{(2)}} (h_\alpha^{(2)} u_\beta^{(2)} - u_\alpha^{(2)} h_\beta^{(2)}) + \lambda \nabla^2 h_\alpha^{(2)} \} \times \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle$$

$$+ \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \rangle$$

$$\delta(c^{(2)} - \psi^{(2)}) \{ -u_\beta^{(2)} \frac{\partial \theta^{(2)}}{\partial x_\beta^{(2)}} + \gamma \nabla^2 \theta^{(2)} \} \times \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle$$

$$+ \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \rangle$$

$$\delta(\theta^{(2)} - \phi^{(2)}) \{ -u_\beta^{(2)} \frac{\partial c^{(2)}}{\partial x_\beta^{(2)}} + D \nabla^2 c^{(2)} - R c^{(2)} \} \times \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle$$

$$= \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \rangle$$

$$\delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_\alpha^{(1)} u_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle$$

$$+ \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \rangle$$

$$\delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial h_\alpha^{(1)} h_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle$$

$$+ \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \rangle$$

$$\delta(c^{(2)} - \psi^{(2)}) \times \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(1)}} \int [ \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial u_\beta^{(1)}}{\partial x_\alpha^{(1)}} - \frac{\partial h_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial h_\beta^{(1)}}{\partial x_\alpha^{(1)}} ] \frac{d\bar{x}''}{|\bar{x}'' - \bar{x}|} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle$$

$$+ \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \rangle$$

$$\delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \times \nabla^2 u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle$$

$$+ \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \rangle$$

$$\delta(c^{(2)} - \psi^{(2)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle$$





$$\begin{aligned}
 & + \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial h_\alpha^{(1)} u_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_\alpha^{(1)} h_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(1)} \frac{\partial \theta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \lambda \nabla^2 h_\alpha^{(1)} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(1)} \frac{\partial \theta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \gamma \nabla^2 \theta^{(1)} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(1)} \frac{\partial c^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times D \nabla^2 c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times R c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_\alpha^{(2)} u_\beta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial h_\alpha^{(2)} h_\beta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(2)}} \int \left[ \frac{\partial u_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial u_\beta^{(2)}}{\partial x_\alpha^{(2)}} - \frac{\partial h_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial h_\beta^{(2)}}{\partial x_\alpha^{(2)}} \right] \frac{d\bar{x}''}{|\bar{x}'' - \bar{x}'|} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle
 \end{aligned}$$

$$\begin{aligned}
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
& \quad \delta(c^{(2)} - \psi^{(2)}) \times \nu \nabla^2 u_\alpha^{(2)} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
& \quad \delta(c^{(2)} - \psi^{(2)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(2)} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
& \quad \delta(c^{(2)} - \psi^{(2)}) \times f(u_\alpha^{(2)} - v_\alpha^{(2)}) \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
& \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial h_\alpha^{(2)} u_\beta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
& \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_\alpha^{(2)} h_\beta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
& \quad \delta(c^{(2)} - \psi^{(2)}) \times \lambda \nabla^2 h_\alpha^{(2)} \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
& \quad \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(2)} \frac{\partial \theta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial \phi} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
& \quad \delta(c^{(2)} - \psi^{(2)}) \times \nu \nabla^2 \theta^{(2)} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
& \quad \delta(\theta^{(2)} - \phi^{(2)}) \times u_\beta^{(2)} \frac{\partial c^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
& \quad \delta(\theta^{(2)} - \phi^{(2)}) \times D \nabla^2 c^{(2)} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
& \quad \delta(\theta^{(2)} - \phi^{(2)}) \times R c^{(2)} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \tag{41}
\end{aligned}$$

Various terms in the above equation can be simplified as that they may be expressed in terms of one point, two- point and three-point distribution functions.

The 1<sup>st</sup> term in the above equation is simplified as follows:

$$\begin{aligned}
 & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_\alpha^{(1)} u_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = \left\langle u_\beta^{(1)} \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \right. \\
 & \quad \left. \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \right\rangle \\
 & = \left\langle -u_\beta^{(1)} \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \right. \\
 & \quad \left. \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_\alpha^{(1)}}{\partial v_\alpha^{(1)}} \frac{\partial}{\partial x_\beta^{(1)}} \delta(u^{(1)} - v^{(1)}) \right\rangle; (\text{since } \frac{\partial u_\alpha^{(1)}}{\partial v_\alpha^{(1)}} = 1) \\
 & = \left\langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \right. \\
 & \quad \left. \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} \delta(u^{(1)} - v^{(1)}) \right\rangle \tag{42}
 \end{aligned}$$

Similarly, 7<sup>th</sup>, 10<sup>th</sup> and 12<sup>th</sup> terms of right hand-side of equation (41) can be simplified as follows;

7<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial h_\alpha^{(1)} u_\beta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & = \left\langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \right. \\
 & \quad \left. \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} \delta(h^{(1)} - g^{(1)}) \right\rangle \tag{43}
 \end{aligned}$$

10<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(1)} \frac{\partial \theta^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & = \left\langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \right. \\
 & \quad \left. \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \right\rangle \tag{44}
 \end{aligned}$$

and 12<sup>th</sup> term

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times u_\beta^{(1)} \frac{\partial c^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle
 \end{aligned}$$

$$\begin{aligned}
 &= \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \\
 &\quad \delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle. \tag{45}
 \end{aligned}$$

Adding these equations from (42) to (45), we get

$$\begin{aligned}
 &\langle -\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 &+ \langle -\delta(u^{(1)} - v^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 &+ \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 &+ \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 &= -\frac{\partial}{\partial x_{\beta}^{(1)}} \langle u_{\beta}^{(1)} \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)}) \\
 &\quad \delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \rangle \rangle \\
 &= -\frac{\partial}{\partial x_{\beta}^{(1)}} v_{\beta}^{(1)} F_2^{(1,2)} \quad [\text{Applying the properties of distribution functions}] \\
 &= -v_{\beta}^{(1)} \frac{\partial F_2^{(1,2)}}{\partial x_{\beta}^{(1)}} \tag{46}
 \end{aligned}$$

Similarly, 15<sup>th</sup>, 21<sup>st</sup>, 24<sup>th</sup> and 26<sup>th</sup> terms of right hand-side of equation (41) can be simplified as follows;

15<sup>th</sup> term,

$$\begin{aligned}
 &\langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_{\alpha}^{(2)} u_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 &= \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(2)} \frac{\partial}{\partial x_{\beta}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \tag{47}
 \end{aligned}$$

21<sup>st</sup> term,

$$\begin{aligned}
 &\langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 &\quad \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial h_{\alpha}^{(2)} u_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial g_{\alpha}^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle
 \end{aligned}$$

$$= \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \\ \delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(2)} \frac{\partial}{\partial x_{\beta}^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \quad (48)$$

24<sup>th</sup> term,

$$\begin{aligned} & \langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \\ & \delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(2)} \frac{\partial \theta^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \quad (49) \\ & = \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \\ & \delta(c^{(2)} - \psi^{(2)}) \times u_{\beta}^{(2)} \frac{\partial}{\partial x_{\beta}^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \end{aligned}$$

and 26<sup>th</sup> term,

$$\begin{aligned} & \langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \\ & \delta(\theta^{(2)} - \phi^{(2)}) \times u_{\beta}^{(2)} \frac{\partial c^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\ & = \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \\ & \delta(\theta^{(2)} - \phi^{(2)}) \times u_{\beta}^{(2)} \frac{\partial}{\partial x_{\beta}^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \quad (50) \end{aligned}$$

Adding these equations from (46) to (49), we get

$$\begin{aligned} & -\frac{\partial}{\partial x_{\beta}^{(2)}} \langle u_{\beta}^{(2)} \langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)}) \\ & \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle \\ & = -v_{\beta}^{(2)} \frac{\partial F_2^{(1,2)}}{\partial x_{\beta}^{(2)}} \quad (51) \end{aligned}$$

Similarly, the terms 2<sup>nd</sup>, 8<sup>th</sup>, 16<sup>th</sup> and 22<sup>nd</sup> of right hand-side of equation (41) can be simplified as follows;

2<sup>nd</sup> term,

$$\begin{aligned} & \langle -\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial h_{\alpha}^{(1)} h_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ & = -g_{\beta}^{(1)} \frac{\partial g_{\alpha}^{(1)}}{\partial v_{\alpha}^{(1)}} \frac{\partial F_2^{(1,2)}}{\partial x_{\beta}^{(1)}} \quad (52) \end{aligned}$$

8<sup>th</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_{\alpha}^{(1)} h_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial g_{\alpha}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \end{aligned}$$

$$= -g_{\beta}^{(1)} \frac{\partial v_{\alpha}^{(1)}}{\partial g_{\alpha}^{(1)}} \quad (53)$$

16<sup>th</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial h_{\alpha}^{(2)} h_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\ & = -g_{\beta}^{(2)} \frac{\partial g_{\alpha}^{(2)}}{\partial v_{\alpha}^{(2)}} \frac{\partial F_2^{(1,2)}}{\partial x_{\beta}^{(2)}} \end{aligned} \quad (54)$$

and 22<sup>nd</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(c^{(2)} - \psi^{(2)}) \times \frac{\partial u_{\alpha}^{(2)} h_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial g_{\alpha}^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\ & = -g_{\beta}^{(2)} \frac{\partial v_{\alpha}^{(2)}}{\partial g_{\alpha}^{(2)}} \frac{\partial F_2^{(1,2)}}{\partial x_{\beta}^{(2)}}. \end{aligned}$$

Fourth term can be reduced as

$$\begin{aligned} & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(c^{(2)} - \psi^{(2)}) \times \nu \nabla^2 u_{\alpha}^{(1)} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ & = -\nu \frac{\partial}{\partial v_{\alpha}^{(1)}} \left\langle \nabla^2 u_{\alpha}^{(1)} \left[ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \right. \right. \\ & \left. \left. \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right] \right\rangle \\ & = -\nu \frac{\partial}{\partial v_{\alpha}^{(1)}} \frac{\partial^2}{\partial x_{\beta}^{(1)} \partial x_{\beta}^{(1)}} \left\langle u_{\alpha}^{(1)} \left[ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \right. \right. \\ & \left. \left. \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right] \right\rangle \\ & = -\nu \frac{\partial}{\partial v_{\alpha}^{(1)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_{\beta}^{(3)} \partial x_{\beta}^{(3)}} \left\langle u_{\alpha}^{(3)} \left[ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \right. \right. \\ & \left. \left. \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right] \right\rangle \\ & = -\nu \frac{\partial}{\partial v_{\alpha}^{(1)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_{\beta}^{(3)} \partial x_{\beta}^{(3)}} \left\langle \int u_{\alpha}^{(3)} \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \right. \end{aligned}$$



$$\begin{aligned}
 & \delta(c^{(3)} - \psi^{(3)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(1)} - v^{(1)}) \\
 & \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \rangle \\
 & = -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\beta^{(3)}} \int v_\alpha^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \quad (56)
 \end{aligned}$$

Similarly, 9<sup>th</sup>, 11<sup>th</sup>, 13<sup>th</sup>, 18<sup>th</sup>, 23<sup>rd</sup>, 25<sup>th</sup> and 27<sup>th</sup> terms of right hand-side of equation (41) can be simplified as follows;

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times \lambda \nabla^2 h_\alpha^{(1)} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & = -\lambda \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\beta^{(3)}} \int g_\alpha^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \quad (57)
 \end{aligned}$$

11<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times \gamma \nabla^2 \theta^{(1)} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & = -\gamma \frac{\partial}{\partial \phi^{(1)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\beta^{(3)}} \int \phi^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \quad (58)
 \end{aligned}$$

13<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times D \nabla^2 c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & = -D \frac{\partial}{\partial \psi^{(1)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\beta^{(3)}} \int \psi^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \quad (59)
 \end{aligned}$$

18<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times \nu \nabla^2 u_\alpha^{(2)} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & = -\nu \frac{\partial}{\partial v_\alpha^{(2)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(2)}} \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\beta^{(3)}} \int v_\alpha^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \quad (60)
 \end{aligned}$$

23<sup>rd</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times \lambda \nabla^2 h_\alpha^{(2)} \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
 & = -\lambda \frac{\partial}{\partial g_\alpha^{(2)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(2)}} \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\beta^{(3)}} \int g_\alpha^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)}
 \end{aligned} \tag{61}$$

25<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times \lambda \nabla^2 \theta^{(2)} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\
 & = -\gamma \frac{\partial}{\partial \phi^{(2)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(2)}} \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\beta^{(3)}} \int \phi^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)}
 \end{aligned} \tag{62}$$

27<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(\theta^{(2)} - \phi^{(2)}) \times D \nabla^2 c^{(2)} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & = -D \frac{\partial}{\partial \psi^{(2)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(2)}} \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\beta^{(3)}} \int \psi^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)}
 \end{aligned} \tag{63}$$

We reduce the third term of right - hand side of equation (41),

$$\begin{aligned}
 & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(1)}} \int \left[ \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial u_\beta^{(1)}}{\partial x_\alpha^{(1)}} - \frac{\partial h_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial h_\beta^{(1)}}{\partial x_\alpha^{(1)}} \right] \frac{d\bar{x}''}{|\bar{x}'' - \bar{x}|} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = \frac{\partial}{\partial v_\alpha^{(1)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(3)} - \bar{x}^{(1)}|} \right) \left( \frac{\partial v_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial v_\beta^{(3)}}{\partial x_\alpha^{(3)}} - \frac{\partial g_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial g_\beta^{(3)}}{\partial x_\alpha^{(3)}} \right) F_3^{(1,2,3)} \times dx^{(3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \right]
 \end{aligned} \tag{64}$$

Similarly, term 17<sup>th</sup>,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(2)}} \int \left[ \frac{\partial u_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial u_\beta^{(2)}}{\partial x_\alpha^{(2)}} - \frac{\partial h_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial h_\beta^{(2)}}{\partial x_\alpha^{(2)}} \right] \frac{d\bar{x}''}{|\bar{x}'' - \bar{x}'|} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & = \frac{\partial}{\partial v_\alpha^{(2)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(2)}} \left( \frac{1}{|\bar{x}^{(3)} - \bar{x}^{(2)}|} \right) \left( \frac{\partial v_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial v_\beta^{(3)}}{\partial x_\alpha^{(3)}} - \frac{\partial g_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial g_\beta^{(3)}}{\partial x_\alpha^{(3)}} \right) F_3^{(1,2,3)} \times dx^{(3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \right]
 \end{aligned} \tag{65}$$

5<sup>th</sup> and 6<sup>th</sup> terms of right hand side of equation (41), we get

5<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = \langle 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} [ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \\
 & \quad \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) ] \rangle \\
 & = 2 \in_{m\alpha\beta} \Omega_m \frac{\partial}{\partial v_\alpha^{(1)}} \langle u_\alpha^{(1)} \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \\
 & \quad \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & = 2 \in_{m\alpha\beta} \Omega_m \frac{\partial u_\alpha^{(1)}}{\partial v_\alpha^{(1)}} \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \\
 & \quad \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & = 2 \in_{m\alpha\beta} \Omega_m F_2^{(1,2)}
 \end{aligned} \tag{66}$$

and 6<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = -\langle f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} [ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \\
 & \quad \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) ] \rangle \\
 & = -f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \\
 & \quad \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & = -f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} F_2^{(1,2)} (
 \end{aligned} \tag{67}$$

Similarly, 19<sup>th</sup> and 20<sup>th</sup> terms of right hand side of equation (41),

19<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(2)} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & = 2 \in_{m\alpha\beta} \Omega_m F_2^{(1,2)}
 \end{aligned} \tag{68}$$

and 20<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times f(u_\alpha^{(2)} - v_\alpha^{(2)}) \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & = -f(u_\alpha^{(2)} - v_\alpha^{(2)}) \frac{\partial}{\partial v_\alpha^{(2)}} F_2^{(1,2)} \tag{69}
 \end{aligned}$$

14<sup>th</sup> and 28<sup>th</sup> terms of equation (41)

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \times R c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & = R \psi^{(1)} \frac{\partial}{\partial \psi^{(1)}} F_2^{(1,2)} \tag{70}
 \end{aligned}$$

And 28<sup>th</sup> term

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(\theta^{(2)} - \phi^{(2)}) \times R c^{(2)} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & = R \psi^{(2)} \frac{\partial}{\partial \psi^{(2)}} F_2^{(1,2)} \tag{71}
 \end{aligned}$$

Substituting the results (42) – (71) in equation (41) we get the transport equation for two point distribution function  $F_2^{(1,2)}(v, g, \phi, \psi)$  in MHD turbulent flow in a rotating system in presence of dust particles as

$$\begin{aligned}
 & \frac{\partial F_2^{(1,2)}}{\partial t} + \left( v_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} + v_\beta^{(2)} \frac{\partial}{\partial x_\beta^{(2)}} \right) F_2^{(1,2)} + g_\beta^{(1)} \left( \frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}} + \frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}} \right) \frac{\partial}{\partial x_\beta^{(1)}} F_2^{(1,2)} \\
 & + g_\beta^{(2)} \left( \frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}} + \frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}} \right) \frac{\partial}{\partial x_\beta^{(2)}} F_2^{(1,2)} - \frac{\partial}{\partial v_\alpha^{(1)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(3)} - \bar{x}^{(1)}|} \right) \right. \\
 & \times \left( \frac{\partial v_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial v_\beta^{(3)}}{\partial x_\alpha^{(3)}} - \frac{\partial g_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial g_\beta^{(3)}}{\partial x_\alpha^{(3)}} \right) F_3^{(1,2,3)} dx^{(3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} ] \\
 & - \frac{\partial}{\partial v_\alpha^{(2)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(2)}} \left( \frac{1}{|\bar{x}^{(3)} - \bar{x}^{(2)}|} \right) \right) \left( \frac{\partial v_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial v_\beta^{(3)}}{\partial x_\alpha^{(3)}} - \frac{\partial g_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial g_\beta^{(3)}}{\partial x_\alpha^{(3)}} \right) \\
 & \times F_3^{(1,2,3)} dx^{(3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} ] \\
 & + v \left( \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial v_\alpha^{(2)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(2)}} \right) \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\alpha^{(3)}} \int v_\alpha^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)} \\
 & + \lambda \left( \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial g_\alpha^{(2)}} \lim_{\bar{x}^{(3)} \rightarrow \bar{x}^{(2)}} \right) \frac{\partial^2}{\partial x_\beta^{(3)} \partial x_\alpha^{(3)}} \int g_\alpha^{(3)} F_3^{(1,2,3)} dv^{(3)} dg^{(3)} d\phi^{(3)} d\psi^{(3)}
 \end{aligned}$$

$$\begin{aligned}
 & +\gamma\left(\frac{\partial}{\partial\phi^{(1)}}\lim_{\bar{x}^{(3)}\rightarrow\bar{x}^{(1)}}+\frac{\partial}{\partial\phi^{(2)}}\lim_{\bar{x}^{(3)}\rightarrow\bar{x}^{(2)}}\right)\frac{\partial^2}{\partial x_\beta^{(3)}\partial x_\beta^{(3)}}\int\phi^{(3)}F_3^{(1,2,3)}dv^{(3)}dg^{(3)}d\phi^{(3)}d\psi^{(3)} \\
 & +D\left(\frac{\partial}{\partial\psi^{(1)}}\lim_{\bar{x}^{(3)}\rightarrow\bar{x}^{(1)}}+\frac{\partial}{\partial\psi^{(2)}}\lim_{\bar{x}^{(3)}\rightarrow\bar{x}^{(2)}}\right)\frac{\partial^2}{\partial x_\beta^{(3)}\partial x_\beta^{(3)}}\int\psi^{(3)}F_3^{(1,2,3)}dv^{(3)}dg^{(3)}d\phi^{(3)}d\psi^{(3)} \\
 & +4\in_{m\alpha\beta}\Omega_mF_2^{(1,2)}+\left[f\left(u_\alpha^{(1)}-v_\alpha^{(1)}\right)\frac{\partial}{\partial v_\alpha^{(1)}}+f\left(u_\alpha^{(2)}-v_\alpha^{(2)}\right)\frac{\partial}{\partial v_\alpha^{(2)}}\right]F_2^{(1,2)} \\
 & -R\psi^{(1)}\frac{\partial}{\partial\psi^{(1)}}F_2^{(1,2)}-R\psi^{(2)}\frac{\partial}{\partial\psi^{(2)}}F_2^{(1,2)}=0
 \end{aligned} \tag{72}$$

Equations for three-point distribution function  $F_3^{(1,2,3)}$ :

Differentiating equation (14) with respect to time, we get

$$\begin{aligned}
 \frac{\partial F_3^{(1,2,3)}}{\partial t} & =\frac{\partial}{\partial t}\left\langle\delta\left(u^{(1)}-v^{(1)}\right)\delta\left(h^{(1)}-g^{(1)}\right)\delta\left(\theta^{(1)}-\phi^{(1)}\right)\delta\left(c^{(1)}-\psi^{(1)}\right)\delta\left(u^{(2)}-v^{(2)}\right)\delta\left(h^{(2)}-g^{(2)}\right)\right. \\
 & \quad \left.\delta\left(\theta^{(2)}-\phi^{(2)}\right)\delta\left(c^{(2)}-\psi^{(2)}\right)\delta\left(u^{(3)}-v^{(3)}\right)\delta\left(h^{(3)}-g^{(3)}\right)\delta\left(\theta^{(3)}-\phi^{(3)}\right)\delta\left(c^{(3)}-\psi^{(3)}\right)\right\rangle \\
 & =\left\langle\delta\left(h^{(1)}-g^{(1)}\right)\delta\left(\theta^{(1)}-\phi^{(1)}\right)\delta\left(c^{(1)}-\psi^{(1)}\right)\delta\left(u^{(2)}-v^{(2)}\right)\delta\left(h^{(2)}-g^{(2)}\right)\delta\left(\theta^{(2)}-\phi^{(2)}\right)\right. \\
 & \quad \left.\delta\left(c^{(2)}-\psi^{(2)}\right)\delta\left(u^{(3)}-v^{(3)}\right)\delta\left(h^{(3)}-g^{(3)}\right)\delta\left(\theta^{(3)}-\phi^{(3)}\right)\delta\left(c^{(3)}-\psi^{(3)}\right)\right\rangle \\
 & +\left\langle\delta\left(u^{(1)}-v^{(1)}\right)\delta\left(\theta^{(1)}-\phi^{(1)}\right)\delta\left(c^{(1)}-\psi^{(1)}\right)\delta\left(u^{(2)}-v^{(2)}\right)\delta\left(h^{(2)}-g^{(2)}\right)\delta\left(\theta^{(2)}-\phi^{(2)}\right)\right. \\
 & \quad \left.\delta\left(c^{(2)}-\psi^{(2)}\right)\delta\left(u^{(3)}-v^{(3)}\right)\delta\left(h^{(3)}-g^{(3)}\right)\delta\left(\theta^{(3)}-\phi^{(3)}\right)\delta\left(c^{(3)}-\psi^{(3)}\right)\right\rangle \\
 & +\left\langle\delta\left(u^{(1)}-v^{(1)}\right)\delta\left(h^{(1)}-g^{(1)}\right)\delta\left(c^{(1)}-\psi^{(1)}\right)\delta\left(u^{(2)}-v^{(2)}\right)\delta\left(h^{(2)}-g^{(2)}\right)\delta\left(\theta^{(2)}-\phi^{(2)}\right)\right. \\
 & \quad \left.\delta\left(c^{(2)}-\psi^{(2)}\right)\delta\left(u^{(3)}-v^{(3)}\right)\delta\left(h^{(3)}-g^{(3)}\right)\delta\left(\theta^{(3)}-\phi^{(3)}\right)\delta\left(c^{(3)}-\psi^{(3)}\right)\right\rangle \\
 & +\left\langle\delta\left(u^{(1)}-v^{(1)}\right)\delta\left(h^{(1)}-g^{(1)}\right)\delta\left(\theta^{(1)}-\phi^{(1)}\right)\delta\left(u^{(2)}-v^{(2)}\right)\delta\left(h^{(2)}-g^{(2)}\right)\delta\left(\theta^{(2)}-\phi^{(2)}\right)\right. \\
 & \quad \left.\delta\left(c^{(2)}-\psi^{(2)}\right)\delta\left(u^{(3)}-v^{(3)}\right)\delta\left(h^{(3)}-g^{(3)}\right)\delta\left(\theta^{(3)}-\phi^{(3)}\right)\delta\left(c^{(3)}-\psi^{(3)}\right)\right\rangle \\
 & +\left\langle\delta\left(u^{(1)}-v^{(1)}\right)\delta\left(h^{(1)}-g^{(1)}\right)\delta\left(\theta^{(1)}-\phi^{(1)}\right)\delta\left(c^{(1)}-\psi^{(1)}\right)\delta\left(u^{(2)}-v^{(2)}\right)\delta\left(\theta^{(2)}-\phi^{(2)}\right)\right. \\
 & \quad \left.\delta\left(c^{(2)}-\psi^{(2)}\right)\delta\left(u^{(3)}-v^{(3)}\right)\delta\left(h^{(3)}-g^{(3)}\right)\delta\left(\theta^{(3)}-\phi^{(3)}\right)\delta\left(c^{(3)}-\psi^{(3)}\right)\right\rangle \\
 & +\left\langle\delta\left(u^{(1)}-v^{(1)}\right)\delta\left(h^{(1)}-g^{(1)}\right)\delta\left(\theta^{(1)}-\phi^{(1)}\right)\delta\left(c^{(1)}-\psi^{(1)}\right)\delta\left(u^{(2)}-v^{(2)}\right)\delta\left(\theta^{(2)}-\phi^{(2)}\right)\right. \\
 & \quad \left.\delta\left(c^{(2)}-\psi^{(2)}\right)\delta\left(u^{(3)}-v^{(3)}\right)\delta\left(h^{(3)}-g^{(3)}\right)\delta\left(\theta^{(3)}-\phi^{(3)}\right)\delta\left(c^{(3)}-\psi^{(3)}\right)\right\rangle \\
 & +\left\langle\delta\left(u^{(1)}-v^{(1)}\right)\delta\left(h^{(1)}-g^{(1)}\right)\delta\left(\theta^{(1)}-\phi^{(1)}\right)\delta\left(c^{(1)}-\psi^{(1)}\right)\delta\left(u^{(2)}-v^{(2)}\right)\delta\left(h^{(2)}-g^{(2)}\right)\right\rangle
 \end{aligned}$$

$$\begin{aligned}
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial}{\partial t} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(\theta^{(2)} - \phi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial}{\partial t} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial}{\partial t} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial}{\partial t} \delta(\theta^{(3)} - \phi^{(3)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \frac{\partial}{\partial t} \delta(c^{(3)} - \psi^{(3)}) \rangle \\
 = & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial u^{(1)}}{\partial t} \frac{\partial}{\partial v^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 + & \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial h^{(1)}}{\partial t} \frac{\partial}{\partial g^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 + & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial c^{(1)}}{\partial t} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 + & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial u^{(2)}}{\partial t} \frac{\partial}{\partial v^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 + & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial h^{(2)}}{\partial t} \frac{\partial}{\partial g^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
 + & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial \theta^{(2)}}{\partial t} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle
 \end{aligned}$$

$$\begin{aligned}
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial \theta^{(2)}}{\partial t} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial c^{(2)}}{\partial t} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \frac{\partial h^{(3)}}{\partial t} \frac{\partial}{\partial g^{(3)}} \delta(h^{(3)} - g^{(3)}) \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \frac{\partial \theta^{(3)}}{\partial t} \frac{\partial}{\partial \phi^{(3)}} \delta(\theta^{(3)} - \phi^{(3)}) \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \frac{\partial c^{(3)}}{\partial t} \frac{\partial}{\partial \psi^{(3)}} \delta(c^{(3)} - \psi^{(3)})
 \end{aligned}$$

Using equations (8) to (11), we get from the above equation

$$\begin{aligned}
 & \frac{\partial F_3^{(1,2,3)}}{\partial t} = \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \left\{ -\frac{\partial}{\partial x_\beta^{(1)}} (u_\alpha^{(1)} u_\beta^{(1)} - h_\alpha^{(1)} h_\beta^{(1)}) - \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(1)}} \int \left[ \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial u_\beta^{(1)}}{\partial x_\alpha^{(1)}} - \frac{\partial h_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial h_\beta^{(1)}}{\partial x_\alpha^{(1)}} \right] \frac{d\bar{x}'''}{|\bar{x}''' - \bar{x}''|} \right. \\
 & \left. + \nu \nabla^2 u_\alpha^{(1)} - 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} + f(u_\alpha^{(1)} - v_\alpha^{(1)}) \right\} \times \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \left\{ -\frac{\partial}{\partial x_\beta^{(1)}} (h_\alpha^{(1)} u_\beta^{(1)} - u_\alpha^{(1)} h_\beta^{(1)}) + \lambda \nabla^2 h_\alpha^{(1)} \right\} \times \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \times \left\{ -u_\beta^{(1)} \frac{\partial \theta^{(1)}}{\partial x_\beta^{(1)}} + \gamma \nabla^2 \theta^{(1)} \right\} \times \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)})
 \end{aligned}$$

$$\begin{aligned}
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \quad \left\{ -u_{\beta}^{(1)} \frac{\partial c^{(1)}}{\partial x_{\beta}^{(1)}} + D\nabla^2 c^{(1)} - R c^{(1)} \right\} \times \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \quad \left\{ -\frac{\partial}{\partial x_{\beta}^{(2)}} (u_{\alpha}^{(2)} u_{\beta}^{(2)} - h_{\alpha}^{(2)} h_{\beta}^{(2)}) - \frac{1}{4\pi} \frac{\partial}{\partial x_{\alpha}^{(2)}} \int [ \frac{\partial u_{\alpha}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial u_{\beta}^{(2)}}{\partial x_{\alpha}^{(2)}} - \frac{\partial h_{\alpha}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial h_{\beta}^{(2)}}{\partial x_{\alpha}^{(2)}} ] \frac{d\bar{x}'''}{|\bar{x}''' - \bar{x}'|} \right. \\
 & \quad \left. + \nu \nabla^2 u_{\alpha}^{(2)} - 2 \in_{m\alpha\beta} \Omega_m u_{\alpha}^{(2)} + f(u_{\alpha}^{(2)} - v_{\alpha}^{(2)}) \right\} \times \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & \quad + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \quad + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \quad \delta(\theta^{(2)} - \phi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \quad \left\{ -u_{\beta}^{(2)} \frac{\partial c^{(2)}}{\partial x_{\beta}^{(2)}} + D\nabla^2 c^{(2)} - R c^{(2)} \right\} \times \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & \quad \left\{ -\frac{\partial}{\partial x_{\beta}^{(2)}} (h_{\alpha}^{(2)} u_{\beta}^{(2)} - u_{\alpha}^{(2)} h_{\beta}^{(2)}) + \lambda \nabla^2 h_{\alpha}^{(2)} \right\} \times \frac{\partial}{\partial g_{\alpha}^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
 & \quad + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \quad \times \left\{ -u_{\beta}^{(2)} \frac{\partial \theta^{(2)}}{\partial x_{\beta}^{(2)}} + \gamma \nabla^2 \theta^{(2)} \right\} \times \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \quad \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \quad \left\{ -\frac{\partial}{\partial x_{\beta}^{(3)}} (u_{\alpha}^{(3)} u_{\beta}^{(3)} - h_{\alpha}^{(3)} h_{\beta}^{(3)}) - \frac{1}{4\pi} \frac{\partial}{\partial x_{\alpha}^{(3)}} \int [ \frac{\partial u_{\alpha}^{(3)}}{\partial x_{\beta}^{(3)}} \frac{\partial u_{\beta}^{(3)}}{\partial x_{\alpha}^{(3)}} - \frac{\partial h_{\alpha}^{(3)}}{\partial x_{\beta}^{(3)}} \frac{\partial h_{\beta}^{(3)}}{\partial x_{\alpha}^{(3)}} ] \frac{d\bar{x}'''}{|\bar{x}''' - \bar{x}'|} \right. \\
 & \quad \left. + \nu \nabla^2 u_{\alpha}^{(3)} - 2 \in_{m\alpha\beta} \Omega_m u_{\alpha}^{(3)} + f(u_{\alpha}^{(3)} - v_{\alpha}^{(3)}) \right\} \times \frac{\partial}{\partial v_{\alpha}^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & \quad + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \quad \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\
 & \quad \left\{ -\frac{\partial}{\partial x_{\beta}^{(3)}} (h_{\alpha}^{(3)} u_{\beta}^{(3)} - u_{\alpha}^{(3)} h_{\beta}^{(3)}) + \lambda \nabla^2 h_{\alpha}^{(3)} \right\} \times \frac{\partial}{\partial g_{\alpha}^{(3)}} \delta(h^{(3)} - g^{(3)}) \rangle \\
 & \quad + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \quad \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)})
 \end{aligned}$$

$$\begin{aligned}
 & \times \left\{ -u_{\beta}^{(3)} \frac{\partial \theta^{(3)}}{\partial x_{\beta}^{(3)}} + \gamma \nabla^2 \theta^{(3)} \right\} \times \frac{\partial}{\partial \phi^{(3)}} \delta(\theta^{(3)} - \phi^{(3)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \\
 & \left\{ -u_{\beta}^{(3)} \frac{\partial c^{(3)}}{\partial x_{\beta}^{(3)}} + D \nabla^2 c^{(3)} - R c^{(3)} \right\} \frac{\partial}{\partial \psi^{(3)}} \delta(c^{(3)} - \psi^{(3)}) \rangle \\
 = & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(1)} u_{\beta}^{(1)}}{\partial x_{\alpha}^{(1)}} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_{\alpha}^{(1)} h_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{1}{4\pi} \frac{\partial}{\partial x_{\alpha}^{(1)}} \int [ \frac{\partial u_{\alpha}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial u_{\beta}^{(1)}}{\partial x_{\alpha}^{(1)}} - \frac{\partial h_{\alpha}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial h_{\beta}^{(1)}}{\partial x_{\alpha}^{(1)}} ] \\
 & \times \frac{d\bar{x}'''}{|\bar{x}''' - \bar{x}|} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle + \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\
 & \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \nu \nabla^2 u_{\alpha}^{(1)} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times 2 \in_{m\alpha\beta} \Omega_m u_{\alpha}^{(1)} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times f(u_{\alpha}^{(1)} - v_{\alpha}^{(1)}) \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_{\alpha}^{(1)} u_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial g_{\alpha}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(1)} h_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial g_{\alpha}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 h_{\alpha}^{(1)} \frac{\partial}{\partial g_{\alpha}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial \theta^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle
 \end{aligned}$$



$$\begin{aligned}
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \nu \nabla^2 \theta^{(1)} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial c^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times D \nabla^2 c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
& + \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times R c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(2)} u_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_{\alpha}^{(2)} h_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{1}{4\pi} \frac{\partial}{\partial x_{\alpha}^{(2)}} \int [ \frac{\partial u_{\alpha}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial u_{\beta}^{(2)}}{\partial x_{\alpha}^{(2)}} - \frac{\partial h_{\alpha}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial h_{\beta}^{(2)}}{\partial x_{\alpha}^{(2)}} ] \\
& \times \frac{d\bar{x}'''}{|\bar{x}''' - \bar{x}|} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \nu \nabla^2 u_{\alpha}^{(2)} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times 2 \in_{m\alpha\beta} \Omega_m u_{\alpha}^{(2)} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times f(u_{\alpha}^{(2)} - v_{\alpha}^{(2)}) \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
& + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
& \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_{\alpha}^{(2)} u_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial g_{\alpha}^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle
\end{aligned}$$

$$\begin{aligned}
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_\alpha^{(2)} h_\beta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 h_\alpha^{(2)} \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_\beta^{(2)} \frac{\partial \theta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 \theta^{(2)} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_\beta^{(2)} \frac{\partial c^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times D \nabla^2 c^{(2)} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & + \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times R c^{(2)} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_\alpha^{(3)} u_\beta^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_\alpha^{(3)} h_\beta^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(3)}} \int [ \frac{\partial u_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial u_\beta^{(3)}}{\partial x_\alpha^{(3)}} - \frac{\partial h_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial h_\beta^{(3)}}{\partial x_\alpha^{(3)}} ] 
 \end{aligned}$$

$$\begin{aligned}
 & \times \frac{d\bar{x}'''}{|x''' - \bar{x}''|} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \nabla^2 u_\alpha^{(3)} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(3)} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times f(u_\alpha^{(3)} - v_\alpha^{(3)}) \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_\alpha^{(3)} u_\beta^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial}{\partial g_\alpha^{(3)}} \delta(h^{(3)} - g^{(3)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_\alpha^{(3)} h_\beta^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial}{\partial g_\alpha^{(3)}} \delta(h^{(3)} - g^{(3)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 h_\alpha^{(3)} \frac{\partial}{\partial g_\alpha^{(3)}} \delta(h^{(3)} - g^{(3)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_\beta^{(3)} \frac{\partial \theta^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial}{\partial \phi^{(3)}} \delta(\theta^{(3)} - \phi^{(3)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \delta(\theta^{(3)} - \phi^{(3)}) \rangle \\
 & + \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_\beta^{(3)} \frac{\partial c^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial}{\partial \psi^{(3)}} \delta(c^{(3)} - \psi^{(3)}) \rangle \\
 & + \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \times D \nabla^2 c^{(3)} \frac{\partial}{\partial \psi^{(3)}} \delta(c^{(3)} - \psi^{(3)}) \rangle
 \end{aligned}$$

$$+ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \times R c^{(3)} \frac{\partial}{\partial \psi^{(3)}} \delta(c^{(3)} - \psi^{(3)}) \rangle \quad (73)$$

Various terms in the above equation can be simplified as that they may be expressed in terms of one-, two-, three- and four - point distribution functions.

The 1<sup>st</sup> term in the above equation is simplified as follows

$$\langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(1)} u_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ = \langle u_{\beta}^{(1)} \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(1)}}{\partial v_{\alpha}^{(1)}} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ = \langle -u_{\beta}^{(1)} \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(1)}}{\partial v_{\alpha}^{(1)}} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle; (\text{since } \frac{\partial u_{\alpha}^{(1)}}{\partial v_{\alpha}^{(1)}} = 1) \\ = \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \quad (74)$$

Similarly, 7<sup>th</sup>, 10<sup>th</sup> and 12<sup>th</sup> terms of right hand-side of equation (73) can be simplified as follows;

7<sup>th</sup> term,

$$\langle \delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_{\alpha}^{(1)} u_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial g_{\alpha}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \quad (75)$$

10<sup>th</sup> term,

$$\langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial \theta^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\ = \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \quad (76)$$

and 12<sup>th</sup> term

$$\langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial c^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\ = \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \quad (77)$$

Adding these equations from (74) to (77), we get

$$\begin{aligned}
 & \langle -\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \quad \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & \quad + \langle -\delta(u^{(1)} - v^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \quad \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & \quad + \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \quad \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \rangle \\
 & \quad + \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \quad \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(1)} \frac{\partial}{\partial x_{\beta}^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \rangle \\
 & = -\frac{\partial}{\partial x_{\beta}^{(1)}} \langle u_{\beta}^{(1)} \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \\
 & \quad \delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)})\delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \rangle \rangle \\
 & = -\frac{\partial}{\partial x_{\beta}^{(1)}} v_{\beta}^{(1)} F_3^{(1,2,3)} \quad [\text{Applying the properties of distribution functions}] \tag{78}
 \end{aligned}$$

Similarly, 15<sup>th</sup>, 21<sup>st</sup>, 24<sup>th</sup> and 26<sup>th</sup> terms of right hand-side of equation (73) can be simplified as follows;

15<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \quad \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(2)} u_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & = \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 & \quad \delta(c^{(2)} - \psi^{(2)})\delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(2)} \frac{\partial}{\partial x_{\beta}^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \tag{79}
 \end{aligned}$$

21<sup>st</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \quad \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_{\alpha}^{(2)} u_{\beta}^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial g_{\alpha}^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \tag{80}
 \end{aligned}$$

24<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \quad \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(2)} \frac{\partial \theta^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle
 \end{aligned}$$

$$= \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\ \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(2)} \frac{\partial}{\partial x_{\beta}^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \quad (81)$$

And 26<sup>th</sup> term,

$$\langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\ \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(2)} \frac{\partial c^{(2)}}{\partial x_{\beta}^{(2)}} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \quad (82)$$

Adding equations (79) to (82), we get

$$-\frac{\partial}{\partial x_{\beta}^{(2)}} \langle u_{\beta}^{(2)} \langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \\ \delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)})\delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \rangle \\ = -v_{\beta}^{(2)} \frac{\partial F_3^{(1,2,3)}}{\partial x_{\beta}^{(2)}} \quad (83)$$

Similarly, 29<sup>th</sup>, 35<sup>th</sup>, 38<sup>th</sup> and 40<sup>th</sup> terms of right hand-side of equation (73) can be simplified as follows;

$$\langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\ \delta(c^{(2)} - \psi^{(2)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(3)} u_{\beta}^{(3)}}{\partial x_{\beta}^{(3)}} \frac{\partial}{\partial v_{\alpha}^{(2)}} \delta(u^{(3)} - v^{(3)}) \rangle \\ = \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(3)} - v^{(3)})\delta(h^{(2)} - g^{(2)}) \\ \delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(3)} \frac{\partial}{\partial x_{\beta}^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \quad (84)$$

35<sup>th</sup> term,

$$\langle \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\ \delta(c^{(2)} - \psi^{(2)})\delta(u^{(3)} - v^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_{\alpha}^{(3)} u_{\beta}^{(3)}}{\partial x_{\beta}^{(3)}} \frac{\partial}{\partial g_{\alpha}^{(3)}} \delta(h^{(3)} - g^{(3)}) \rangle \\ = \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\ \delta(c^{(2)} - \psi^{(2)})\delta(u^{(3)} - v^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(3)} \frac{\partial}{\partial x_{\beta}^{(3)}} \delta(h^{(3)} - g^{(3)}) \rangle \quad (85)$$

38<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(3)} \frac{\partial \theta^{(3)}}{\partial x_{\beta}^{(3)}} \frac{\partial}{\partial \phi^{(3)}} \delta(\theta^{(3)} - \phi^{(3)}) \rangle \\
 & = \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times u_{\beta}^{(3)} \frac{\partial}{\partial x_{\beta}^{(3)}} \delta(\theta^{(3)} - \phi^{(3)}) \rangle \tag{86}
 \end{aligned}$$

and 40<sup>th</sup> term,

$$\begin{aligned}
 & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \times u_{\beta}^{(3)} \frac{\partial c^{(3)}}{\partial x_{\beta}^{(3)}} \frac{\partial}{\partial \psi^{(3)}} \delta(c^{(3)} - \psi^{(3)}) \rangle \\
 & = \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \times u_{\beta}^{(3)} \frac{\partial}{\partial x_{\beta}^{(3)}} \delta(c^{(3)} - \psi^{(3)}) \rangle \tag{87}
 \end{aligned}$$

Adding equations (84) to (87), we get

$$\begin{aligned}
 & -\frac{\partial}{\partial x_{\beta}^{(3)}} \left\langle u_{\beta}^{(3)} \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \right. \\
 & \left. \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \rangle \right. \\
 & = -v_{\beta}^{(3)} \frac{\partial F_3^{(1,2,3)}}{\partial x_{\beta}^{(3)}} \tag{88}
 \end{aligned}$$

Similarly, 2<sup>nd</sup>, 8<sup>th</sup>, 16<sup>th</sup>, 22<sup>nd</sup>, 30<sup>th</sup> and 36<sup>th</sup> terms of right hand-side of equation (73) can be simplified as follows;

2<sup>nd</sup> term,

$$\begin{aligned}
 & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_{\alpha}^{(1)} h_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial v_{\alpha}^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = -g_{\beta}^{(1)} \frac{\partial g_{\alpha}^{(1)}}{\partial v_{\alpha}^{(1)}} \frac{\partial F_3^{(1,2,3)}}{\partial x_{\beta}^{(1)}} \tag{89}
 \end{aligned}$$

8<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_{\alpha}^{(1)} h_{\beta}^{(1)}}{\partial x_{\beta}^{(1)}} \frac{\partial}{\partial g_{\alpha}^{(1)}} \delta(h^{(1)} - g^{(1)}) \rangle \\
 & = -g_{\beta}^{(1)} \frac{\partial v_{\alpha}^{(1)}}{\partial g_{\alpha}^{(1)}} \frac{\partial F_3^{(1,2,3)}}{\partial x_{\beta}^{(1)}} \tag{90}
 \end{aligned}$$

16<sup>th</sup> term,



$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_a^{(2)} h_\beta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\
 & = -g_\beta^{(2)} \frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}} \frac{\partial F_3^{(1,2,3)}}{\partial x_\beta^{(2)}} \tag{91}
 \end{aligned}$$

22<sup>nd</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_\alpha^{(2)} h_\beta^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\
 & = -g_\beta^{(2)} \frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}} \frac{\partial F_3^{(1,2,3)}}{\partial x_\beta^{(2)}} \tag{92}
 \end{aligned}$$

30<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial h_a^{(3)} h_\beta^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\
 & = -g_\beta^{(3)} \frac{\partial g_\alpha^{(3)}}{\partial v_\alpha^{(3)}} \frac{\partial F_3^{(1,2,3)}}{\partial x_\beta^{(3)}} \tag{93}
 \end{aligned}$$

and 36<sup>th</sup> term,

$$\begin{aligned}
 & \langle -\delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)}) \\
 & \delta(c^{(2)} - \psi^{(2)})\delta(u^{(3)} - v^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \frac{\partial u_\alpha^{(3)} h_\beta^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial}{\partial g_\alpha^{(3)}} \delta(h^{(3)} - g^{(3)}) \rangle \\
 & = -g_\beta^{(3)} \frac{\partial v_\alpha^{(3)}}{\partial g_\alpha^{(3)}} \frac{\partial F_3^{(1,2,3)}}{\partial x_\beta^{(3)}} \tag{94}
 \end{aligned}$$

4<sup>th</sup> term can be reduced as

$$\begin{aligned}
 & \langle -\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)})\delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)}) \\
 & \delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \times \nabla^2 u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\
 & = -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \left\langle \nabla^2 u_\alpha^{(1)} \left[ \delta(u^{(1)} - v^{(1)})\delta(h^{(1)} - g^{(1)})\delta(\theta^{(1)} - \phi^{(1)})\delta(c^{(1)} - \psi^{(1)})\delta(u^{(2)} - v^{(2)})\delta(h^{(2)} - g^{(2)}) \right. \right. \\
 & \left. \left. \delta(\theta^{(2)} - \phi^{(2)})\delta(c^{(2)} - \psi^{(2)})\delta(u^{(3)} - v^{(3)})\delta(h^{(3)} - g^{(3)})\delta(\theta^{(3)} - \phi^{(3)})\delta(c^{(3)} - \psi^{(3)}) \right] \right\rangle
 \end{aligned}$$

$$\begin{aligned}
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \frac{\partial^2}{\partial x_\beta^{(1)} \partial x_\beta^{(1)}} \left\langle u_\alpha^{(1)} \left[ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \right. \right. \\
 &\quad \left. \left. \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \right] \right\rangle \\
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \left\langle u_\alpha^{(4)} \left[ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \right. \right. \\
 &\quad \left. \left. \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \right] \right\rangle \\
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \left\langle \int u_\alpha^{(4)} \delta(u^{(4)} - v^{(4)}) \delta(h^{(4)} - g^{(4)}) \delta(\theta^{(4)} - \phi^{(4)}) \delta(c^{(4)} - \psi^{(4)}) \right. \\
 &\quad \left. \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \right. \\
 &\quad \left. \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \right\rangle \\
 &= -\nu \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int v_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \tag{95}
 \end{aligned}$$

Similarly, 9<sup>th</sup>, 11<sup>th</sup>, 13<sup>th</sup>, 18<sup>th</sup>, 23<sup>rd</sup>, 25<sup>th</sup>, 27<sup>th</sup>, 32<sup>nd</sup>, 37<sup>th</sup>, 39<sup>th</sup> and 41<sup>st</sup> terms of right hand-side of equation (73) can be simplified as follows;

9<sup>th</sup> term,

$$\begin{aligned}
 &\left\langle -\delta(u^{(1)} - v^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right. \\
 &\quad \left. \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 h_\alpha^{(1)} \frac{\partial}{\partial g_\alpha^{(1)}} \delta(h^{(1)} - g^{(1)}) \right\rangle \\
 &= -\lambda \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int g_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \tag{96}
 \end{aligned}$$

11<sup>th</sup> term,

$$\begin{aligned}
 &\left\langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right. \\
 &\quad \left. \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \gamma \nabla^2 \theta^{(1)} \frac{\partial}{\partial \phi^{(1)}} \delta(\theta^{(1)} - \phi^{(1)}) \right\rangle \\
 &= -\gamma \frac{\partial}{\partial \phi^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \phi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \tag{97}
 \end{aligned}$$

13<sup>th</sup> term,

$$\begin{aligned}
 &+ \left\langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right. \\
 &\quad \left. \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times D \nabla^2 c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \right\rangle
 \end{aligned}$$

$$= -D \frac{\partial}{\partial \psi^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(3)}} \int \psi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \quad (98)$$

18<sup>th</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 u_\alpha^{(2)} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\ = & -\nu \frac{\partial}{\partial v_\alpha^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int v_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \end{aligned} \quad (99)$$

23<sup>rd</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 h_\alpha^{(2)} \frac{\partial}{\partial g_\alpha^{(2)}} \delta(h^{(2)} - g^{(2)}) \rangle \\ = & -\lambda \frac{\partial}{\partial g_\alpha^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int g_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \end{aligned} \quad (100)$$

25<sup>th</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \gamma \nabla^2 \theta^{(2)} \frac{\partial}{\partial \phi^{(2)}} \delta(\theta^{(2)} - \phi^{(2)}) \rangle \\ = & -\gamma \frac{\partial}{\partial \phi^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \phi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \end{aligned} \quad (101)$$

27<sup>th</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times D \nabla^2 c^{(2)} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\ = & -D \frac{\partial}{\partial \psi^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \psi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \end{aligned} \quad (102)$$

32<sup>nd</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \nu \nabla^2 u_\alpha^{(3)} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \end{aligned}$$

$$= -\nu \frac{\partial}{\partial v_\alpha^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int v_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \quad (103)$$

37<sup>th</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 h_\alpha^{(3)} \frac{\partial}{\partial g_\alpha^{(3)}} \delta(h^{(3)} - g^{(3)}) \rangle \\ & = -\lambda \frac{\partial}{\partial g_\alpha^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int g_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \end{aligned} \quad (104)$$

39<sup>th</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times \lambda \nabla^2 \theta^{(3)} \frac{\partial}{\partial \phi^{(3)}} \delta(\theta^{(3)} - \phi^{(3)}) \rangle \\ & = -\gamma \frac{\partial}{\partial \phi^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \phi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \end{aligned} \quad (105)$$

41<sup>st</sup> term,

$$\begin{aligned} & \langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \quad \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \times D \nabla^2 c^{(3)} \frac{\partial}{\partial \psi^{(3)}} \delta(c^{(3)} - \psi^{(3)}) \rangle \\ & = -D \frac{\partial}{\partial \psi^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \psi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \end{aligned} \quad (106)$$

We reduce the third term of right hand side of equation (73),

$$\begin{aligned} & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\ & \quad \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\ & \quad \times \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(1)}} \int \left[ \frac{\partial u_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial u_\beta^{(1)}}{\partial x_\alpha^{(1)}} - \frac{\partial h_\alpha^{(1)}}{\partial x_\beta^{(1)}} \frac{\partial h_\beta^{(1)}}{\partial x_\alpha^{(1)}} \right] \times \frac{d\bar{x}'''}{|\bar{x}''' - \bar{x}|} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ & = \frac{\partial}{\partial v_\alpha^{(1)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(1)}|} \right) \left( \frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}} - \frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}} \right) F_4^{(1,2,3,4)} dx^{(4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \right] \end{aligned} \quad (107)$$

17<sup>th</sup> term,

$$\begin{aligned} & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ & \quad \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \rangle \end{aligned}$$

$$\begin{aligned} & \times \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(2)}} \int [ \frac{\partial u_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial u_\beta^{(2)}}{\partial x_\alpha^{(2)}} - \frac{\partial h_\alpha^{(2)}}{\partial x_\beta^{(2)}} \frac{\partial h_\beta^{(2)}}{\partial x_\alpha^{(2)}} ] \times \frac{d\bar{x}'''}{|\bar{x}''' - \bar{x}''|} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \rangle \\ = & \frac{\partial}{\partial v_\alpha^{(2)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(2)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(2)}|} \right) \left( \frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}} - \frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}} \right) F_4^{(1,2,3,4)} dx^{(4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \right] \quad (108) \end{aligned}$$

Similarly, 31<sup>st</sup> term,

$$\begin{aligned} & \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\ & \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \\ & \times \frac{1}{4\pi} \frac{\partial}{\partial x_\alpha^{(3)}} \int [ \frac{\partial u_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial u_\beta^{(3)}}{\partial x_\alpha^{(3)}} - \frac{\partial h_\alpha^{(3)}}{\partial x_\beta^{(3)}} \frac{\partial h_\beta^{(3)}}{\partial x_\alpha^{(3)}} ] \frac{d\bar{x}'''}{|\bar{x}''' - \bar{x}''|} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \rangle \\ = & \frac{\partial}{\partial v_\alpha^{(3)}} \left[ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(3)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(3)}|} \right) \left( \frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}} - \frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}} \right) F_4^{(1,2,3,4)} dx^{(4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \right] \quad (109) \end{aligned}$$

5<sup>th</sup> and 6<sup>th</sup> terms of right hand side of equation (73),

5<sup>th</sup> term,

$$\begin{aligned} & \langle \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \\ = & \langle 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(1)} \frac{\partial}{\partial v_\alpha^{(1)}} [ \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \\ & \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) ] \rangle \\ = & 2 \in_{m\alpha\beta} \Omega_m \frac{\partial}{\partial v_\alpha^{(1)}} \langle u_\alpha^{(1)} \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \\ & \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \rangle \\ = & 2 \in_{m\alpha\beta} \Omega_m \frac{\partial u_\alpha^{(1)}}{\partial v_\alpha^{(1)}} \langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \\ & \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \rangle \\ = & 2 \in_{m\alpha\beta} \Omega_m F_3^{(1,2,3)} \quad (110) \end{aligned}$$

and 6<sup>th</sup> term,

$$\begin{aligned} & \langle -\delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\ & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \delta(u^{(1)} - v^{(1)}) \rangle \end{aligned}$$

$$\begin{aligned}
 &= -\left\langle f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} [\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \right. \\
 &\quad \left. \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)})] \right\rangle \\
 &= -f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} \left\langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \right. \\
 &\quad \left. \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \right\rangle \\
 &= -f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} F_3^{(1,2,3)} \tag{111}
 \end{aligned}$$

Similarly, 19<sup>th</sup>, 20<sup>th</sup>, 33<sup>rd</sup> and 34<sup>th</sup> terms of right hand side of equation (73),

19<sup>th</sup> term,

$$\begin{aligned}
 &\left\langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right. \\
 &\quad \left. \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(2)} \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \right\rangle \\
 &= 2 \in_{m\alpha\beta} \Omega_m F_3^{(1,2,3)} \tag{112}
 \end{aligned}$$

20<sup>th</sup> term,

$$\begin{aligned}
 &\left\langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \right. \\
 &\quad \left. \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times f(u_\alpha^{(2)} - v_\alpha^{(2)}) \frac{\partial}{\partial v_\alpha^{(2)}} \delta(u^{(2)} - v^{(2)}) \right\rangle \\
 &= -f(u_\alpha^{(2)} - v_\alpha^{(2)}) \frac{\partial}{\partial v_\alpha^{(2)}} F_3^{(1,2,3)} \tag{113}
 \end{aligned}$$

33<sup>rd</sup> term,

$$\begin{aligned}
 &\left\langle \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \right. \\
 &\quad \left. \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times 2 \in_{m\alpha\beta} \Omega_m u_\alpha^{(3)} \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \right\rangle \\
 &= 2 \in_{m\alpha\beta} \Omega_m F_3^{(1,2,3)} \tag{114}
 \end{aligned}$$

34<sup>th</sup> term,

$$\begin{aligned}
 &\left\langle -\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \right. \\
 &\quad \left. \delta(c^{(2)} - \psi^{(2)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times f(u_\alpha^{(3)} - v_\alpha^{(3)}) \frac{\partial}{\partial v_\alpha^{(3)}} \delta(u^{(3)} - v^{(3)}) \right\rangle \\
 &= -f(u_\alpha^{(3)} - v_\alpha^{(3)}) \frac{\partial}{\partial v_\alpha^{(3)}} F_3^{(1,2,3)} \tag{115}
 \end{aligned}$$

14<sup>th</sup> term of Equation (73)

$$\begin{aligned}
 &\delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \delta(c^{(2)} - \psi^{(2)}) \\
 &\delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times R c^{(1)} \frac{\partial}{\partial \psi^{(1)}} \delta(c^{(1)} - \psi^{(1)}) \tag{116} \\
 &= R \psi^{(1)} \frac{\partial}{\partial \psi^{(1)}} F_3^{(1,2,3)}
 \end{aligned}$$

28<sup>th</sup> term of Equation (73)

$$\begin{aligned} & \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \delta(c^{(3)} - \psi^{(3)}) \times R c^{(2)} \frac{\partial}{\partial \psi^{(2)}} \delta(c^{(2)} - \psi^{(2)}) \rangle \\ & = R \psi^{(2)} \frac{\partial}{\partial \psi^{(2)}} F_3^{(1,2,3)} \end{aligned} \quad (117)$$

42<sup>nd</sup> term of Equation (73)

$$\begin{aligned} & \delta(u^{(1)} - v^{(1)}) \delta(h^{(1)} - g^{(1)}) \delta(\theta^{(1)} - \phi^{(1)}) \delta(c^{(1)} - \psi^{(1)}) \delta(u^{(2)} - v^{(2)}) \delta(h^{(2)} - g^{(2)}) \delta(\theta^{(2)} - \phi^{(2)}) \\ & \delta(u^{(3)} - v^{(3)}) \delta(h^{(3)} - g^{(3)}) \delta(\theta^{(3)} - \phi^{(3)}) \times R c^{(3)} \frac{\partial}{\partial \psi^{(3)}} \delta(c^{(3)} - \psi^{(3)}) \rangle \\ & = R \psi^{(3)} \frac{\partial}{\partial \psi^{(3)}} F_3^{(1,2,3)} \end{aligned} \quad (118)$$

### III. RESULTS

Substituting the results (74) – (118) in equation (73) we get the transport equation for three- point distribution function  $F_3^{(1,2,3)}(v, g, \phi, \psi)$  in MHD turbulent flow in a rotating system in presence of dust particles under going a first order reaction as

$$\begin{aligned} & \frac{\partial F_3^{(1,2,3)}}{\partial t} + \left( v_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} + v_\beta^{(2)} \frac{\partial}{\partial x_\beta^{(2)}} v_\beta^{(3)} \frac{\partial}{\partial x_\beta^{(3)}} \right) F_3^{(1,2,3)} + \left[ g_\beta^{(1)} \left( \frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}} + \frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}} \right) \frac{\partial}{\partial x_\beta^{(1)}} \right. \\ & \left. + g_\beta^{(2)} \left( \frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}} + \frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}} \right) \frac{\partial}{\partial x_\beta^{(2)}} + g_\beta^{(3)} \left( \frac{\partial g_\alpha^{(3)}}{\partial v_\alpha^{(3)}} + \frac{\partial v_\alpha^{(3)}}{\partial g_\alpha^{(3)}} \right) \frac{\partial}{\partial x_\beta^{(3)}} \right] F_3^{(1,2,3)} \\ & + \nu \left( \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(1)} + \frac{\partial}{\partial v_\alpha^{(2)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(2)} + \frac{\partial}{\partial v_\alpha^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \right) \\ & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int v_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\ & + \lambda \left( \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(1)} + \frac{\partial}{\partial g_\alpha^{(2)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(2)} + \frac{\partial}{\partial g_\alpha^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \right) \\ & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int g_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\ & + \gamma \left( \frac{\partial}{\partial \phi^{(1)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(1)} + \frac{\partial}{\partial \phi^{(2)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(2)} + \frac{\partial}{\partial \phi^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \right) \\ & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \phi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \end{aligned}$$

$$\begin{aligned}
 & +D\left(\frac{\partial}{\partial\psi^{(1)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(1)}}+\frac{\partial}{\partial\psi^{(2)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(2)}}+\frac{\partial}{\partial\psi^{(3)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(3)}}\right) \\
 & \times\frac{\partial^2}{\partial x_\beta^{(4)}\partial x_\beta^{(4)}}\int\psi^{(4)}F_4^{(1,2,3,4)}dv^{(4)}dg^{(4)}d\phi^{(4)}d\psi^{(4)} \\
 & -\left[\frac{\partial}{\partial v_\alpha^{(1)}}\left\{\frac{1}{4\pi}\int\frac{\partial}{\partial x_\alpha^{(1)}}\left(\frac{1}{|\bar{x}^{(4)}-\bar{x}^{(1)}|}\right)\right\}+\frac{\partial}{\partial v_\alpha^{(2)}}\left\{\frac{1}{4\pi}\int\frac{\partial}{\partial x_\alpha^{(2)}}\left(\frac{1}{|\bar{x}^{(4)}-\bar{x}^{(2)}|}\right)\right\}\right. \\
 & +\frac{\partial}{\partial v_\alpha^{(3)}}\left\{\frac{1}{4\pi}\int\frac{\partial}{\partial x_\alpha^{(3)}}\left(\frac{1}{|\bar{x}^{(4)}-\bar{x}^{(3)}|}\right)\right\}\times\left(\frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}}\frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}}-\frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}}\frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}}\right)F_4^{(1,2,3,4)} \\
 & \times dx^{(4)}dv^{(4)}dg^{(4)}d\phi^{(4)}d\psi^{(4)}\left.\right]+6\in_{m\alpha\beta}\Omega_mF_3^{(1,2,3)} \\
 & +\left[f\left(u_\alpha^{(1)}-v_\alpha^{(1)}\right)\frac{\partial}{\partial v_\alpha^{(1)}}+f\left(u_\alpha^{(2)}-v_\alpha^{(2)}\right)\frac{\partial}{\partial v_\alpha^{(2)}}+f\left(u_\alpha^{(3)}-v_\alpha^{(3)}\right)\frac{\partial}{\partial v_\alpha^{(3)}}\right]F_3^{(1,2,3)} \\
 & -R(\psi^{(1)}\frac{\partial}{\partial\psi^{(1)}}+\psi^{(2)}\frac{\partial}{\partial\psi^{(2)}}+\psi^{(3)}\frac{\partial}{\partial\psi^{(3)}})F_3^{(1,2,3)}=0 \tag{119}
 \end{aligned}$$

Continuing this way, we can derive the equations for evolution of  $F_4^{(1,2,3,4)}$ ,  $F_5^{(1,2,3,4,5)}$  and so on. Logically it is possible to have an equation for every  $F_n$  ( $n$  is an integer) but the system of equations so obtained is not closed. Certain approximations will be required thus obtained.

#### IV. DISCUSSIONS

If  $R=0$ , i.e the reaction rate is absent, the transport equation for three- point distribution function in MHD turbulent flow (119) becomes

$$\begin{aligned}
 & \frac{\partial F_3^{(1,2,3)}}{\partial t}+\left(v_\beta^{(1)}\frac{\partial}{\partial x_\beta^{(1)}}+v_\beta^{(2)}\frac{\partial}{\partial x_\beta^{(2)}}+v_\beta^{(3)}\frac{\partial}{\partial x_\beta^{(3)}}\right)F_3^{(1,2,3)}+\left[g_\beta^{(1)}\left(\frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}}+\frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}}\right)\frac{\partial}{\partial x_\beta^{(1)}}\right. \\
 & \left.+g_\beta^{(2)}\left(\frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}}+\frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}}\right)\frac{\partial}{\partial x_\beta^{(2)}}+g_\beta^{(3)}\left(\frac{\partial g_\alpha^{(3)}}{\partial v_\alpha^{(3)}}+\frac{\partial v_\alpha^{(3)}}{\partial g_\alpha^{(3)}}\right)\frac{\partial}{\partial x_\beta^{(3)}}\right]F_3^{(1,2,3)} \\
 & +\nu\left(\frac{\partial}{\partial v_\alpha^{(1)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(1)}}+\frac{\partial}{\partial v_\alpha^{(2)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(2)}}+\frac{\partial}{\partial v_\alpha^{(3)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(3)}}\right) \\
 & \times\frac{\partial^2}{\partial x_\beta^{(4)}\partial x_\beta^{(4)}}\int v_\alpha^{(4)}F_4^{(1,2,3,4)}dv^{(4)}dg^{(4)}d\phi^{(4)}d\psi^{(4)} \\
 & +\lambda\left(\frac{\partial}{\partial g_\alpha^{(1)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(1)}}+\frac{\partial}{\partial g_\alpha^{(2)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(2)}}+\frac{\partial}{\partial g_\alpha^{(3)}}\lim_{\bar{x}^{(4)}\rightarrow\bar{x}^{(3)}}\right) \\
 & \times\frac{\partial^2}{\partial x_\beta^{(4)}\partial x_\beta^{(4)}}\int g_\alpha^{(4)}F_4^{(1,2,3,4)}dv^{(4)}dg^{(4)}d\phi^{(4)}d\psi^{(4)}
 \end{aligned}$$



$$\begin{aligned}
 & + \gamma \left( \frac{\partial}{\partial \phi^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial \phi^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial \phi^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \phi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 & + D \left( \frac{\partial}{\partial \psi^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial \psi^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial \psi^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \psi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 - & \left[ \frac{\partial}{\partial v_\alpha^{(1)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(1)}|} \right) \right\} + \frac{\partial}{\partial v_\alpha^{(2)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(2)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(2)}|} \right) \right\} \right. \\
 & + \frac{\partial}{\partial v_\alpha^{(3)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(3)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(3)}|} \right) \right\} \times \left( \frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}} - \frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}} \right) F_4^{(1,2,3,4)} \\
 & \times dx^{(4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \Big] + 6 \in_{m\alpha\beta} \Omega_m F_3^{(1,2,3)} \\
 & + \left[ f(u_\alpha^{(1)} - v_\alpha^{(1)}) \frac{\partial}{\partial v_\alpha^{(1)}} + f(u_\alpha^{(2)} - v_\alpha^{(2)}) \frac{\partial}{\partial v_\alpha^{(2)}} + f(u_\alpha^{(3)} - v_\alpha^{(3)}) \frac{\partial}{\partial v_\alpha^{(3)}} \right] F_3^{(1,2,3)} = 0 \quad (120)
 \end{aligned}$$

which was obtained earlier by Azad et al (2015d)

If the fluid is clean then  $f=0$ , the transport equation for three-point distribution function in MHD turbulent flow (119) becomes

$$\begin{aligned}
 & \frac{\partial F_3^{(1,2,3)}}{\partial t} + \left( v_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} + v_\beta^{(2)} \frac{\partial}{\partial x_\beta^{(2)}} + v_\beta^{(3)} \frac{\partial}{\partial x_\beta^{(3)}} \right) F_3^{(1,2,3)} + \left[ g_\beta^{(1)} \left( \frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}} + \frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}} \right) \frac{\partial}{\partial x_\beta^{(1)}} \right. \\
 & + g_\beta^{(2)} \left( \frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}} + \frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}} \right) \frac{\partial}{\partial x_\beta^{(2)}} + g_\beta^{(3)} \left( \frac{\partial g_\alpha^{(3)}}{\partial v_\alpha^{(3)}} + \frac{\partial v_\alpha^{(3)}}{\partial g_\alpha^{(3)}} \right) \frac{\partial}{\partial x_\beta^{(3)}} \Big] F_3^{(1,2,3)} \\
 & + v \left( \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial v_\alpha^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial v_\alpha^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int v_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 & + \lambda \left( \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial g_\alpha^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial g_\alpha^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int g_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)}
 \end{aligned}$$

$$\begin{aligned}
 & + \gamma \left( \frac{\partial}{\partial \phi^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial \phi^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial \phi^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \phi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 & + D \left( \frac{\partial}{\partial \psi^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial \psi^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial \psi^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \psi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 & - \left[ \frac{\partial}{\partial v_\alpha^{(1)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(1)}|} \right) \right\} + \frac{\partial}{\partial v_\alpha^{(2)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(2)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(2)}|} \right) \right\} \right. \\
 & + \frac{\partial}{\partial v_\alpha^{(3)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(3)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(3)}|} \right) \right\} \times \left( \frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}} - \frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}} \right) F_4^{(1,2,3,4)} \\
 & \left. \times dx^{(4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \right] + 6 \in_{m\alpha\beta} \Omega_m F_3^{(1,2,3)} = 0 \quad (121)
 \end{aligned}$$

This was obtained earlier by Azad et al (2014b)

In the absence of coriolis force,  $\Omega_m = 0$ , the transport equation for three- point distribution function in MHD turbulent flow (116) becomes

$$\begin{aligned}
 & \frac{\partial F_3^{(1,2,3)}}{\partial t} + \left( v_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} + v_\beta^{(2)} \frac{\partial}{\partial x_\beta^{(2)}} + v_\beta^{(3)} \frac{\partial}{\partial x_\beta^{(3)}} \right) F_3^{(1,2,3)} + \left[ g_\beta^{(1)} \left( \frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}} + \frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}} \right) \frac{\partial}{\partial x_\beta^{(1)}} \right. \\
 & + g_\beta^{(2)} \left( \frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}} + \frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}} \right) \frac{\partial}{\partial x_\beta^{(2)}} + g_\beta^{(3)} \left( \frac{\partial g_\alpha^{(3)}}{\partial v_\alpha^{(3)}} + \frac{\partial v_\alpha^{(3)}}{\partial g_\alpha^{(3)}} \right) \frac{\partial}{\partial x_\beta^{(3)}} \left. \right] F_3^{(1,2,3)} \\
 & + v \left( \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial v_\alpha^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial v_\alpha^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int v_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 & + \lambda \left( \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial g_\alpha^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial g_\alpha^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int g_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)}
 \end{aligned}$$



$$\begin{aligned}
 & + \gamma \left( \frac{\partial}{\partial \phi^{(1)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(1)} + \frac{\partial}{\partial \phi^{(2)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(2)} + \frac{\partial}{\partial \phi^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \phi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 & + D \left( \frac{\partial}{\partial \psi^{(1)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(1)} + \frac{\partial}{\partial \psi^{(2)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(2)} + \frac{\partial}{\partial \psi^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \psi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 - & \left[ \frac{\partial}{\partial v_\alpha^{(1)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(1)}|} \right) \right\} + \frac{\partial}{\partial v_\alpha^{(2)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(2)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(2)}|} \right) \right\} \right. \\
 & + \frac{\partial}{\partial v_\alpha^{(3)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(3)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(3)}|} \right) \right\} \times \left( \frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}} - \frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}} \right) F_4^{(1,2,3,4)} \\
 & \left. \times dx^{(4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \right] \\
 + & \left[ f \left( u_\alpha^{(1)} - v_\alpha^{(1)} \right) \frac{\partial}{\partial v_\alpha^{(1)}} + f \left( u_\alpha^{(2)} - v_\alpha^{(2)} \right) \frac{\partial}{\partial v_\alpha^{(2)}} + f \left( u_\alpha^{(3)} - v_\alpha^{(3)} \right) \frac{\partial}{\partial v_\alpha^{(3)}} \right] F_3^{(1,2,3)} = 0 \tag{122}
 \end{aligned}$$

This was obtained earlier by N. M. Islam et al (2014)

If the fluid is clean and the system is nonrotating then  $f=0$ ,  $\Omega_m=0$  and the reaction rate is absent,  $R=0$ , the transport equation for three- point distribution function in MHD turbulent flow (119) becomes

$$\begin{aligned}
 & \frac{\partial F_3^{(1,2,3)}}{\partial t} + \left( v_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} + v_\beta^{(2)} \frac{\partial}{\partial x_\beta^{(2)}} v_\beta^{(3)} \frac{\partial}{\partial x_\beta^{(3)}} \right) F_3^{(1,2,3)} + \left[ g_\beta^{(1)} \left( \frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}} + \frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}} \right) \frac{\partial}{\partial x_\beta^{(1)}} \right. \\
 & + g_\beta^{(2)} \left( \frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}} + \frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}} \right) \frac{\partial}{\partial x_\beta^{(2)}} + g_\beta^{(3)} \left( \frac{\partial g_\alpha^{(3)}}{\partial v_\alpha^{(3)}} + \frac{\partial v_\alpha^{(3)}}{\partial g_\alpha^{(3)}} \right) \frac{\partial}{\partial x_\beta^{(3)}} \left. \right] F_3^{(1,2,3)} \\
 & + \nu \left( \frac{\partial}{\partial v_\alpha^{(1)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(1)} + \frac{\partial}{\partial v_\alpha^{(2)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(2)} + \frac{\partial}{\partial v_\alpha^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int v_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 & + \lambda \left( \frac{\partial}{\partial g_\alpha^{(1)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(1)} + \frac{\partial}{\partial g_\alpha^{(2)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(2)} + \frac{\partial}{\partial g_\alpha^{(3)}} \lim_{\bar{x}(4) \rightarrow \bar{x}(3)} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int g_\alpha^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)}
 \end{aligned}$$

$$\begin{aligned}
 & + \gamma \left( \frac{\partial}{\partial \phi^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial \phi^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial \phi^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \phi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 & + D \left( \frac{\partial}{\partial \psi^{(1)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(1)}} + \frac{\partial}{\partial \psi^{(2)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(2)}} + \frac{\partial}{\partial \psi^{(3)}} \lim_{\bar{x}^{(4)} \rightarrow \bar{x}^{(3)}} \right) \\
 & \times \frac{\partial^2}{\partial x_\beta^{(4)} \partial x_\beta^{(4)}} \int \psi^{(4)} F_4^{(1,2,3,4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \\
 - & \left[ \frac{\partial}{\partial v_\alpha^{(1)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(1)}|} \right) \right\} + \frac{\partial}{\partial v_\alpha^{(2)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(2)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(2)}|} \right) \right\} \right. \\
 & + \frac{\partial}{\partial v_\alpha^{(3)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(3)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(3)}|} \right) \right\} \times \left( \frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}} - \frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}} \right) F_4^{(1,2,3,4)} \\
 & \left. \times dx^{(4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \right] = 0 \tag{123}
 \end{aligned}$$

It was obtained earlier by Azad et al (2014a)

If we drop the viscous, magnetic and thermal diffusive and concentration terms from the three point evolution equation (119), we have

$$\begin{aligned}
 & \frac{\partial F_3^{(1,2,3)}}{\partial t} + \left( v_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} + v_\beta^{(2)} \frac{\partial}{\partial x_\beta^{(2)}} v_\beta^{(3)} \frac{\partial}{\partial x_\beta^{(3)}} \right) F_3^{(1,2,3)} + \left[ g_\beta^{(1)} \left( \frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}} + \frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}} \right) \frac{\partial}{\partial x_\beta^{(1)}} \right. \\
 & + g_\beta^{(2)} \left( \frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}} + \frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}} \right) \frac{\partial}{\partial x_\beta^{(2)}} + g_\beta^{(3)} \left( \frac{\partial g_\alpha^{(3)}}{\partial v_\alpha^{(3)}} + \frac{\partial v_\alpha^{(3)}}{\partial g_\alpha^{(3)}} \right) \frac{\partial}{\partial x_\beta^{(3)}} \left. \right] F_3^{(1,2,3)} \\
 - & \left[ \frac{\partial}{\partial v_\alpha^{(1)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(1)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(1)}|} \right) \right\} + \frac{\partial}{\partial v_\alpha^{(2)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(2)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(2)}|} \right) \right\} \right. \\
 & + \frac{\partial}{\partial v_\alpha^{(3)}} \left\{ \frac{1}{4\pi} \int \frac{\partial}{\partial x_\alpha^{(3)}} \left( \frac{1}{|\bar{x}^{(4)} - \bar{x}^{(3)}|} \right) \right\} \times \left( \frac{\partial v_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial v_\beta^{(4)}}{\partial x_\alpha^{(4)}} - \frac{\partial g_\alpha^{(4)}}{\partial x_\beta^{(4)}} \frac{\partial g_\beta^{(4)}}{\partial x_\alpha^{(4)}} \right) F_4^{(1,2,3,4)} \\
 & \left. \times dx^{(4)} dv^{(4)} dg^{(4)} d\phi^{(4)} d\psi^{(4)} \right] = 0 \tag{124}
 \end{aligned}$$

The existence of the term

$$\left( \frac{\partial g_\alpha^{(1)}}{\partial v_\alpha^{(1)}} + \frac{\partial v_\alpha^{(1)}}{\partial g_\alpha^{(1)}} \right), \left( \frac{\partial g_\alpha^{(2)}}{\partial v_\alpha^{(2)}} + \frac{\partial v_\alpha^{(2)}}{\partial g_\alpha^{(2)}} \right) \text{ and } \left( \frac{\partial g_\alpha^{(3)}}{\partial v_\alpha^{(3)}} + \frac{\partial v_\alpha^{(3)}}{\partial g_\alpha^{(3)}} \right)$$

can be explained on the basis that two characteristics of the flow field are related to each other and describe the interaction between the two modes (velocity and magnetic) at point  $x^{(1)}$ ,  $x^{(2)}$  and  $x^{(3)}$ .

We can exhibit an analogy of this equation with the 1<sup>st</sup> equation in BBGKY hierarchy in the kinetic theory of gases. The first equation of BBGKY hierarchy is given Lundgren (1969) as



$$\frac{\partial F_1^{(1)}}{\partial t} + \frac{1}{m} v_\beta^{(1)} \frac{\partial}{\partial x_\beta^{(1)}} F_1^{(1)} = n \iint \frac{\partial \psi_{1,2}}{\partial x_\alpha^{(1)}} \frac{\partial F_2^{(1,2)}}{\partial v_\alpha^{(1)}} d\bar{x}^{(2)} d\bar{v}^{(2)} \quad (125)$$

where  $\psi_{1,2} = \psi |v_\alpha^{(2)} - v_\alpha^{(1)}|$  is the inter molecular potential.

Some approximations are required, if we want to close the system of equations for the distribution functions. In the case of collection of ionized particles, i.e. in plasma turbulence, it can be provided closure form easily by decomposing  $F_2^{(1,2)}$  as  $F_1^{(1)} F_1^{(2)}$ . But it will be possible if there is no interaction or correlation between two particles. If we decompose  $F_2^{(1,2)}$  as

$$F_2^{(1,2)} = (1 + \epsilon) F_1^{(1)} F_1^{(2)}$$

and

$$F_3^{(1,2,3)} = (1 + \epsilon)^2 F_1^{(1)} F_1^{(2)} F_1^{(3)}$$

Also

$$F_4^{(1,2,3,4)} = (1 + \epsilon)^3 F_1^{(1)} F_1^{(2)} F_1^{(3)} F_1^{(4)}$$

where  $\epsilon$  is the correlation coefficient between the particles. If there is no correlation between the particles,  $\epsilon$  will be zero and distribution function can be decomposed in usual way. Here we are considering such type of approximation only to provide closed from of the equation.

## V. ACKNOWLEDGEMENT

Authors are grateful to the Department of Applied Mathematics, University of Rajshahi, Bangladesh for giving all facilities and support to carry out this work.

## REFERENCES

1. Hopf E. (1952). Statistical hydrodynamics and functional calculus, J. Rotational Mech. Anal., 1, 87-123.
2. Kraichanan R H. (1959), Distribution functions in the statistical theory of convective MHD turbulent flow, J. Fluid Mech., 5, 497.
3. Edward S. (1964). The statistical dynamics of homogeneous turbulence J. Fluid Mech. 18(2), 239-273.
4. Herring J. R (1965). Self-consistent field approach to turbulence theory, Phys. Fluid, 8, 2219-2225.
5. Ta-You W., 1966. Kinetic Theory of Gases and Plasma. Addison Wesley Phlelising.
6. Lundgren T.S., 1967. Hierarchy of coupled equations for multi-point turbulence velocity distribution functions. Phys. Fluid., 10: 967.
7. Lundgren T.S., 1969. Hierarchy of coupled equations for multi-point turbulence velocity distribution functions. Phys. Fluid., 12: 485.
8. Kishore N., 1978. Distribution functions in the statistical theory of MHD turbulence of an incompressible fluid. J. Sci. Res., BHU, 28(2): 163.
9. Pope S. B., 1979. The statistical theory of turbulence flames. Phil. Trans Roy. Soc. London A, 291: 529.
10. Pope S.B., 1981. The transport equation for the joint probability density function of velocity and scalars in turbulent flow. Phys. Fluid., 24: 588.
11. Kollman W. and J. Janica, 1982. The transport equation for the probability density function of a scalar in turbulent shear flow. Phys. Fluid., 25: 1955.
12. Kishore N., Singh S. R., 1984. Transport equation for the bivariate joint distribution function of velocity and temperature in turbulent flow. Bull. Tech. Univ. Istanbul, 37: 91-100
13. Kishore N., Singh S. R., 1985. Transport equation for the joint distribution function of velocity, temperature and concentration in convective turbulent flow. Prog. of Maths. 19(1&2):13-22.
14. Dixit T., Upadhyay B.N., 1989. Distribution functions in the statistical theory of MHD turbulence of an incompressible fluid in the presence of the Coriolis force, Astrophysics and Space Sci., 153: 297-309.
15. Sarker M.S.A. and Kishore N., 1991. Distribution functions in the statistical theory of convective MHD turbulence of an incompressible fluid. Astrophys. Space Sci., 181: 29.
16. Sarker M.S.A. and N. Kishore, 1999. Distribution functions in the statistical theory of convective MHD turbulence of mixture of a miscible incompressible fluid. Prog. Math., BHU India, 33(1-2): 83.
17. Sarker M.S.A. and M.A. Islam, 2002. Distribution functions in the statistical theory of convective MHD turbulence of an incompressible fluid in a rotating system. Rajshahi University Studies. Part-B. J. Sci., Vol: 30.
18. Azad, M. A. K., Sarker M. S. A., 2003. Decay of MHD turbulence before the final period for the case of multi-point and multi-time in presence of dust particle, Bangladesh J. Sci. Ind. Res. 38(3-4):151-164.
19. Azad, M. A. K., Sarker M. S. A., 2004a. Statistical theory of certain distribution functions in MHD

- turbulence in a rotating system in presence of dust particles. Rajshahi university studies. Part -B. J. Sci., 32: 193-210.
20. Sarker M. S. A., Azad M. A. K., 2004b. Decay of MHD turbulence before the final period for the case of multi-point and multi-time in a rotating system. Rajshahi. University Studies. Part-B, J. Sci., 32: 177-192.
  21. Sarker M. S. A., Azad M. A. K., 2006. Decay of temperature fluctuations in homogeneous turbulence before the final period for the case of multi-point and multi-time in a rotating system. Bangladesh. J. Sci. & Ind. Res., 41 (3-4): 147-158.
  22. Islam M.A. and M.S.A. Sarker, 2007. Distribution functions in the statistical theory of MHD turbulence for velocity and concentration undergoing a first order reaction. Rajshahi university studies. Part-B. J. Sci., Vol: 35.
  23. Azad, M. A. K., Sarker M. S. A., 2008. Decay of temperature fluctuations in homogeneous turbulence before the final period for the case of Multi- point and Multi- time in a rotating system in presence of dust particle. J. Appl. Sci. Res., 4(7): 793- 802.
  24. Azad, M. A. K., Sarker M. S. A., 2009a. Decay of temperature fluctuations in MHD turbulence before the final period in a rotating system,, Bangladesh J. Sci & Ind. Res, 44(4): 407-414.
  25. Azad M. A. K., Aziz M. A., Sarker M. S. A., 2009b. First order reactant in Magneto-hydrodynamic turbulence before the final Period of decay in presence of dust particles in a rotating System. J. Phy. Sci., 13: 175-190.
  26. Azad M. A. K., Aziz M. A., Sarker M. S. A., 2009c. First order reactant in MHD turbulence before the final period of decay in a rotating system. J. Mech. Contin. & Math. Sci., 4(1): 410-417.
  27. Aziz M. A., Azad M. A. K., Sarker M. S. A., 2009d. First order reactant in Magneto- hydrodynamic turbulence before the final period of decay for the case of multi-point and multi-time in a rotating system. Res. J. Math. & Stat., 1(2): 35-46.
  28. Aziz M. A., Azad M. A. K., Sarker M. S. A., 2010a. Statistical Theory of Certain Distribution Functions in MHD Turbulent Flow Undergoing a First Order Reaction in Presence of Dust Particles, Journal of Modern Mathematics and Statistics, 4(1):11-21.
  29. Aziz M. A., Azad M. A. K., Sarker M. S. A., 2010b. Statistical Theory of Distribution Functions in Magneto-hydrodynamic Turbulence in a Rotating System Undergoing a First Order Reaction in Presence of Dust Particles, Res. J. Mathematics and Statistics, 2(2):37-55.
  30. Aziz M. A., Azad M. A. K., Sarker M. S. A., 2010c. First order reactant in MHD turbulence before the final period of decay for the case of multi-point and multi-time in a rotating system in presence of dust particle. Res. J. Math. & Stat., 2(2): 56-68, 2010c.
  31. Azad, M. A. K., Aziz M. A., Sarker M. S. A., 2011. Statistical Theory of certain Distribution Functions in MHD Turbulent flow for Velocity and Concentration Undergoing a First Order Reaction in a Rotating System, Bangladesh Journal of Scientific & Industrial Research, 46(1): 59-68.
  32. Azad, M. A. K., Molla M. H. U., Rahman M. Z., 2012. Transport Equatoin for the Joint Distribution Function of Velocity, Temperature and Concentration in Convective Tubulent Flow in Presence of Dust Particles, Research Journal of Applied Sciences, Engineering and Technology(RJASSET) 4(20): 4150-4159.
  33. Molla M. H. U., Azad M. A. K., Rahman M. Z., 2012. Decay of temperature fluctuations in homogeneous turbulenc before the finaln period in a rotating system. Res. J. Math. & Stat., 4(2): 45-51.
  34. Bkar Pk M. A., Azad M. A. K. Sarker M.S.A., 2012. First-order reactant in homogeneou dusty fluid turbulence prior to the ultimate phase of decay for four-point correlation in a rotating system. Res. J. Math. & Stat., 4(2): 30-38.
  35. Bkar Pk M. A., Azad M. A. K. Sarker M.S.A., 2013a. First-order reactant in homogeneous turbulence prior to the ultimate phase of decay for four-point correlation in presence of dust particle. Res. J. Appl. Sci. Engng. & Tech., 5(2): 585-595.
  36. Bkar Pk. M. A., Sarker M. S. A., Azad M. A. K., 2013b. Homogeneous turbulence in a first-order reactant for the case of multi-point and multi-time prior to the final period of decay in a rotating system. Res. J. Appl. Sci., Engng. & Tech. 6(10): 1749-1756.
  37. Bkar Pk. M. A., Sarker M. S. A., Azad M. A. K., 2013c. Decay of MHD turbulence before the final period for four- point correlation in a rotating system. Res. J. Appl. Sci., Engng. & Tech. 6(15): 2789-2798.
  38. Bkar Pk M. A., Azad M. A. K. Sarker M.S.A., 2013d. Decay of dusty fluid MHD turbulence for four- point correlation in a rotating System. J. Sci. Res. 5 (1):77-90.
  39. Azad, M. A. K., Molla M. H. U., Rahman M. Z., 2014. Transport Equatoin for the Joint Distribution Functions in Convective Tubulent Flow in Presence of Dust Particles undergoing a first order reaction, Rajshahi University Journal of Science and Engineering( accepted for publication), volume 41:
  40. Azad M. A. K., Mumtahinah Mst., 2013. Decay of Temperature fluctuations in dusty fluid homogeneous turbulence prior to final period, Res. J. Appl. Sci., Engng and Tech., 6(8): 1490-1496.
  41. Bkar PK. M. A., Sarker M. S. A., Azad M. A. K., 2013. Decay of MHD Turbulence prior to the ultimate phase in presence of dust particle for Four-



- point Correlation, Int. J. of Appl. Math and Mech. 9 (10): 34-57.
42. Molla M. H. U., Azad M. A. K., Rahman M. Z., 2013. Transport equation for the joint distribution functions of velocity, temperature and concentration in convective turbulent flow in presence of coriolis force, Int. J. Scholarly Res. Gate, 1(4): 42-56.
43. Azad M. A. K., Mumtahinah Mst., 2014. Decay of Temperature fluctuations in dusty fluid homogeneous turbulence prior to the ultimate period in presence of coriolis force, Res. J. Appl. Sci. Engng. and Tech. 7(10):1932-1939.
44. Azad M.A.K., Islam M. N., Mumtahinah Mst., 2014a. Transport Equations of Three- point Distribution Functions in MHD Turbulent Flow for Velocity, Magnetic Temperature and Concentration, Res. J. Appl. Sci. Engng. and Tech. 7(24): 5184- 5220.
45. Azad M. A. K. Islam M. N., 2014b. Transport Equations of Three Point Distribution Functions in MHD Turbulent Flow for Velocity, Magnetic Temperature and Concentration in a Rotating System, Int. J. Scholarly Res. Gate, 2(3): 75-120.
46. Islam M. N., Azad M.A.K., 2014. Transport equations of three-point distribution functions in MHD turbulent flow for velocity, magnetic temperature and concentration in presence of dust particles, Int. J. Scholarly Res. Gate, 2(4): 195-240.
47. M. Abu Bkar Pk, Abdul Malek, M. Abul Kalam Azad, 2015. Effects of first-order reactant on MHD turbulence at four-point correlation, Applied and Computational Mathematics, 4(1): 11-19.
48. M. A. K. Azad, Mst. Mumtahinah, and M. A. Bkar Pk, 2015. Transport equation for the joint distribution functions of certain variables in convective dusty fluid turbulent flow in a rotating system under going a first order reaction, American Journal of Applied Mathematics, 3(1): 21-30.
49. M. A. Bkar Pk, A. Malek and M. A. K. Azad, 2015a. 4-point correlations of dusty fluid MHD turbulent flow in a 1<sup>st</sup> order reaction, Global J. of Science Frontier Research: F Mathematics & Decision Sciences 15(2), version 1.0: 53-69.
50. M. A. K. Azad, Abdul Malek & M. A. Bkar Pk, 2015a. 3-Point Distribution Functions in the Statistical theory in MHD Turbulent flow for Velocity, Magnetic Temperature and Concentration under going a First Order Reaction, Global J. of Science Frontier Research: A Physics and Space Science, 15(2) Version 1.0, 13-45.
51. M. A. K. Azad, Abdul Malek & M. Abu Bkar Pk, 2015b. Statistical Theory for Three-Point Distribution Functions of Certain Variables in MHD Turbulent Flow in Existence of Coriolis Force in a First Order Reaction, Global J. of Science Frontier Research: A Physics and Space Science, 15(2) Version 1.0, 55- 90.
52. M. A. K. Azad, M. Abu Bkar Pk, & Abdul Malek, 2015c. Effect of Chemical Reaction on Statistical Theory of Dusty Fluid MHD Turbulent Flow for Certain Variables at Three- Point Distribution Functions, Science Journal of Applied Mathematics and Statistics, 3(3): 75-98.
53. M. A. K. Azad, Mst. Mumtahinah & M. Abu Bkar Pk, 2015d. Statistical Theory of Three- Point Distribution Functions in MHD Turbulent flow for Velocity, Magnetic Temperature and Concentration in a Rotating System in presence of Dust Particles, Int. J. Scholarly Res. Gate, 3(3): 91-142.
54. M. A. Bkar Pk & M.A.K.Azad, 2015b. Decay of Energy of MHD Turbulence before the Final Period for Four-point Correlation in a Rotating System Undergoing a First Order Chemical Reaction, Int. J. Scholarly Res. Gate, 3(4): 143-160.
55. M. H. U. Molla , M. A. K. Azad & M.Z. Rahman, 2015. Transport Equation for the Joint Distribution Functions of Velocity, Temperature and Concentration in Convective Turbulent Flow in a Rotating System in Presence of Dust Particles, Int. J. Scholarly Res. Gate, 3(4): 161-175.