

GLOBAL JOURNAL

OF SCIENCE FRONTIER RESEARCH: A

Physics and Space Science



Time Unit of Mende

Formation of Electrical Fields

Highlights

Cosmology for Pedestrian

Problem of High Energy Physics

Discovering Thoughts, Inventing Future

VOLUME 19 ISSUE 2 VERSION 1.0



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH: A
PHYSICS & SPACE SCIENCE



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH: A
PHYSICS & SPACE SCIENCE

VOLUME 19 ISSUE 2 (VER. 1.0)

OPEN ASSOCIATION OF RESEARCH SOCIETY

© Global Journal of Science
Frontier Research. 2019.

All rights reserved.

This is a special issue published in version 1.0
of "Global Journal of Science Frontier
Research." By Global Journals Inc.

All articles are open access articles distributed
under "Global Journal of Science Frontier
Research"

Reading License, which permits restricted use.
Entire contents are copyright by of "Global
Journal of Science Frontier Research" unless
otherwise noted on specific articles.

No part of this publication may be reproduced
or transmitted in any form or by any means,
electronic or mechanical, including
photocopy, recording, or any information
storage and retrieval system, without written
permission.

The opinions and statements made in this
book are those of the authors concerned.
Ultrapublishing has not verified and neither
confirms nor denies any of the foregoing and
no warranty or fitness is implied.

Engage with the contents herein at your own
risk.

The use of this journal, and the terms and
conditions for our providing information, is
governed by our Disclaimer, Terms and
Conditions and Privacy Policy given on our
website [http://globaljournals.us/terms-and-condition/
menu-id-1463/](http://globaljournals.us/terms-and-condition/menu-id-1463/)

By referring / using / reading / any type of
association / referencing this journal, this
signifies and you acknowledge that you have
read them and that you accept and will be
bound by the terms thereof.

All information, journals, this journal,
activities undertaken, materials, services and
our website, terms and conditions, privacy
policy, and this journal is subject to change
anytime without any prior notice.

Incorporation No.: 0423089
License No.: 42125/022010/1186
Registration No.: 430374
Import-Export Code: 1109007027
Employer Identification Number (EIN):
USA Tax ID: 98-0673427

Global Journals Inc.

(A Delaware USA Incorporation with "Good Standing"; Reg. Number: 0423089)

Sponsors: *Open Association of Research Society*
Open Scientific Standards

Publisher's Headquarters office

Global Journals® Headquarters
945th Concord Streets,
Framingham Massachusetts Pin: 01701,
United States of America

USA Toll Free: +001-888-839-7392
USA Toll Free Fax: +001-888-839-7392

Offset Typesetting

Global Journals Incorporated
2nd, Lansdowne, Lansdowne Rd., Croydon-Surrey,
Pin: CR9 2ER, United Kingdom

Packaging & Continental Dispatching

Global Journals Pvt Ltd
E-3130 Sudama Nagar, Near Gopur Square,
Indore, M.P., Pin:452009, India

Find a correspondence nodal officer near you

To find nodal officer of your country, please
email us at local@globaljournals.org

eContacts

Press Inquiries: press@globaljournals.org
Investor Inquiries: investors@globaljournals.org
Technical Support: technology@globaljournals.org
Media & Releases: media@globaljournals.org

Pricing (Excluding Air Parcel Charges):

Yearly Subscription (Personal & Institutional)
250 USD (B/W) & 350 USD (Color)

EDITORIAL BOARD

GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH

Dr. John Korstad

Ph.D., M.S. at California State University
Professor of Biology
Department of Biology Oral Roberts University

Dr. Rafael Gutiérrez Aguilar

Ph.D., M.Sc., B.Sc., Psychology (Physiological). National
Autonomous University of Mexico.

Andreas Maletzky

Zoologist, University of Salzburg, Department of
Ecology and Evolution Hellbrunnerstraße, Salzburg
Austria, Universitat Salzburg, Austria

Tuncel M. Yegulalp

Professor of Mining, Emeritus
Earth & Environmental Engineering
Henry Krumb School of Mines, Columbia University
Director, New York Mining and Mineral
Resources Research Institute, USA

Nora Fung-ye TAM

DPhil
University of York, UK
Department of Biology and Chemistry
MPhil (Chinese University of Hong Kong)

Prof. Philippe Dubois

Ph.D. in Sciences
Scientific director of NCC-L, Luxembourg
Full professor,
University of Mons UMONS, Belgium

Dr. Mazeyar Parvinzadeh Gashti

Ph.D, M.Sc., B.Sc. Science and Research Branch of Islamic
Azad University, Tehran, Iran
Department of Chemistry & Biochemistry
University of Bern, Bern, Switzerland

Dr. Eugene A. Permyakov

Institute for Biological Instrumentation
Russian Academy of Sciences, Director, Pushchino State
Institute of Natural Science, Department of Biomedical
Engineering, Ph.D., in Biophysics
Moscow Institute of Physics and Technology, Russia

Prof. Dr. Zhang Lifei

Dean, School of Earth and Space Sciences
Ph.D., Peking University
Beijing, China

Prof. Jordi Sort

ICREA Researcher Professor
Faculty, School or Institute of Sciences
Ph.D., in Materials Science, Autonomous University
of Barcelona, Spain

Dr. Matheos Santamouris

Prof. Department of Physics
Ph.D., on Energy Physics
Physics Department
University of Patras, Greece

Dr. Bingsuo Zou

Ph.D. in Photochemistry and
Photophysics of Condensed Matter
Department of Chemistry, Jilin University,
Director of Micro- and Nano- technology Center

Dr. Gayle Calverley

Ph.D. in Applied Physics University of Loughborough,
UK

Dr. Richard B Coffin

Ph.D., in Chemical Oceanography
Department of Physical and Environmental
Texas A&M University, USA

Prof. Ulrich A. Glasmacher

Institute of Earth Sciences, University Heidelberg,
Germany, Director of the Steinbeis Transfer Center,
TERRA-Explore

Dr. Fabiana Barbi

B.Sc., M.Sc., Ph.D., Environment, and Society,
State University of Campinas, Brazil
Center for Environmental Studies and Research
State University of Campinas, Brazil

Dr. Yiping Li

Ph.D. in Molecular Genetics,
Shanghai Institute of Biochemistry,
The Academy of Sciences of China, Senior Vice Director,
UAB Center for Metabolic Bone Disease

Dr. Maria Gullo

Ph.D., Food Science, and Technology
University of Catania
Department of Agricultural and Food Sciences
University of Modena and Reggio Emilia, Italy

Dr. Bingyun Li

Ph.D. Fellow, IAES
Guest Researcher, NIOSH, CDC, Morgantown, WV
Institute of Nano and Biotechnologies
West Virginia University, US

Dr. Linda Gao

Ph.D. in Analytical Chemistry,
Texas Tech University, Lubbock,
Associate Professor of Chemistry,
University of Mary Hardin-Baylor

Dr. Indranil Sen Gupta

Ph.D., Mathematics, Texas A & M University
Department of Mathematics, North Dakota State
University, North Dakota, USA

Dr. Alicia Esther Ares

Ph.D. in Science and Technology,
University of General San Martin, Argentina
State University of Misiones, US

Dr. Lev V. Eppelbaum

Ph.D. Institute of Geophysics,
Georgian Academy of Sciences, Tbilisi
Assistant Professor Dept Geophys & Planetary Science,
Tel Aviv University Israel

Dr. A. Heidari

Ph.D., D.Sc
Faculty of Chemistry
California South University (CSU), United States

Dr. Qiang Wu

Ph.D. University of Technology, Sydney
Department of Mathematics, Physics and Electrical
Engineering
Northumbria University

Dr. Giuseppe A Provenzano

Irrigation and Water Management, Soil Science, Water
Science Hydraulic Engineering
Dept. of Agricultural and Forest Sciences
Universita di Palermo, Italy

Dr. Sahraoui Chaieb

Ph.D. Physics and Chemical Physics
M.S. Theoretical Physics
B.S. Physics, École Normale Supérieure, Paris
Associate Professor, Bioscience
King Abdullah University of Science and Technology

Dr. Lucian Baia

Ph.D. Julius-Maximilians University Würzburg, Germany
Associate professor
Department of Condensed Matter Physics and Advanced
Technologies Babes-Bolyai University, Romania

Dr. Mauro Lenzi

Ph.D.
Biological Science,
Pisa University, Italy
Lagoon Ecology and Aquaculture Laboratory
Orbetello Pesca Lagunare Company

Dr. Mihaly Mezei

Associate Professor
Department of Structural and Chemical Biology
Mount Sinai School of Medical Center
Ph.D., Etsv Lornd University, New York University,
United State

Dr. Wen-Yih Sun

Professor of Earth and Atmospheric Sciences
Purdue University, Director, National Center for
Typhoon and Flooding, United State

Dr. Shengbing Deng

Departamento de Ingeniería Matemática,
Universidad de Chile.
Facultad de Ciencias Físicas y Matemáticas.
Blanco Encalada 2120, piso 4.
Casilla 170-3. Correo 3. - Santiago, Chile

Dr. Arshak Poghossian

Ph.D. Solid-State Physics
Leningrad Electrotechnical Institute, Russia
Institute of Nano and Biotechnologies
Aachen University of Applied Sciences, Germany

Dr. T. David A. Forbes

Associate Professor and Range Nutritionist
Ph.D. Edinburgh University - Animal Nutrition
M.S. Aberdeen University - Animal Nutrition
B.A. University of Dublin- Zoology.

Dr. Fotini Labropulu

Mathematics - Luther College
University of Regina, Ph.D., M.Sc. in Mathematics
B.A. (Honours) in Mathematics
University of Windsor
Web: luthercollege.edu/Default.aspx

Dr. Miguel Angel Ariño

Professor of Decision Sciences
IESE Business School
Barcelona, Spain (Universidad de Navarra)
Ph.D. in Mathematics, University of Barcelona, Spain

Dr. Della Ata

BS in Biological Sciences
MA in Regional Economics, Hospital Pharmacy
Pharmacy Technician Educator

Dr. Claudio Cuevas

Department of Mathematics
Universidade Federal de Pernambuco
Recife PE
Brazil

Dr. Yap Yee Jiun

B.Sc.(Manchester), Ph.D.(Brunel), M.Inst.P.(UK)
Institute of Mathematical Sciences,
University of Malaya,
Kuala Lumpur, Malaysia

Dr. Latifa Oubedda

National School of Applied Sciences,
University Ibn Zohr, Agadir, Morocco
Lotissement Elkhier N°66, Bettana Salé Maroc

Dr. Hai-Linh Tran

Ph.D. in Biological Engineering
Department of Biological Engineering
College of Engineering, Inha University, Incheon, Korea

Angelo Basile

Professor
Institute of Membrane Technology (ITM)
Italian National, Research Council (CNR), Italy

Dr. Yaping Ren

School of Statistics and Mathematics
Yunnan University of Finance and Economics
Kunming 650221, China

Dr. Gerard G. Dumancas

Postdoctoral Research Fellow,
Arthritis and Clinical Immunology Research Program,
Oklahoma Medical Research Foundation
Oklahoma City, OK, United States

Dr. Bondage Devanand Dhondiram

Ph.D.
No. 8, Alley 2, Lane 9, Hongdao station,
Xizhi district, New Taipei city 221, Taiwan (ROC)

Dr. Eman M. Gouda

Biochemistry Department,
Faculty of Veterinary Medicine,
Cairo University,
Giza, Egypt

Dr. Bing-Fang Hwang

Ph.D., in Environmental and Occupational Epidemiology,
Professor, Department of Occupational Safety
and Health, China Medical University, Taiwan

Dr. Baziotis Ioannis

Ph.D. in Petrology-Geochemistry-Mineralogy
Lipson, Athens, Greece

Dr. Vishnu Narayan Mishra

B.Sc.(Gold Medalist), M.Sc. (Double Gold Medalist), Ph.D.
(I.I.T. Roorkee)

Dr. Xianghong Qi

University of Tennessee
Oak Ridge National Laboratory
Center for Molecular Biophysics
Oak Ridge National Laboratory
Knoxville, TN 37922, United States

Dr. Vladimir Burtman

Research Scientist
The University of Utah, Geophysics, Frederick Albert
Sutton Building, 115 S 1460 E Room 383
Salt Lake City, UT 84112, US

Dr. Yaping Ren

School of Statistics and Mathematics
Yunnan University of Finance and Economics
Kunming 650221, China

CONTENTS OF THE ISSUE

- i. Copyright Notice
 - ii. Editorial Board Members
 - iii. Chief Author and Dean
 - iv. Contents of the Issue
-
1. The Visual Problem of High Energy Physics, Gravitation and Cosmology for Pedestrian. *1-36*
 2. Assessment of Urban Cooling Island Effects of Jabi Lake Reservoir, Abuja on its Surrounding Microclimate using Geospatial Techniques. *37-47*
 3. Time Unit of Mende. *49-51*
 4. On the Physical Mechanism of the Formation of Electrical Fields on the Inductions. *53-57*
-
- v. Fellows
 - vi. Auxiliary Memberships
 - vii. Preferred Author Guidelines
 - viii. Index



The Visual Problem of High Energy Physics, Gravitation and Cosmology

By Leo G. Sapogin, V. A. Dzhanibekov & Yu. A. Ryabov

Technical University (MADI)

Abstract- This article describes a model of Unitary Quantum Field theory where the particle is represented as a wave packet. The frequency dispersion equation is chosen so that the packet periodically appears and disappears without form changings. The envelope of the process is identified with a conventional wave function. Equation of such a field is nonlinear and relativistically invariant. With proper adjustments, they are reduced to Dirac, Schrödinger and Hamilton-Jacobi equations. A number of new experimental effects have been predicted both for high and low energies. Fine structure constant (1/137) was determined in 1988, masses of numerous elementary particles starting from electron were evaluated in 2007 with accuracy less than 1 %. 2 pentaquarks, θ^+ barion, Higgs boson and particle 28 GeV were discovered 11 years later, all of them were evaluated with high accuracy before.

Keywords: *unitary quantum theory, standard model, quantum electrodynamics, maxwell equations, schrödinger equation, solid state.*

GJSFR-A Classification: FOR Code: 020109



Strictly as per the compliance and regulations of:



The Visual Problem of High Energy Physics, Gravitation and Cosmology

Leo G. Sapogin ^α, V. A. Dzhanibekov ^σ & Yu. A. Ryabov ^ρ

Abstract- This article describes a model of Unitary Quantum Field theory where the particle is represented as a wave packet. The frequency dispersion equation is chosen so that the packet periodically appears and disappears without form changings. The envelope of the process is identified with a conventional wave function. Equation of such a field is nonlinear and relativistically invariant. With proper adjustments, they are reduced to Dirac, Schrödinger and Hamilton-Jacobi equations. A number of new experimental effects have been predicted both for high and low energies. Fine structure constant (1/137) was determined in 1988, masses of numerous elementary particles starting from electron were evaluated in 2007 with accuracy less than 1%. 2 pentaquarks, θ^+ baryon, Higgs boson and particle 28 GeV were discovered 11 years later, all of them were evaluated with high accuracy before.

Keywords: unitary quantum theory, standard model, quantum electrodynamics, maxwell equations, schrödinger equation, solid state.

It is difficult, if not impossible; to avoid the conclusion that only mathematical description expresses all our knowledge about the various aspects of our reality.

- An opinion extracted from a Soviet newspaper

I. INTRODUCTION

It seems that the majority of researches have absolutely forgotten the fact that one of the master spirits of contemporary world, A. Einstein, till the end of his life had not adopted the standard quantum mechanics at all. Better to cite his well-known words: «Great initial success of the quantum theory could not make me believe in a dice game being the basis of it. I do not believe this principal conception being an appropriate foundation for physics as a whole... Physicists think me an old fool, but I am convinced that the future development of physics will go in another direction than heretofore I reject the main idea of modern statistical quantum theory... I'm quite sure that the existing statistical character of modern quantum theory should be ascribed to the fact that that theory operates

with incomplete descriptions of physical systems only.» A. Einstein (back translation).

In fact we have now to distinguish "the substance" and "fields" although we can hope that future generation will overcome this Dualistic interpretation and will replace it by general idea as Field theory of our days has been vainly trying to do. A. Einstein (back translation).

At the first stage of quantum mechanics evolution in the frame of classical physics theory the mechanism of corpuscular-wave dualism was not discovered at all, as it was done later in the UQT [2-6, 14-16, 60, 76-77]. It is worth a surprise that the super abstract quantum ideology *ad hoc* designed by Niels Bohr was suitable in general for the description of quantum reality. An explorer did contradict anything by strictly using new frequently paradoxical quantum rules, and any paradox could be removed by the simple prohibition of its analysis. Although many researches tried to solve these problems they were not successful. The outspoken interpretation of quantum theory had become out of any criticism. More over the determination of simulators describing one of the sides of quantum reality had been announced as the main target of quantum science, while the picture in figures and a-going had become simply an optional target.

Nevertheless one general philosophic problem had been remaining: the dual principles of the fundamental physics. There were particles as some points being the source of a field that could not be reduced to the field itself; the researchers did not do their utmost, though. Introduction of this micro-particle had resulted in a wide range of different divergences - anybody knows that electric power of a point charge equals infinity. A lot of ideas had appeared, absolutely brilliant ideas from mathematical point of view, suitable for these appearing infinities abolishing. We can use as a cover the words of P. A. Dirac: "...most physicists are completely satisfied with the existing situation. They consider relativistic quantum field theory and electrodynamics to be quite perfect theories and it is not necessary to be anxious about the situation. I should say that I do not like that at all, because according to such perfect theory we have to neglect, without any reason, infinities that appear in the equations. It is just mathematical nonsense. Usually in mathematics the value can be rejected only in the case it were too small, but not because it is infinitely big and someone would

Author α : Department of Physics, Technical University (MADI), 64 Leningradsky pr., A-319, Moscow, 125319, Russia. e-mail: sapogin@cnf.madi.ru

Author σ : Department of Cosmophysics, Tomsk State University, 36 Leninast., 634050, Tomsk, Russia. e-mail: vdzhan42@yandex.ru

Author ρ : Department of Mathematics, Technical University (MADI), 64 Leningradsky pr., A-319, 125319, Moscow, Russia. e-mail: yuaryabov@gmail.com

like to get rid of it". Direction in Physics, New York, 1978(back translation).

The substantial success of the quantum mechanics (particularly in the stationary cases) was based on the simple correlation of de Broglie wave length and geometric properties of potential. Formally the particle was considered as a point; in other case it was difficult to add probability amplitude character to the wave function. But the point-character of a charge as well the principle of Complementarity did not allow to go ahead in the elementary particles structure and thus the further development of the quantum theory of the field in the frames of the assumed paradigm had resulted in total fiasco of the field quantum theory itself.

There is another concept in physics; it comes from W.Clifford, A. Einstein, E.Schrödinger and Louis de Broglie in which the particle is considered as a bunch (wave packet) of a certain unified field. The position of associates of the concept would be expressed the most clearly by the following words of A.Einstein: "*We could therefore regard matter as being constituted by the regions of space in which the field is extremely strong. A thrown stone is, from this point of view, a changing field in which the states of the greatest field intensity travel through space with the velocity of the stone. There is no place in this new kind of physics both for the field and the matter, for the Field is the only reality... and the laws of motion would automatically follow from the laws of field*"(back translation). By (M. Jemmer, [1]) definition of the particle as a wave packet is the item for some unitary theory.

The first articles concerning this matter were published in [2-6, 8-15]. The author of term "unitary" has classified quantum wave's theories, and this classification correlates with the theories that represent particle as a wave packet [1]. In Unitary Quantum The Every particle is described as a wave packet that in its movement is periodically spreading along the Meta galaxy and is gathering again.

For such moving wave packet both the relativistic and the classical mechanics follow from unitary quantum equations, probably the Maxwell equations and the gravitation follow from exact UQT equations [14,15,60,76, 77], but it's not proved yet being the problem of the future. Nevertheless the UQT scalar equation (a telegraph type) in general makes it possible to obtain not only Schrödinger but also Maxwell equations [14-16,60, 76].

The field of investigations of the Unified Unitary Quantum Theory (UQT) is the most profound level of substance: the level of elementary particles and quantum effects.

It's well known that all particles have besides corpuscular wave properties too (particles can interfere with each other or with themselves), and their behavior is described by wave functions. In the case of a particle moved in the free space, the wave function is described

as de Broglie plane wave which wavelength is inverse to the momentum of the particle.

If the particle is slowing down or accelerating by applied fields then its wavelength is increasing or decreasing, respectively. The wave itself has no physical interpretation, but the squared value of its amplitude is proportional to the probability to find the particle in a defined place. That is why these waves are also called "*waves of probability*" or "*waves of knowledge*", etc.

There is another problem: the particle has no exact value for coordinate and for momentum at the same time, although either value could be measured arbitrarily closely (uncertainty relation). That is why the definition of trajectory of a quantum particle has no sense.

As opposed to the laws of the classical physics with its determinism where one can predict results of the motion of separate particles, in the quantum theory one can only predict the probability of the behavior of separate particles. Even the nature does not know the way a particle goes by in the case of diffraction by two slits. But it is not the most depressing. The Quantum Physics has wave-corpucle dualism as well as field dualism and matter dualism. All particles act as sources of field, but it appears that they are only points which have no relation to these fields, and one can't tell anything in concrete about them.

Let us continue to confuse the reader. We shall consider an extremely simple experiment with single particles in the terms of the modern quantum theory. It will allow us to understand what is going on and will be useful for us in the future.

Let single photons fall on a semitransparent mirror directed at the angle of 45 degrees to their stream. Semitransparent means that a half of the falling light is reflected and another one passes by. Photon counters are installed on the paths of reflected and passed rays (Fig.1).




Fig. 1: Experiments with individual photons on semitransparent mirror

In the terms of the wave theory everything is simple: an incident wave will be reflected and will be passed partially. But particles as they are indivisible have to be reflected or be passed by. If a counter of reflected beams particles registers an event it is evidently to suppose that the second counter will register nothing. It is easy to see that if one will re-unite passed and reflected beams and sends them to the

screen then...it's all about the way how we are going to argue.

From the wave theory there will be an interference pattern, but from the corpuscular theory it will not occur. In fact, an interference pattern is observed in experiments even for single photons, and our suppositions are wrong to say the least. In order to spare the doubts about how is it possible, it is better to forbid one to think about it. And the principle of Complementarity in modern physics does it in any case.

It allows to ask only the questions for which it's possible to give an answer by experimentally only. When one tries to find a particle it means that one rejects to observe the interference pattern and vice versa. As though we could know from experiment either a particle has passed by or has been reflected, we would realize the real particle behavior. But it's impossible to do by the means of macro-instruments.

The principle of Complementarity makes the quantum physics descriptively inaccessible. "There are many experiments, that we just cannot explain without considering the wave function as a wave that influences on the whole region and not as particles appearing may be here, may be there, as it is possible in the terms of the clearly probabilistic point of view" (E. Schrödinger). In other words a wave acts in the whole area simultaneously, not "may be here, may be there", otherwise there wouldn't be any diffraction or interference. Eventually we have to admit that the prohibitions of the principle of Complementarity respond to the weakness philosophy, and the role of this principle is obviously analogous to the role of a calorie, a phlogiston and other obsolete concepts.

II. THE UNIFIED FIELD THEORY APPROACH

Let us ask the questions that are forbidden by the principle of Complementarity. What is the wave of an electron? What is the behavior of an electron indeed, when nobody looks at it? (it's natural behavior?) How does it manage to go through a potential barrier when its energy is less than the barrier height (tunneling effect)? How does it, as it is indivisible, go simultaneously by two slits which are divided by a great distance in comparison with its own size? What kind of structure has an atom of hydrogen constructed at the lowest energy state (s-state)? How can the probabilistic consideration of a wave function to result from the mathematical formalism of the theory? Why is the actual Quantum Mechanics reversible? This is a primary law, and the irreversibility has to follow from it for dispose the paradoxes in the statistical mechanics. Last but not least: what structure has the electron itself described in the terms of probability? This is a huge complex of mysteries. All (or almost all) physicists resigned and even prefer not to speak about it. But there is also someone who does speak. Paul Langevin even called

the formalism of Quantum Mechanics with its principle of Complementarity the "intellectual debauch".

E. Schrödinger wrote that he "was happy for three months" when he had got the idea to consider the particle as the packet (bunch) of de Broglie waves until the English mathematician Darwin proved that the packet would spread and vanish. But the trouble of all these attempts (E. Schrödinger, Louis de Broglie, etc) was the fact that they always tried to construct it by means of de Broglie waves with such dispersion that any wave packet had to spread. The including of nonlinearity (Louis de Broglie) just extremely complicated the problem but didn't solve it.

III. THE UNIFIED UNITARY QUANTUM THEORY INTERPRETATION

Ernst Mach's outlook is well characterized by an episode from his life. Mach was studying ballistics and was often presented on the shooting grounds. Once he said to a colleague: "There is a question, which is constantly torturing me: Does the shell exist in the interval between the shooting and the hitting of the target? We do not see or feel it in any way."

"You are crazy," his colleague answered; "How can you doubt the existence of the shell? You yourself are calculating its trajectory, and your calculations agree with the experiment. Is this not proof of the shell's existence?"

"It does not prove anything," Mach objected. "The trajectory might only be a supplementary mathematical notion serving to predict further observations. The shell might not be moving along the trajectory at all. It might disappear at the moment of the shooting and reappear again at the moment it hits the target."

The colleague only shrugged his shoulders in surprise. But Mach did not stop there. In order to solve this problem he designed a special device for photographing the shell in flight. Mach was not only convinced that the shell existed in flight, but he also saw on the photos certain lines coming from the shell, which were called Mach lines.

It was due to his doubts about the existence of an unobserved flying shell that Mach created the supersonic gas dynamic theory. As a tribute to his achievements, the ratio of a flying object's speed to the speed of sound is called the Mach number.

H. Laitko and D. Hoffman, *Matters of Natural and Technical History*, 1988 (4th), pp. 45-57.

The critical feature of the Unified Unitary Quantum Theory (UQT) is the fact that it describes the particle as a bunch (packet) of certain unified field, but not as a questionable structure of the de Broglie waves of probability.

For spying upon the particles which we consider as very small bunches of the realfield, let us consider a Hypothetic Observer (HO) which is able to measure the parameters of these bunches with the hypothetic microprobe. Dimensions of microprobe are much less than the dimensions of the particles. The result of these measurements will be certain structure function that describes bunch of the real field. Obviously, this hypothetic HO and microprobe couldn't exist, but our thought experiments will be as simple as possible.




Fig. 2: Behavior of wave packet in linear dispersion medium (i.e., rather like a series of stroboscopic photographs)

If we choose the dispersion of these partial waves equal to linear, we could have an extremely curious process, which mathematical formulation used never before. If we have dispersion, then harmonic components of partial waves propagated with different velocities will result in spreading of the wave packet over all space or over all Meta galaxy. Mathematical investigations show that the spreading goes on without any changes of the form of the wave packet; but at the end, there is a moment when a wave packet vanishes at all. Where does its energy disappear to? It remains in the form of harmonic components that set up a certain background in any point in the space. As these waves are not damped and continue to propagate with velocity of their own, then after a while the wave packet begins to revive in another point, but its sign will be changed at that. During the motion, the packet will appear and disappear periodically(Fig. 2).

The envelope of this process is locus of points, locus of points of its maximum, it is a sinusoidal quantity and it rests in all reference frames; in other words, its phase velocity is equal zero in any reference frame, i.e. it's relativistically invariant (only by means of it the results of the relativistic dynamics are absolutely correct). If we change a reference frame, we will receive a different value of wavelength of the envelope, but it will be motionless as well. As the computing shows the wavelength of the envelope is exactly equal to de Broglie wavelength, and the dependence of this wavelength on packet velocity is the same! As you see, all the Unified Unitary Quantum Theory is occupied with

the resolute exploiting of this basic idea. It should be stressed that this periodical appearing and disappearing of particles doesn't refer to the Quantum Mechanics, as an immovable packet doesn't oscillate. The requirement of the relativistic invariance, that would be the main requirement for any theory, specifies the idea further. It states the following: when Lord has excited in space continuum wave packet with his finger and then he has taken it away, then the packet will go on oscillating as a membrane or astring after impact. The frequency ω_S of these free oscillations is very high: it is proportional to the rest energy of the particle and it is equal to the frequency of the so called Schrödinger` strembling ("zitter-bewegung").

$$\omega_S = \frac{mc^2}{\hbar\gamma}, \gamma = \sqrt{1 - v^2/c^2}$$

Within the motion there arise de Broglie vibrations with frequency $\omega_B = mv^2 / \hbar\gamma$ due to dispersion. At small energies $\omega_s \gg \omega_B$ and the presence of quick own oscillations has no influence on experiment. So, all quantum phenomena result from de Broglie oscillations.

The value of frequency ω_B tends to ω_s with growth of energy and resonance phenomenon appears that results in oscillating amplitude increase and in mass growth. Thus the well-known graph of particle mass dependence on the velocity (Fig.3) approaching to lights velocity constitutes actually a half of usual resonance curve for forced oscillation of harmonic oscillator if energy dissipation is absent. In the case when $v \rightarrow c$, frequency $\omega_B \rightarrow \omega_s$ (frequency resonance), $\gamma \rightarrow 0$ and the beats appear with difference frequency

$$\omega_d = \omega_s - \omega_B \approx mc^2\gamma / \hbar$$

and particle will obtain absolutely new low-frequency envelop with new wave length

$$\lambda = \frac{h}{mc\gamma}$$

Ultra-relativistic case




Fig. 3

This is a new wave, and that can be checked experimentally in CERN. In ultra-relativistic limit case the value of Δ becomes much greater as typical dimension of quantum system it (new wave) interacts with. Now the length of new wave grows with energy contrary to de Broglie wave length slowly decreasing, and particle requires the form of quasi-stationary wave packet moving in accordance with classical laws. That explains the success of hydrodynamics fluid theory concerning with numerous particle birth when the packet having extremely big amplitude is able to split into series of packets with smaller amplitudes.

But such splitting processes characterize not only high-energy particles. Something like this takes place at small energies also, but overwhelming majority of arising wave packets are under the barrier and so will not be detected. It would be perfect to examine by experiments at future accelerators the appearance of such new wave with the length growing together with energy [2-6, 16, 60, 76]. For example see also the Fission of Elementary Particles and the Evidence for the Fractional Electrons in Liquid Helium [67]. In a cover [68] about it there is next: *"One man think that the electron split. If he's right it's curtains for quantum theory"*.

If our HO takes on the way of motion of the wave packet quite a number of his microprobes, then due to the dispersion spreading and rebuilding he can observe the envelope of this process, and all of this will not be at variance to the general Quantum Mechanics, as this envelope corresponds to the wave function. This figure, i.e. a sinusoidal envelope with a regular shape, can be seen by the HO in the only case: if the only single particle would exist in the world. But the real world consists of an enormous number of particles moving each other with different velocities. The partial waves (harmonic components) of those particles which have vanished at this moment can be summarized and emerge real fluctuations of the field or in other words the vacuum fluctuations that will act in a random manner.

These fluctuations could destroy all idyllic character of measurements of our HO (Hypothetic Observer) for single particle in Universe because the sinusoidal envelope will be distorted by vacuum fluctuations and it will be difficult to separate it clearly. Any wave packet that is described in the terms of the becoming structural function could be decomposed by means of Fourier transforming into plane sinusoidal (partial) waves.

These waves are infinitely numerous, and their amplitude is infinitesimal. If we summarize them it will emerge zero everywhere except of the area occupied by the structure function. Thus the structure function could be represented either as a function of time (time representation) or as a function of an amplitude of harmonic components related to frequency (spectral

representation). It is absolutely equivalent to mathematical representations.

Now there is no necessity in the principle Complementary that was a very convenient view *ad hoc*. It is easy and clear how the synthesis of corpuscular and wave properties is realized. Corpuscular properties occur due to the localization of a wave packet in a small spatial region. The wave properties of the de Broglie waves can be explained in the following way: when the wave packet approaches to the diffraction system (for example Young's experiment with two slits) then we have an ordinary diffraction of partial waves by slits, and the diffraction pattern of partial waves appears at the screen. HO could observe it with his microprobes.

The UQT wave function differs from standard wave function of quantum mechanics by multiplicand of running structured function:

$$\Phi(\mathbf{r}, t) = f(\mathbf{r} - \mathbf{v}t) \exp\left(i \frac{Et}{\hbar} - \frac{\mathbf{P}\mathbf{r}}{\hbar}\right)$$

Structured function $f(\mathbf{r} - \mathbf{v}t)$ of wave package nulls de Broglie wave everywhere except the area of its existence, or in other words the absence of the space where de Broglie wave can spread. Thus problems in connection with the reduction of wave function immediately disappear. We would like to accentuate that de Broglie wave isn't really a wave but maximum locus of packet on the run that arrange (or "draw") a sine wave. The geometric point place of packet appears as sum of the harmonic waves, and exists in any diffraction experiment, because all propagation equations are linear.

As these packets are not overlapped then everything is linear and the superposition of the partial wave creates a total diffraction pattern modulated by the de Broglie wave, although the plain deBroglie wave doesn't exist at all. It should be stressed that de Broglie wave is a packets locus of points of maximum in his motion, and it is a superposition of partial waves, that is why it appears in any diffraction and interference experiment.

IV. THE QUANTUM MEASUREMENTS

Let us try to consider real instruments, which are always macroscopic. Atomic nuclei and electron shells are situated quite close to each other and form very numerous, but discrete series. A transition from the one such a state to another is a quantum jump. That is why the absorption and emitting of energy between the atomic systems is carried out by means of the quanta. However, it doesn't mean that in the motion process the quantum or the particle propagates as something constant and indivisible. The energy of the particle can be divided or changed by vacuum fluctuations. The wave packet of a photon, for example, can, in the issue of the overlapping of vacuum fluctuation, turn into

meson at short time, and photon can disguise one self as a proton or as a neutron. It is assumed in the ordinary quantum field theory that a proton has an atmosphere mesons; it follows from the interpretation of the results of its collisions with another particles. There is no mesons atmosphere indeed. A proton appears and disappears during its motion constantly at the de Broglie wavelength, and its mass changes periodically from the double value of a proton's mass to zero, taken on the intermediate values of mesons masses.

Eventually, all of the quantum measurements are based on energy absorption and present inconvertible processes [5, 6, 13, 60]. For every instrument founded a particle will operate, a quantum of energy is needed at least, thus it is a threshold energy of instrument defining its responsiveness. By the way, we would like to notice that our HO (Hypothetic Observer) uses the instruments with zero threshold energy that is why it can register even vacuum fluctuations.

Let us consider the process of interaction of a particle with a macro-instrument [5, 6, 13, 20, 60, 76]. As soon as the particle is a wave packet, its energy is proportional to the intensity of the packet, but it can be changed because of periodic spreading's and appearances. Besides the packet itself can be divided during the interactions. The macro-instrument to register a particle has to wait for a moment when the total energy of the particle and of the fluctuation of the atom would be more or equal to threshold energy. It is clear that the probability of the operation of the apparatus will be proportional to the amplitude of the wave packet, or more exactly, to the value of intensity of the envelope of the wave function. If the wave packet with a too low intensity in comparison with threshold energy of the macro-instrument approaches to the macro-instrument, the great fluctuation of vacuum is required, but the probability of such an event is too small, and it means that the probability to detect the particle is small too (Fig. 4).




Fig. 4: Quantum measurements

The theory of the quantum measurements is developed in the Unified Unitary Quantum Theory(UQT), and the statistical interpretation follows now from the theory, but not just postulated, as it was before in the conventional quantum theory. This point of view requires

automatically that the value of the dispersion of vacuum fluctuations is finite that, in another turn, requires the finiteness of the Universe!

V. THE UNITARY QUANTUM ILLUSTRATIONS

The uncertainty relation arises because energy and momentum are not constants, but they periodically change because of the dispersion owing to disappearance and appearance of the particle [2-4, 60, 76]. Besides because of statistical laws of measurements with macro instruments, there is no any way to measure anything accurately owing to the unpredictable fluctuations of the vacuum. HO (Hypothetic Observer) could predict the coordinate, the momentum or the energy of the packet, if he would be the only one in the Universe, i.e. in the case of absence of the vacuum fluctuations.

The presence of unpredictable vacuum fluctuations makes all of the laws of the micro-world principally statistical for any observer. An accurate prediction of expected events requires an accurate knowledge of the vacuum fluctuation in any moment of time, what is impossible, because it is necessary to have the information on the structure and the behavior of any packet(particle) in the universe and to control their motion. The mechanical determinism of Laplace[14-16,46,60, 71,76] went absolutely lost in the modern physics as well as in the future one. Maxwell was right when he told; "*the true logic of the universe is calculation of the probabilities*". (back translation). The envelope of partial waves, occurring due to linear transformations at the wave packet and being in the ruins of splitting of the packet corresponds to Huygens principle. It explains how the relating of a moving particle with a monochromatic de Broglie wave is formally possible, propagating in the direction of the motion, and with all wave properties. There are partial waves that we consider as participants of diffraction and interference, but due to the principle of superposition we get the same result as if it a de Broglie wave would participate at the process.

The new linear equations of the UQT allow the time inversion with simultaneous replacing of the wave function with a conjugated one, with the formal reversibility. Actually this reversibility takes place just in the case if the Universe consisted of the only one particle, as in the real world the recovering of the previous vacuum fluctuation is also needed for the total reversibility of the process. But there is a simultaneous reversibility of all processes in the Universe required for it that is impossible. It doesn't mean that quantum processes are inconvertible, just the reversibility has a statistical character, but now direction of the current of time defines entropy only.

The envelope, introduced before, is accurately monochromatic, but it does not exist as a traveling plane

wave with such properties in the reality. Though it is related to the energy of the particle, the following definitions, such as “waves of the probability”, “waves of the knowledge”, could be related with it too. In contrast to the general quantum theory, now a very important phase is coming. It is the most easy to show it as the tunneling effect.

We would like to underline these established quantum phenomena to the reader. If we have a sufficiently narrow barrier with the height that is larger than the energy of an incident particle, according to the classical mechanics it will never go through the barrier. In the general quantum theory, the incident wave reflects and passes by partially, and we have a finite quantity of the probability that the particle will be behind the barrier. In these cases the general Quantum Mechanics states that the particle makes a tunnel in the barrier for itself, hiding the method of creation of this tunnel.

Let us listen to what HO says of this process? If a particle is approaching closely to a potential barrier in the phase of an absolute collapse, then it easily goes through the barrier, not interacting with it because of linear of all of equations for the small amplitude of the field. It just appears behind the barrier, without interacting with it, if its width is much less than de Broglie wavelength. And there is no necessity for it to make a tunnel. However, if it approaches in the phase with the maximal value of the packet, then the particle would be reflected because of the nonlinear interaction of the waves with the field of the barrier.

Now let us return to the experiment with the semitransparent mirror, discussed above. In terms of the described point of view, the wave packet (particle) will be divided at the mirror and enter in every beam, that depends on the packet phase near the mirror and on the structure of the mirror in this place. We have, in general, two not equal wave packets fragments with less values of the amplitude that can interfere. The changing of the parts of the fragments does not follow by because all process are linear, i.e. they are not dependants on amplitude. Besides the probability of detecting of the fragments is reduced, because an appreciable fluctuation of the vacuum is necessary for arising of threshold of detection of the counter. Consequently, in the results of the measurements the particles have to be lost or be observed as single particles in both of the beams simultaneously. The creation of two particles from a single is not a confusing fact, because the energy of the fragments will be reconstructed to the necessary level by means of the vacuum fluctuation. Note, the statement of Standard Quantum Mechanics that the particle may be presented simultaneously in many points of quantum world sounds strange from the common sense and remained for decades without any understanding of principal things. Within bounds of UQT scientific explanations are correct in principle [60, 76].

At present time we have an ambiguous situation when high-tech experiments with fantastic results, for example, the classical experiments of Brown and Twiss and their variations (Fig. 1). It was found that two counters detected particles at one moment – evident confirmation of phenomena under discussion. Furthermore, most of such experiments (including experiments with entangled photons) confirm directly this interpretation. The results of experiments with entangled particles are quite simple and understandable within bounds of UQT, and the idea to seek some over light mystic relations between particles is fully meaningless.

In consequence, an increasing number of photon pairs is always observed in the beam of light. However, it has been found that it is possible to carry out experiments whose effect remains also in the situation when there is no any way for any induced radiation. If we will knock together different particles, and if in the point of impact one or two particles are vanishing, then they have to pass through another without any interaction. Indeed, in the proton-proton interactions 6% of the particles don't interact, but go through the others. Similar effect takes place in the atom of hydrogen in the state of minimum of energy. It is well known that it's not rotational-state, and Bohr-Sommerfeld's atom model describes the spectrum strictly in the relativistic case. If we apply this model to the s-state of the electron, we will obtain that the paths of the electron pass through the nuclear, and they were early excepted as absolutely absurd. Today it is clear that an electron just oscillates along a straight, going through the proton. All this allowed one of the authors to consider the problem of deuteron-deuteron interaction in other respects and to predict the cold fusion [2, 12, 13, 36, 37, 60].

Quantum object is getting classical one with a simultaneous increasing of its mass, i.e. in the case of superposition of a large number of wave packets. The case when all of packets consisting a body will consolidate and spread simultaneously is impossible in physics, as they have different velocities and masses. That is why such a combination seems as a stable and permanent object, moving according to the classical mechanics laws, though every packet is described in terms of the Quantum Mechanics. It looks like all particles in the Universe owe their existence to each other, and the Universe itself is just a mathematical illusion, a trick. Remember “The Tempest” of William Shakespeare:

*We are such stuff
As dreams are made on;
And our little life
Is rounded with a sleep.*

In justice to the adherents of the Complementary we have to say the following. They do not retract it, though they have to wriggle, they have to tell that particles always go to the mirror as correlated

pairs, and one of them goes through, but the second is reflected. Of course we need to consider the induced radiation effect, when the one atom's radiation is increasing the probability of emitting from another excited atom of the same source, but it does not always happen. Let us return to the principle of Complementary. It is clear, that if we would not be interested in the nature of the particle and consider it just as an indivisible point then the principle of Complementary is correct. It is a very curious principle and it is amazing how N. Bohr could invent it.

In recent years a numerous of experiments was carried out, which found out super luminal speeds. Not debating if the special theory of relativity is right or not, let us show that in the Unified Unitary Quantum Theory (UQT) any velocity is possible and the velocity of light is not maximum possible.




Fig. 5: Experiments of L. Wang - superluminal light propagation

Let us consider Euclidean plain space, in which the photon propagates along the X-axis. According to the UQT it is a wave packet and it could be presented as an infinite sum of harmonic components, that exist on the X-axis, figuratively speaking, placed at a distance of a million light years ahead and backwards. Now if we place on the X-axis arbitrarily far some special device, creating an anomalistic high dispersion, then the photon could occur at the exit of the device, because the harmonic components shifted each other. The most interesting in this process is that nothing has moved between incident and reconstructed photons at this velocity! *In other words*, the conventional definition of the velocity is getting obsolete [14-16, 20, 26, 60, 64, 76].

Such experiments were carried out by several teams (in Berkeley, Vienna, Cologne, Florence, etc.) and they emerged the superluminal speeds. The most interesting were investigations [27, 32] in which Lijun Wang found out velocity 310 times higher than the speed of the light (Fig. 5). Wang gave the same interpretation as ours, but only for an impulse of light. In this case it was a wrong interpretation, because in the experiment the envelope of the light pulse was not distorted absolutely (obligatory condition), and Wang noticed that amazing fact. He supposed that the special theory of relativity was absolutely destroyed. But it was not quite true. Our idea that particles are wave packets is an absolutely original idea for the worldwide science. The waves at the Fig. 5 have to be realized as separated partial waves of the spectral decomposition of the wave packets of the separated photons, but not as a spectral decomposition of the light pulse. Then the form of the momentum envelope will not be distorted.

The aspects of the Unitary Quantum Theory are confirmed by results of their practical applications to traditional tasks of physics. The UQT allows firstly in the international science, not either to compute the electron charge and the fine structure constant (1/137) with the great precision (0.3%) [9-11, 65]. Some late the Unitary Quantum Theory allows computing the mass spectrum of all elementary particles without any adjusting parameters [17,19, 31,60,62]. By the way computed spectrum has particle with mass=131.51711 GeV (L=2, m=2). Once desired it can be called "Higgs boson", it lies within declared by the CERN+Tevatron mass interval 125-140 GeV expected to contain "Higgs boson". CERN promised to obtain more precise mass value by December 2014. Some late were find 2 pentaquarks and θ^+ barion. The significance of each of these masses is more than 9 standard deviations. One has a mass of $4380 \pm 8 \pm 29$ MeV and a width of $205 \pm 18 \pm 86$ MeV (our theory mass=4315, $87 \text{ MeV} (L=9, m=0)$) while the second is narrower, with a mass of $4449.8 \pm 1.7 \pm 2.5$ MeV and a width of $39 \pm 5 \pm 19$ MeV (our theory mass=4496,65 MeV (L=7,m=2)), third Θ^+ barion has mass= $1522 \pm 3 \text{ MeV}$ (our theory mass=1524.62 MeV(L=12,m=0)). Report number: CERN-PH-EP-2015-153, LHCb-PAPER-2015-029. All this masses were calculated in 2007[17, 19, 31, 60, 62, 76]! In table 1 there are some calculated particles.

Table 1: (MeV)

$M_{L,m}$	Theory	Experiment	Notation	Error %
$M_{48,45}$	0.51099906	0.51099906	e	--
$M_{16,10}$	105.6545640	105.658387	μ	0.0036
$M_{18,4}$	135.8958708	134.9739	π^0	0.683

$M_{23,0}$	137.2902541	139.5675	π^+, π^-	1.62
$M_{14,1}$	541.7587460	548.86	η	1.29
$M_{7,7}$	894.0806293	891.8	K^{*+}, K^{*0}	0.25
$M_{12,1}$	936.3325942	938.2723	ρ	0.206
$M_{10,4}$	957.1290490	957.2	ω	0.0083
$M_{9,5}$	1110.473414	1115.63	Λ	0.462
$M_{8,6}$	1224.151552	1233	b_1^0	0.71
$M_{11,1}$	1271.916682	1270	K^*	0.14
$M_{9,4}$	1331.705434	1321.32	Ξ^-	0.78
$M_{10,2}$	1378.127355	1382.8	Σ^0	0.33
$M_{12,0}$	1524.617683	1522±3	θ^+ barion	0.29
$M_{8,5}$	1549.444919	1540±5	F_1	0.28
$M_{7,6}$	1595.510637	1594	ω_1	0.094
$M_{9,3}$	1601.282953	1600	ρ'	0.08
$M_{6,6}$	1718.917400	1720	N_0^3	0.06
$M_{10,1}$	1774.917815	1774	K_3^{*+}	0.051
$M_{8,4}$	1906.842877	1905	Δ_5^+	0.096
$M_{9,2}$	1965.115639	1950	Δ_4	0.77
$M_{11,0}$	2092.497779	2100	Λ_4	0.35
$M_{7,5}$	2195.695293	2190	N(2190)	0.25
$M_{7,4}$	2818.645188	2820	η_c	0.048
$M_{10,0}$	2954.549810	2980	η	0.85
$M_{6,5}$	3082.979571	3096	J/ψ	0.42
$M_{7,3}$	3543.664516	3556.3	χ	0.35
$M_{5,5}$	3687.679612	3686.0	ψ'	0.04
$M_{9,0}$	4315.87	4380±86	pentaquark	
$M_{7,2}$	4436.65	4449.8±19	pentaquark	
$M_{7,2}$	4496.650298	4415	ψ'''	1.84
$M_{6,4}$	5642.230394	5629.6	Ξ_b	0.8
$M_{5,3}$	9499.927309	9460.32	R'	0.41
$M_{6,1}$	10075.78271	10023.3	R''	0.523
$M_{7,0}$	10533.15222	10580	R'''	0.442
$M_{2,2}$	131517.11	125000-140000	Higgs	
$M_{0,0}$	6962274	?	Dzhan	?

(e – electron, μ – muon, π^0 – π -meson, p – proton etc.)






Fig. 6: Peak of energy at 28GeV

Recently a new particle was discovered at the Large Hadron Collider in which colliding protons decay into muon pairs at an energy of 28 GeV can destroy all of the Standard Model. A particle with a mass of 28.9354 GeV was predicted in 2007 year –see Table 2 and Fig.6.

The Modern Standard Model and quantum theories of field couldn't even raise these problems mathematically. It should be stressed that when we will

find the spectrum of masses and charge of electron, time won't be a part of the ultimate equations and it will stay Newtonian. In the Unified Unitary Quantum Theory all interactions and particle production (packet split) are considered as an effect of diffraction of the packets by each other because of the nonlinearity. *An analytical solution of these tasks will require new mathematical methods, and it is not even clear how to start with it at present.*

Table 2: All theoretical masses from the muon to the heaviest with name Dzhan(MeV)

105.655,	105.94,	106.241,	108.291,	108.997,	109.597,	110.133,	112.784,	117.054,	118.136,	120.31,	121.826,
122.664,	125.522,	125.71,	127.187,	127.237,	127.306,	131.445,	133.013,	135.896,	137.29,	142.287,	144.326,
145.96,	147.309,	147.698,	149.62,	149.905,	153.765,	153.827,	159.796,	162.135,	162.192,	165.33,	172.249,
177.091,	178.559,	178.758,	180.585,	180.895,	187.69,	192.661,	192.917,	195.832,	199.852,	203.297,	205.588,
209.097,	218.681,	219.639,	221.135,	224.061,	225.089,	231.432,	231.656,	241.805,	249.092,	252.972,	253.184,
269.993,	270.91,	276.443,	280.151,	281.016,	289.488,	300.299,	301.848,	304.024,	314.364,	318.997,	335.848,
339.955,	341.136,	342.52,	349.235,	357.381,	366.838,	373.402,	402.126,	408.316,	423.36,	423.429,	432.83,
445.413,	459.388,	461.593,	472.253,	504.945,	521.772,	529.951,	531.566,	539.326,	541.759,	560.236,	571.51,
606.559,	619.012,	672.537,	686.757,	705.247,	705.477,	730.141,	738.98,	812.354,	828.374,	866.997,	894.081,
897.982,	915.038,	936.333,	957.129,	996.316,	1110.47,	1135.57,	1137.9,	1224.15,	1271.92,	1331.71,	1378.13,
1524.62,	1549.43,	1595.51,	1601.28,	1718.92,	1774.92,	1906.84,	1965.1,	2092.5,	2195.7,	2334.9,	2557.69,
2818.65,	2906.6,	2954.55,	3082.98,	3543.66,	3687.68,	3832.21,	4300.87,	4315.87,	4496.65,	5642.23,	6026.01,
6570.85,	6666.64,	7358.75,	9219.36,	9499.93,	10075.8,	10533.2,	12941.1,	16897.,	18035.6,	18261.3,	25000.7,
28935.4,	33698.9,	36955.4,	54518.8,	71060.4,	87704.5,	131517.,	179100.,	266419.,	601983.,	1.20005e6	3.4545e6,
6.96227e7.											

UQT – trustworthy system because for the first time in science [10, 11, 60] it helped to calculate fine structure constant $\alpha = 1/137.96$ (or $\alpha = 1/137.03552$ taking into account vacuum polarization correction) as well as mass spectrums of numerous elementary particles. Nobody could do it before. It's interesting that non-linear integro-differential equation of UQT for mass spectrum were solved analytically. The same present

Nature made people in calculation of Hydrogen spectrum, while other exact analytical solution of Schrodinger equation realized in practice does not exist.

It's a great mystery. Mass spectrum of elementary particles was calculated in 2007 [17] and Higgs boson was discovered later. There is one unpleasant for CERN fact in this history. They had not predicted its mass, one of their detectors determined

the mass as 125 GeV, other – as 130 GeV, according to our theory it's 131.7 GeV, but CERN everywhere mention only 125 GeV!!! According to combined data (LHC + Tevatron USA) the value of Higgs boson mass with 99,99% probability lays in the range 125-140 GeV. By quite understandable reasons we were not mentioned as predecessors.

One can see some interesting trends in general scientific policy of CERN. Its management watch over mainstream so not to lose sponsorship. Just remember the agiotage around faster-thanlight neutrino ... so many talks ... modern science was going up in smoke ... And what was in result? Director of project Antonio Ereditato and his three assistants had to leave CERN, and amazing discovery was explained by badly connected cable.

But in this case some suspicions appear. What a strange training unit where 150 students cannot connect a cable! Is it really CERN or a trade school? Meanwhile we have got known that not all of 150 participants in this experiment were agreed with this explanation. And what shall we do with supernova stars data: at stellar flare neutrino are detected first and light comes later in 3 hours [34]? Moreover there are a lot of experimental detections of supraluminal speeds [27, 32]...

Later some more information came to light: electron-positron collider was constructed in CERN before LHC ... One of researches Arno Heister detected (with 3 sigma) mass of 30.4 ± 1.78 GeV (see Fig.6.). We have this value in our table, but Arno Heister wasn't given a chance to collect statistics up to 5 sigma because such decay contradicted the standard model... He was offended and published everything at arXiv.org. They publish without review.... One can find this story in the net.

VI. THE APPROXIMATED EQUATION WITH THE OSCILLATING CHARGE

There are strong hard rules in the modern theoretical physics. Any new theory has to include classical results. This is strictly satisfied because the Hamilton-Jacobi relativistic equation and Dirac equation follow from the UQT, i.e. all modern basics of the fundamental quantum science. In the linear equations of the UQT the mass was replaced by the rest energy divided to square speed of light, and then the system of 32 nonlinear integro-differential equations appears as a consequence.

They were firstly found out by L. Sapogin and V. Boichenko[9-11] in 1984, and only in 1988 they solved the dimensionless scalar version of this equation that allows to get the fine structure constant $1/137$ and electron charge with accuracy 0.3% [9-11, 65]. The equation with oscillating charge was derived soon after the thin structure constant value estimation was

obtained. For the first time this equation was just postulated [12,13, 21, 60] and used for description of cold nuclear fusion process due to mutual deuteron. This equation has the following form

$$m \frac{d^2 \mathbf{r}}{dt^2} = -2Q \text{grad} U(\mathbf{r}) \cos^2 \left(\frac{m t}{2\hbar} \left(\frac{d\mathbf{r}}{dt} \right)^2 - \frac{m\mathbf{r}}{\hbar} \frac{d\mathbf{r}}{dt} + \varphi_0 \right),$$

where m is the mass, \mathbf{r} the radius vector, $U(\mathbf{r})$ the external potential, φ_0 the initial phase and Q the constant part of particle's charge.

As soon as $\mathbf{E} = -\text{grad} U$, and there exists a magnetic field for every electro-magnetic field one should take into account the Lorentz force $\mathbf{F} = \frac{Q}{c} [\mathbf{v} \times \mathbf{H}]$. In electromagnetic mode \mathbf{E} and \mathbf{H} are similar, for small energies value $\frac{v}{c} \rightarrow 0$ and force \mathbf{F} may be neglected.

The multiplier 2 in equation is needed for correct transition to equation of classical mechanics because the averaged charge will be two times smaller.

In this approximation of the UQT, the wave packet is realized as a spatial divided electric charge that oscillates, its equation depends on time, coordinate and velocity and it could work in the rough model of the particle as oscillated charge, so we can exploit the Newton equations. It is becoming easy to see the tunneling effect: while the moving particle is approaching to the potential barrier, in the phase when the charge is extremely small, it is easy for it to go through the barrier, and when the quantity of the charge is large, the repulsion force is increasing, and the particle will be reflected.

The numerical solution of these equations [21,23,36,60], for the most common quantum tasks emerges approximately the same results as the calculation of the general Quantum Mechanics (QM). By the way, by means of the UQT it is possible to get this equation from the Schrödinger's one with very low energies [14-16].

But there are though some interesting differences. The equations of motion of the oscillated charge were not treated in physics before and they have an important difference from the classical laws of motion - the invariance of the motion in the relation to invariance translations. It means the absence of the great classical momentum and energy conservation laws. They appear in the UQT and then in the classical mechanics only with an averaging for all particles. This idea was confirmed by computations of different potentials' dissipations.

VII. UNCERTAINTY RELATIONS

Now we obtain Uncertainty relations [14-16, 60, 76]. As far as the particle (wave packet) is periodically appearing and vanishing at de Broglie wave

length (more precisely, the packet disappears twice, and the probability of its detecting is sufficiently big in maximum region only) the position of such a packet may be detected with error

$$\Delta x \geq \frac{\lambda}{2} \text{ and then } \Delta x \cdot P \geq \frac{h}{2}$$

As at measuring of momentum module is inevitable the error $\Delta P = 2P$, then we have following inequality:

$$\Delta x \cdot \Delta P \geq h.$$

The statements of standard quantum mechanics that particles do not have a trajectory become more understandable. Of course, there is a lot of truth in those words. First, it is possible to say so about intermittent (dotted) motion of the particle with oscillating charge. Second, any packet (particle) is able during its motion to split into few parts. Each of those parts being summed with vacuum fluctuation may product, in principle, some new particles. Or *visa versa* the broken particle may vanish at all and contribute to general fluctuating chaos of the vacuum. But in any case it is better to have more clear idea of particle concrete motion than operate with generally accepted nowadays-obscure sentence about lack of trajectory.

VIII. THE HARMONIC OSCILLATOR IN UQT




Fig. 7

The consideration of the problems concerning oscillations of particles with an oscillating charge in a parabolic well (harmonic oscillator) besides the common results of QM for stationary states results in two different solutions that are shown on Fig. 7 [60, 76, 77]. New amazing solutions appeared, one of them was called "Maternity home" and another was called "Crematorium". In the first case the energy of the particle can increase indefinitely, furthermore if we proceed from a very low initial quantity in the equation, it results in the increasing of the energy of the particle in the production of the matter, indeed. The second solution could due to collapse (disappear) of the matter-particle. These solutions are logically independent directly, and their appearance depends on initial phase.

In other words, one solution describes the matter (energy) production, and another - its collapse; and it may be said that the Unified Unitary Quantum Theory (UQT) allows describing the creation of the matter and the Universe, but not as a result of the Big Bang. The Universe wouldn't be given to us in the static form, it arose in some way and it continues to develop, and we could see that one of the basic features is the filling of space by matter.

IX. THE NEW SOURCES OF ENERGY

As well known, in all experiments the local law of energy conservation (LEC) and the law of conservation of momentum in individual quantum processes are correct only for high-energy states. For low energies we can't claim that, because of the uncertainty relation and the stochastic nature of QM's predictions. That is why the idea of the global, but not of local LEC exists invisibly in the QM and it is not a new one.

For the physics it only means that for the stationary solution with fixed discrete energy levels (the general QM) of the velocity of the particle reflected by a wall is equal to incident one. The UQT allows to consider another ways too. Thus if the velocity of the particle for every reflection is decreasing, then it is corresponding to the "Crematorium" solution, but if it is increasing, then it is corresponding to the "Maternity home". What scenario would turn to the reality depends on the initial phase of the wave function and on the energy of the particle. Besides the UQT is fundamentally inapplicable for closed systems, because such systems are idealizations, which are very useful, but not according to the base of consideration used in the UQT.

Anyway, the whole modern science, including the Quantum Mechanics (QM), is still based on the great LEC. However, there is a difficult situation in the Quantum Mechanics. It deals with the fact that the LEC follows only from the Newton mechanics. QM generalizes the facts of the classical mechanics including all of its laws, but its results have a sufficiently statistical nature, they are correct only for large amounts of particles. But how do we have to consider single particles, with their individual processes? It appears that for the single particles LEC does not follow from QM (!), thus individual events are absolutely incidental and do not follow this law. To evade this question it was announced that Quantum Mechanics does not describe individual events (!?)

Let us discuss a thought experiment. To make our reasons more simple let operate a certain quantum ball-particle. If the ball is approaching to the wall, then its velocity after reflection will always be equal to the incident velocity (here we neglect a quantity of the friction force and consider that the ball and the wall are perfectly elastic). In the case of the quantum ball the

velocity after the reflection would possess the whole arrange of the values, in different experiments under equal conditions. There would be some balls that would be reflected with velocities that are higher and some that are lower than the initial velocity, and some of them with velocities equal to the incident one, and every case would be considered statistically in the terms of the Quantum Mechanics.

Let us answer the following question: what would happen if we place another wall opposite the first, and would try to increase the velocity of the ball after every reflection? Then we would get increasing of energy of the ball without action of any external force. The energetic of the systems in the XXI century will treat the question of constructing of initial conditions for a numerous quantity of particles to realize only the "Maternity home" solution so that the "Crematorium" solution would be damped as far as possible. But it depends on the selection of initial phases and the geometry of the system.

Thus, if we use the ideas of the Unified Unitary Quantum Theory appropriately then does not exist a general prohibition for creating of a quantum "perpetuum mobile". Formally there is no such a prohibition even in the general Quantum Mechanics, because there are no conservation laws for a single process under the low energy conditions, but it treats with probabilities instead of this. In other words, the Quantum Mechanics (QM) also offers opportunities for getting energy by collecting of random process somehow. It seems that UQT affords today such an opportunity and suggests the ways how to regulate the values of probabilities.

Together with theoretical investigations plentiful of numerical solutions of equations with oscillating charge were performed, momentum of particles falling with different velocities were summarized and the result was compared to momentum of reflected particles. It was found out that for different repulsive potentials, the total momentum of reflected particles is equal to momentum of the falling particles with a high accuracy, but for a single scattering particle the value of momentum could be either less or more than the momentum of the falling particle. This problem is very complicated and it requires subsequent researches as all this depends on initial conditions (velocity, phase, distance) complexly as well.

The prospects following from the UQT are not even the most significant. Any flat bans as the impossibility of "perpetuum mobile" creation and any other confirmations of the immovability of conservation laws are unacceptable in philosophy. No, these laws would never be neglected; but there would be such areas in science and technology, very limited in the beginning, so that these laws would be not enough.

The problem of existing of the global conservation laws (we have proved that they are not


local laws) is left in abeyance. Nothing but the idleness and atavism of the human thinking lead to it. But this idleness of thinking --concerning the physics-- manifests itself in the intuitive atavism for the Newton laws.

Yes, the conservation laws are incontestable in the classical mechanics and in terms of this theory a continuously operating machine is theoretically impossible. It should be stressed that the conservation laws were transferred to the Quantum Mechanics as an object of worship of the classical mechanics. But the Quantum Mechanics is more fundamental, Newton laws follow from it as a particular case. And if in the terms of the Unitary Quantum Mechanics a possibility to get energy from nothing is theoretically possible, thus a quantum "perpetuum mobile" could be constructed.

It is made possible by means of the equation with oscillating charge. It describes single particles; the difference in their behavior depends on the initial phase of the wave function, but there are no conservation laws for an individual particle at all, they appear only after an ensemble averaging. The equation with an oscillating charge is absolutely new type of motion equation [12-16, 21-23]. For such equation energy and impulse conservation laws do not exist. It appears after the ensemble averaging. By the way Schrödinger mechanics also do not propose energy conservation laws for small energies (it can offer only a probability of this or that event happening) but it cannot advise how to combine processes and energy liberation while UQT can. A theorem on the circulation does not work in the equation with oscillating charge that allows to use different way to move charge from the point *A* to the point *B*, but different ways operations will be diverse and this difference should be used.

The authors are trying to design new power plant working at these principles. We think that such a plant will be able to produce energy with extremely small spending of energy. If such power program would be fulfilled on our Planet then it will no doubt result in overheating of the environment. But UQT suggests the solution again: we can construct refrigerating plants which realize the "Crematorium" solution and promote the cooling. Extra heat will disappear. Numerous experiments with the cold nuclear fusion (including the latest of Andrea Rossi - Italy) have shown that nuclear reactions do exist but the nuclear reactions products by themselves are not enough for the explanation of huge amount of heat being produced. It is the responsibility of the UQT solutions "Maternity home"[12-16,21-23, 60, 76]. So it looks like catalysis mechanism described [12-16, 24]. Besides all the equation with oscillating charge is quite good in describing the wave properties of the particle. We predict that experiments on the diffraction reflection of electrons from the lattice (classical experiments of Davisson-Germer) can be simulated by supercomputer, but authors do not have such possibility.

Today the science world is agitated by E-Cat of Andrea Rossi [56] that is simply a pressurized ceramic tube with the nickel powder and Hydrogen inside. Under current this tube warms up and generates heat 3-50 times more than consumes. And as we are speaking about Megawatts any manipulation is hardly possible. Few official scientific commissions have concluded that nuclear reactions cannot generate such amount of energy. And even the isotopic composition of Nickel remains stable and heat generation looks absolutely *mysterious* that does not impede the using of these energy catalyzes. First that us upset, this statement about that exists the nucleus syntheses at reactions of the *Ni* with hydrogen with formation of *Cu*.



This is because nucleus syntheses bring about separation of the energy at merging light nucleus. The border lightness serves the nucleus a *Fe*. The *Ni* heavier *Fe* already, strictly speaking, metastability and, in principle, capable to nucleus disintegration with separation of the energy than heavier nucleus, that beside it more surplus energy (practically this energy manages to extract only in person events very heavy nucleus *U*, *Pu*). Clearly *Ni* heavier *Fe*, therefore for his reaction with proton $Ni + p = Cu$ it is necessary to spend the energy! Grains of Nickel (it could be grains or finest crystals) in E-cat have caverns with size of tens Angstroms (they work as potential wells); proton of adequate phase can penetrate inside a cavern. Heat is generated in these caverns under terms of "Maternity Home" as the result of protons numerous knocks on cavern's walls Fig. 6. At present history with E-cat of Andrea Rossi looks the deafening slap in the face to whole modern science [64, 66, 76, 77].

Interestingly enough, there are devices called Testatik Machine M/L Converter from religious group Methernitha. They belong to a religious Christian commune, situated in Linden near Bern. Theirs maker is Swiss physicist Paul Baumann living in the commune. These fantastic devices run as direct current generators, are made as a four dimensions (sizes) type with power value of 0.1, 0.3, 3 and 10 kW. In outward appearance this device resembles an electrostatic machine with Leyden jars, so familiar from school physics laboratory. There are two acrylic discs with 36 narrow sectors of thin aluminium stuck to it. The discs rotate in different directions and their mechanical energy is hundreds times lower that produced energy it accounts for about 100 mW in measurements. The largest device with the power value of 10 kW has disc diameters more than 2 m, and the smallest has 20 cm; the device with the power value of 3 kW has 20 kg in weight. There is no cooling or heating of the air during the long operation of the device, it just smells of ozone there. It was found out that the inventor doesn't clearly understand the principle of operation of the device.

Professor S. Marinov (Austria), whom the commune had given as a present the device with the power value of 100 W wrote in his book called "Difficult way to the truth --documents on the violation of conservation laws", issued in 1989 by International Publishers East-West: "I can confirm without any doubt that this device is a classical "perpetuum mobile". Without any initial impact, it could rotate an unlimited long period of time and generate electrical energy equal to 100 W... In that device, the motor and generator are connected... However, it is not clear how it is possible".

The authors of the Unitary Quantum Theory know approximately how this device is constructed, but in this article we are going to do only what is absolutely clear: we are going to show that the operation of this device completely corresponds with the UQT. Evidently, it operates due to the charge separation concept.




Fig. 8: Work for transferring the charge depends on the mode of transferring and on the path

Let us consider two metallic spherical surfaces with a hole isolated from the Earth and from each other. If we carry a first electron from sphere A to the inner surface of sphere B through the hole by means of an isolated stick, then there appears a potential difference. Further, if we carry the second one and the subsequent electrons, sphere A would attract the carried charge, and B -would repel it. It is clear that to move the charge we will have to spend energy. (Fig. 8).

In the Technical University MADI (Moscow) Professor V.I. Utchastkin gives lectures on the Unified Unitary Quantum Theory (UQT) and new energy sources. In his explanations, he uses the figurative analogy: *Let us consider a sack of potatoes which mass is m. If we carried it to the fourth floor (the height is h), then we spend the quantity of work opposite to the gravitational field which is equal to mgh. And if we throw it down we would get kinetic energy $mv^2/2$, and these quantities would be equal to each other. But we could also carry not the whole sack, but every potato one by one. The work of one quantum of a potato s transfer depends on time, velocity and coordinate, and it must be carried in such way that the spent work would be minimal. If you carry the whole sack in this way, you can*

get the quantity $mv^2/2 > mgh$. So, there are no changes in the system, but the energy has appeared.

X. THE CONSERVATION LAWS AND UNITARY QUANTUM THEORY

Inventors and swindlers of every stripe and range many years tried to construct or even to design "perpetuum mobile", i.e. imaginary mechanism able to work without outside energy supply. Peter the First (Russian Emperor Peter Great) had even established Russian Academy of Science for such researches (see. V.L. Keerpechev, "Talks about mechanics", Gostechisdat, 1951, page 289), but today persons from modern Russian Academy of Science do not like to recollect that circumstance. At the other side French Immortals have decided in 1775 to consider no projects of "perpetuum mobile", and it seems they have not been mistaken yet. However one mistake is known: Daniel Bernoulli was awarded a prize by French Academy for mathematical proof that a boat with engine and screw propeller would never have faster speed than sailing ship!

Magnificent successes of classical thermodynamics have strengthened Humanity confidence in Divine Infallibility of Conservation Laws. Today it is considered nearly indecent to call in question these laws.

First of all let us clarify the origin of conservation laws in classical mechanics [13-16,60, 76]. Nearly each textbook contains a statement that Energy Conservation Law (ECL) results from homogeneity of time, Momentum Conservation Law results from homogeneity of space, and Angular Momentum Conservation Law – from isotropy of space. And so many people are impressed that Laws themselves result from space-time properties that nowadays are no doubt a relativistic conception. But for example angular momentum is not a relativistic conception already. Therefore such restricted approach is not totally correct, Newton's second law of motion or relativistic dynamics equation and concept of system closeness should be attracted. More over the requested space- time properties themselves are usually wrongly being interpreted. For example, it is assumed that time homogeneity means simple equivalence among all moments of time and homogeneity and isotropy of space means equivalence of all its points and absence of preferential direction in space (all directions are equal) correspondingly.

But these statements are *sensu stricto* wrong. For example, within many mechanical systems the Earth center direction and horizontal direction differ in principle (for example, pendulum clock located in horizontal plane will not work at all). We can say the same about the body being at the top of the hill, it is able to roll down independently, but according to classical mechanics it never climbs by itself. And for a

person, being young or old, these moments of time are not equal at all. Hereinafter we would like to explain in what way all that should be understood.

Time homogeneity implies that, if at any two moments of time in two similar closed systems someone runs two similar experiments, their results would not differ.

Space homogeneity and isotropy means that if closed system is moved from one part of the space to another or oriented in other way, nothing would be changed. But in fact the homogeneity of time and space as well as their isotropy are secondary or simple corollary of Newton equation. And we can show it. Derivation of energy and momentum conservation laws from Newton equation is quite simple in idea. Viz., let us write down the main equation of dynamics in form of

$$\mathbf{F} = \frac{d\mathbf{P}}{dt}$$

For closed system $\mathbf{F}=0$ (there are no external forces) and the equation possess the integral

$$\mathbf{P} = Const$$

expressing the momentum conservation law.

Now let's write the main equation of dynamics in the form:

$$\mathbf{F} = m\mathbf{a} = m \frac{d\mathbf{v}}{dt}$$

and scalar-wise multiply it by \mathbf{v}

$$\mathbf{F} \cdot \mathbf{v} = m \frac{d\mathbf{v}}{dt} \cdot \mathbf{v} = \sum_{i=1}^3 m \frac{dv_i}{dt} v_i = \sum_{i=1}^3 m \frac{d}{dt} \left(\frac{v_i^2}{2} \right) = \frac{d}{dt} \left(\frac{mv^2}{2} \right),$$

where v is a modulus of velocity vector \mathbf{v} . For the closed system $\mathbf{F}=0$ it exists the integral

$$\frac{mv^2}{2} = Const$$

expressing one of the forms of energy conservation law.

Using the definition of the angular momentum for the particle, i.e.

$$\mathbf{L} = [\mathbf{r} \times \mathbf{P}]$$

and differentiating it both parts by t , we obtain

$$\frac{d\mathbf{L}}{dt} = \left[\frac{d\mathbf{r}}{dt} \times \mathbf{P} \right] + \left[\mathbf{r} \times \frac{d\mathbf{P}}{dt} \right]$$

As the momentum vector is parallel to velocity vector, the first bracket is equal to zero. And basing on the equation and on definition of central force, as one not creating a momentum, we get

$$\left[\mathbf{r} \times \frac{d\mathbf{P}}{dt} \right] = 0$$

and

$$\mathbf{L} = \text{Const.}$$

In the case of central force within unclosed system angular momentum remains constant in value and direction. Indeed, all properties of space and time follow from Newton equations only.

The energy and momentum conservation laws can be easily obtained within relativistic dynamics from relativistic relation between energy and momentum

$$E^2 = P^2 c^2 + m^2 c^4$$

The term $m^2 c^4$ is an invariant, i.e. it is similar within all reference frames. In other words it is a some kind of constant. This relation can be written in rather different form

$$E^2 - P^2 c^2 = \text{Const}$$

To satisfy that relation one should admit that

$$E = \text{Const} \text{ and } P = \text{Const}$$

And that is nothing else than energy and momentum conservation laws.

But strictly speaking there is in relativistic mechanics there is a law of conservation of four-momentum vector P^μ , but we are not going to stop at these details.

In accordance with the classical mechanics, the energy conservation law signifies that energy of closed system remains constant, hence, if at the moment $t=0$ the energy of such system is denoted by E_0 , and at the moment t is denoted by E_t , then

$$E_0 = E_t.$$

In accordance with standard quantum theory, the energy conservation law is laid down in the same way. Within that theory we have the same integrals of motion as in classical mechanics. Some value L would be an integral of motion if

$$\frac{d\hat{L}}{dt} = \frac{\partial \hat{L}}{\partial t} + \left[\hat{H}, \hat{L} \right] = 0$$

As $\left[\hat{H}, \hat{L} \right]$ is determined by commutator of operator \hat{L} and of Hamilton's operator \hat{H} , so any quantity L , being not evidently dependent on time will be an integral of motion if its operator commutes with \hat{H} . When quantity L is not evidently dependent of time,

then the first terms in last equation vanishes. As remainder we have

$$\frac{d\hat{L}}{dt} = \left[\hat{H}, \hat{L} \right],$$

and, as we know, the quantum Poisson bracket vanishes for the integrals of motion being not evidently dependent on time. Thus,

$$\frac{d}{dt}(L) = 0.$$

In any good work dealing with quantum theory it was shown that probability w to observe at any moment t any value of such motion integral L , does not depend on time either. we will denote below such integrals of motion L_n . As far operators L and H commuted they had common eigen-functions that were functions of stationary states. We should note that the last were obtained from solution of Schrödinger equation without time (not containing t) which is derived from full Schrödinger equation if

$$\Psi(\mathbf{r}, t) = \Psi_0(\mathbf{r}) \exp\left(i \frac{E}{t}\right),$$

i.e. if this equation has the periodic solutions. The solutions of Schrödinger equation not containing t satisfy conservation laws, which are, indeed, dictated by condition of total time-independence. This in fact imposes us energy conservation laws, as nothing depends on time. The expansions of such solutions in eigen-functions' have the form

$$\hat{L} \Psi_n = L_n \Psi_n,$$

$$\hat{H} \Psi_n = E_n \Psi_n,$$

where

$$\Psi(x, t) = \sum_n c_n \Psi_n(x) \exp\left(-i \frac{E_n}{\hbar} t\right) = \sum_n c_n(t) \Psi_n(x),$$

$$c_n(t) = c_n \exp\left(-i \frac{E_n}{\hbar} t\right) = c_n(0) \exp\left(-i \frac{E_n}{\hbar} t\right).$$

As $\Psi(x, t)$ is eigen-functions' expansion of the operator L_n , the probability does not depend on time, i.e.

$$w(L_n, t) = |c_n(t)|^2 = |c_n(0)|^2 = \text{Const}$$

We should note once more that it is the probability to observe some given value that is time-independent, while, the value itself is occasional in each individual case. As far the energy is an integral of motion and probability $w(E,t)$ to find out at the moment t energy value to be equal to E is time-independent, then:

$$\frac{dw(E,t)}{dt} = 0$$

Quantum energy conservation law in the above mentioned form assume the possibility of energy determination at the current moment of time not taking into account its uncontrolled changes due to influence of the process of measurement itself. That situation did not rise any doubts within classical mechanics. But according to quantum theory (as we have written already in [14-16]), the energy can be measured without disturbance of its value only up to

$$\Delta E \geq \frac{\hbar}{\tau},$$

where τ - is the duration of measuring process. Formally, there are no troubles for energy conservation law, as the energy is the integral of motion and we have arbitrary large time interval to accomplish long measuring. For example, let measure within time τ , then leave the system alone for the time T , and then measure the energy once again. The energy conservation law in standard quantum mechanics states that the result of the second measuring will coincide to

$\Delta E \approx \frac{\hbar}{\tau}$ with the results of the first measurement. But even according to standard quantum theory all this is not totally logical, because really existing vacuum fluctuations may meddle and they are able to change the result. Here we have evident violation of conservation law due to vacuum fluctuations, although the integrals of motion exist (contrary to UQT). The standard quantum theory carefully avoids the question of conservation laws for single events at small energies.

Usually that question either does not being discussed at all, or there are said some words that quantum theory does not describe single events at all. But these words are wrong, because the standard quantum theory describes, in fact, single events, but is able to foreseen only the probability of that or other result. It is evident that at that case there are no conservation laws for single events at all. These laws appear only after averaging over a large ensemble of events. As the matter of fact it can be easily shown that classical mechanics is obtained from quantum one after summation over a large number of particles. And for a quite large mass the length of de Broglie wave becomes many times less than body dimensions, and then we cannot talk about any quantum-wave characteristics any more.

It is well known that local laws of energy and momentum conservation for the individual quantum processes are valid within all experiments at high energies only. We cannot say so in the cases of low energies at least due to uncertainty relation and stochastic nature of all predictions in quantum theory. The idea of global but not local energy conservation law is invisibly presenting in quantum mechanics and in any case is not new. From the physical viewpoint it just means that in stationary solutions with fixed discrete energies (standard quantum mechanics) the velocity of a particle reflected from the wall is equal to the velocity of an incident particle. If the particle energy decreases at each reflection, then that case corresponds to solution type "Crematorium" and if increases – to "Maternity home" solution. The scenarios under which events will be developed depend on the initial phase of the wave function and particle energy.

In the strict Unitary Quantum Theory and in the theory of quantum measuring [2-6, 60, 76] unremovable vacuum fluctuations part a great role. It is quite clear these fluctuations being totally unforeseen and non-invariant with respect to space and time translations. In other words, within UQT there are no habitual space-time properties. Now space-time is heterogeneous and non-isotropic. For example, if the experiment is replaced in any other point of the space or repeated at other time, then in the point where the particle's parameters were examining and particle is interacting with macro-device, another value of vacuum fluctuations would appear (differing from the previous one) that would give another result. Of course that is true for small energies and individual events (particles) only.

The Unitary Quantum Theory is much more destructive with regard to the notion of Closed System. For single events at small energies that notion is inapplicable at all because at any moment of time and in any place where the particle is located (for example, within potential hole) vacuum fluctuation may be abruptly changed. It may occur thanks to various causes; either due to the nature of vacuum fluctuations, or due to the tunneling effect of other random particle.

Sometimes it is stated that energy conservation laws follow from E.Noether theorem, although those results have been contained in the works of D.Gilbert and F.Klein. For any physical system, the motion equations of which can be obtained from variational principle, every one-parameter continuous transformation, that is keeping the variation functional invariant, corresponds only one differential law of conservation and then there exists explicitly conserved quantity. However, it can be easily seen that vacuum fluctuations being imposed on varying functional (Lagrangian) does not remain constant (in any case it seems so today) under parametrical transformations.

That consideration does not work too without ensemble averaging either.

In other words, all requirements that lead to classical laws of conservation are absent now. It is hard to expect that the entire laws of conservation will remain valid in that situation for the single particles at small energies. But nowadays it seems that classical laws of energy, momentum and angular momentum conservation for the single quantum objects do not work at small energies due to the periodic appearance and disappearance of particles. All direct experimental checks of the conservation laws were carried out in the cases of great energies but in the cases of small energies for single particles probability results can be obtained only. In that case it is indecently even to recollect the idea of conservation law.

And now a bit of Philosophy for reader. Local Energy Conservation Law (LECL) for individual processes results from the Newton equations for closed systems. It is naive to think that its local formulation will remain constant forever. And it would be a gross error to transfer ECL without alterations from Newton mechanics to quantum processes inside microcosm. Definitely speaking references to the first law of thermodynamics are baseless because it is a postulate. For example, in his letter to one inventor the famous Russian mathematician N.N.Lousin wrote: *"First law of thermodynamics was a product of unsuccessful attempts of the humanity to create "perpetuum mobile" and frankly speaking did not follow from anything"*. Today we can say with more belief that no resourceful machines within the network of Newton mechanics are able to realize "perpetuum mobile", and the decree of French Academy, accepted in 1755 to consider no projects of "perpetuum mobile" is still valid. We should add that is apparently true for all projects based on Newton mechanics only.

It is characteristic of the understanding the position ECL in modern physics that this law is bringing down, especially in theory, to the rank of second-order conclusion from the equations of motion. Some physicists reduce ECL to the statement of the first law of thermodynamics, others as for example D. I. Blochintsev [25] consider that *"it is quite possible with further development of new theory ECL form will be transformed"*. As F. Engels wrote in his "Natural dialectics": *"...no one of physicists does not, in particular, consider ECL as everlasting and absolute law of the nature, as a law of spontaneous transformation of substance motion forms and quantitative permanency of that motion at its transformations."* Many of them are thinking in another manner as, for example, M. P. Bronshtein. He wrote in his work "Substance structure" *ECL is one of the basic laws of Newton mechanics. And nevertheless Newton had not attributed to that law rather general character that law had in reality. The reason of that Newton mistaken point of view at ECL was quite interesting...* Now it is understandable that in the light of

the above mentioned such point of view was not wrong at all. And we should remind that Newton had foreseen in his "theory of bout" many things even quantum mechanics.

At the other side, the founders of quantum mechanics perfectly understood that the conservation law for the single quantum processes at small energies did not exist at all. So, the first thought that understanding of ECL on a par with the second law of thermodynamics, as statistical law, being correct on average and not applicable to the individual processes with small energies, appeared as despair and went back to Erwin Schrödinger first and then to N.Bohr, Kramers, Sleter and G.Gamov. In 1923 Bohr, Kramers and Sleter in despair tried to construct the theory according to which in the process of dispersion energy and momentum conservation laws were satisfied statistically on the average during long time intervals but were inapplicable to the elementary acts. Leo Landau even called that as *"Bohr perfect idea"*.

According to that theory, the process of dispersion should be continuous, but Compton electrons are emitted in a random way. The authors assumed both processes of wave dispersion and Compton electrons dispersion were not connected with each other (?). The main idea was to lay a bridge between quantum theory of the atom and classical emission theory. There were introduced specially so called "virtual" oscillators which generate in accordance with classical theory waves (non quantum one) enable to induce the transition from the state with lower energy to the state with higher energy. These waves did not carry the energy, but power necessary for atom transition from lower to the higher state was generated within the atom itself. Along with that the inverse process of the atom transition from excited state to the lower one could take place, but the energy was not taken away by waves but should disappear inside the atom. In other words, the increase of one atom energy was not connected with energy decrease in another one. Authors considered that these processes compensated each other on average only and that compensation was the better the more events are participated.

Energy conservation law has statistical character according to that interpretation, and there is no law of conservation for single events, but they appear in processes involving large number of particles, i.e. at transition to Newton mechanics. But then it should be acknowledged that in the case of Compton Effect the changes of motion direction of the light quantum and its energy to be appeared in the result of collision were happening apart from the changes of electron's state. The unfounded of such an approach was lately experimentally proved by Bote and Geiger. To say the truth, the authors abandoned that point of view later; moreover at that time this idea did not follow from quantum theory equations. And to get out of the tight

spot it was declared that quantum mechanics did not describe single events at all. Thus the most striking paradox was removed by a simple prohibition just to think about it! But genius idea that laws of conservation are not valid for individual processes and appear in quantum mechanics after statistical averaging does not become less genius even if those for whom it “has come to mind” rejected it. May be, this idea was a little premature and should have a somewhat different shape. Contrary to that Unitary Quantum Theory describes single particles. And the alteration of their behavior is determined not only by initial values of its position and velocity but also by initial phase of the wave function (of the wave packet). Then for the single particle local conservation laws do not exist at all. And that is quite another question how to measure the initial phase or any other parameters of a single particle.

Let us examine the following virtual experiment. For more simplicity let use in our reasoning some quantum ball-particle. If classical ball is running to the wall (for simplicity assume it as perpendicular), the velocity of the reflected ball would be equal to its initial velocity (we neglect friction and consider the ball and the walls as totally resilient). In the case of quantum ball the velocity of the reflected ball in various experiments with similar initial circumstances will have the whole spectrum of values: there will be balls reflected with the velocity higher than initial, equal to it and lower than initial. And all these will be described by means of quantum mechanics within uncertainty relation.

Let us ask what would be if we place a second wall parallel to the first one in such a way the ball at each reflection increased its velocity? Then we would get the growth of the ball energy without any efforts from our side. The aim of future constructors of such systems of XXI century would be the necessity to create such initial conditions for the great number of particles forming the object, that is realized the sole solution “Maternity home” and is suppressed as far as possible the other solution.

It is evident from the above-mentioned that at competent exploitation of the Unitary Quantum Theory ideas the principle prohibition for “*perpetuum mobile*” does not exist. Formally as it was shown above that prohibition does not exist even in standard quantum mechanics (there is no laws of conservation for single processes with small energies), and to get energy the particles should be selected in some way (grouping together all random processes with excess energy). But the standard quantum mechanics refuse to describe single events and is not able to advise the way for grouping. As it seems today, the Unitary Quantum Theory gives us such an opportunity.

However, by efforts of scientific groups, interested in their own stability because of simple instinct of self-preservation the great idea of free energy

generation was distorted to such a degree everybody who starts to talk about it is taken for mad.

The modern experimental physics have examined the correctness of conservation laws for huge energies in single cases and for large macro-object when ensemble averaging is used, but the area of small energies is *terra incognita*.

XI. THE PROSPECTS

Let us remember the problem about the maintenance of long-term flights to the outer space with electricity. The Prof. Utchastkin’s analogy describes precisely a theoretical approach for solving this problem. Of course, there is a great deal to do though, to understand what phenomenon will play the role of those quantum potatoes and how to construct an instrument that would be able to support a minimal energy to bring them to the fourth floor. How can a spaceship be supplied with energy during many months of flight? Near the Earth, photovoltaic cells are used but the more the distance to the Sun is increasing, the more needless they are; using of a nuclear energy source is problematical for different causes.

Today we can neither improve this situation considerably nor do we have even any theoretical conditions which could let us approach it. On the base of such a situation there are common ideas of the construction of matter and its properties. Now then, a new conception of physics is being proposed. Like many others as well. If we stay by the space technology, it’s over constructing of engines based on new principles of energy production, maintaining of real-time telecommunication on the distances in outer space, free of limits which are proper to the diffusion of electromagnetic waves. It follows from the foregoing that UQT opens up a perspective of a solution for the communication problem on extremely wide distances in outer space, excluding the limits of information exchange between Earth and spaceship. The theory also predicts the approaches to creating of the new energy sources and of the new types of engines that would be almost ideal for creating of spaceships of the future.

Conventional jet propulsions transform the conducted energy in the kinetic energy of the beam of a working body flowing from the engine, and the reaction force of this beam the pulling force accelerate the spaceship. Therefore space flights to extremely wide distances will require huge stocks of working body. A classical progression curve reflects the velocity increasing of a thrown-off mass of the working body. Though there is a possibility for creating of a very weak constant pulling but (!) without throwing off of mass.

Let us use the method of analogy again. Regard a classical trick problem in physics for universities admission tests: there is a boat in

motionless water and a man with a sandbag in this boat. Can he move the boat by performing any manipulations with the sandbag, for an endless time?

Correct answer: throw the sandbag from the front part of the boat to its back, then carry it back slowly, throw it again and so on. As the viscous friction force by Stokes is proportional to the velocity, the boat will perform swinging motions, over which some linear movement will be applied. Based on this idea, many buggies were constructed in Germany--there is heavy mass moving in there, in one direction quickly and back slowly. Many decades ago, the same effect (Dean's engine) was wide-ragingly discussed in the USSR in popular science magazines and on TV.

There is a similar phenomenon in the classical electrodynamics as well as in the quantum electrodynamics and it is related to the Lorentz radiative friction force. The appearance of Lorentz force becomes evident by considering the interaction of the charge and the field caused by it. For a motionless charge the force of such an interaction or self-action is equal to zero, otherwise the free charge would experience a self-acceleration. The charge begins to move, but the electromagnetic field, as its spread velocity is finite, can't reschedule immediately. The accelerated charge practically flies onto its own field; with other words, this effect can be described as appearance of energy flow which is directed upstream to the flow and slowing it down. It generates electromagnetic viscosity which value is related to the acceleration.

How can this phenomenon be used? If there is a charge cloud in flat capacitor, it is possible to make it swing between sheets with different values of acceleration forwards and backwards by applying a sawing motion to the sheets. Because of different forces of radiation friction in the alternate and opposite direction, pulling force appears along the lines of electric field. The radiation of such accelerated charges is always perpendicular to their movement and can be screened, but the most important thing on it is the fact that it doesn't change its impulse in relation to the direction of the capacitor's field. It may be paradoxical, but it seems that we get a pulling force by spending energy for this process without throwing-off of any mass in the direction, which is opposite to the motion's one. The authors (L.S.&V.D.) even published in the US-magazine Journal of New Energy vol.5, #1, 2000 an article, containing an exact analytical solution of this problem: the pulling of some micrograms appears in a flat capacitor, containing a cloud of 10^{19} electrons in which the distance between the sheets is many meters long, by applying of sawing potential of millions of volts. Of course, it is an insignificant result in relation to such a huge (hypothetical) instrument employment, and the using of electron cloud in a flat capacitor has practically no prospects. Curiosity, but similar jet propulsion was

created in UK *Em-drive* by Roger Shawyer [see [76]]. But if stable charged particles exist which mass is at least one billion of electron mass, then this idea becomes very interesting from the technical point of view. Do such stable charged leptons exist at all and how is it possible to generate them in a sufficiently large number? Today nobody can give an answer...

To generate pulling it is still possible to throw off the mass/ matter, created potential hole, accelerating in it in the same moment. Generally, UQT allows such solutions that are evident from the "Maternity home" solution.

Let us consider the results. UQT will in future let us solve several basic problems of the worldwide energy supply and all problems in outer space: immediate information changing, the problem of energy supply and constructing of new engine types. It is absolutely precipitant to make technical plans for those solutions, but the foregoing should be considered not as a wanton imagination, but as a possible future program of fundamental researches to transpose our civilization to new physical principles.

The UQT ideas are presented in instinctively absolutely clear picture of quantum events in terms of figures and movements. And philosophical principal of Complementarity can be now retired with well-deserved honors. In spite of mathematical complexity, the UQT delivers the physics from ordinary Quantum Mechanics paradoxes and consequently frank words of Richard Feynman: "*I can easily say that nobody understands quantum mechanics*" will become the property of history. Moreover, it became possible:

- 1) To obtain after solving some QUT equations an electron charge with the high precision;
- 2) To obtain after solving the scalar telegraph equation the mass spectrum of numerous elementary particles with appropriate precision the mass spectrums of numerous elementary particles [14-17, 31, 62].

The same spectrum was followed from the solutions of the Schrödinger equation and Klein-Gordon integro-differential equations. The risk of computed mass spectrum being random is less than 10^{-60} . Of course such results cannot be obtained without sacrifice. What would be offered in sacrifice if Ordinary Quantum Mechanics is replaced by the Unitary Unified Quantum Field Theory (UQT):

1. There are no strict principles of superposition in UQT. It is violated if wave packets are colliding.
2. There are no strict close systems in UQT and the Conservation Laws work for big energies only. Note that the Conservation Laws forbid beginnings of the Universe.
3. The classical relativistic relation between energy and impulses is valid in UQT only after averaging of

observed phenomena and Relativistic Invariance itself is not “the sacred cow”.

4. The Space in UQT is not homogenous and not isotropic and has complex geometry.
5. The particles and their interaction are not local.
6. The existing Standard Model Quantum Theory of Elementary Particles requires much alteration.
7. The velocity concept as quotient from division of the traversed path to sometime interval is not quite appropriate in UQT. If a wave packet (particle) is spreading along the Meta galaxy and then appearing somewhere else, what should we do with the rate, if nothing moves between the points of disappearance and arrival, does it mean that particle has just simply disappeared and then appeared in a new place? There was observed resembling crushing defeat of physics 50 years ago as “weak interaction” burst, so to say, into physics. As soon UQT is nonlinear, it automatically combines all four interactions that can pass from one into another distance. There was observed resembling crushing defeat of physics 50 years ago as “weak interaction” burst, so to say, into physics.

XII. THE LORENTZ TRANSFORMATIONS

Everything went very well, until the Austrian General Headquarters interfered: the shells were taken to the rear, and the wounded to the front.

Jaroslav Hasek,
"The Good Soldier Schweik"

There is a statement in Special Theory of Relativity that affects the mankind like a sleep-inducing mantra-paradox: suppose there are two observers with rules and watches sitting in two objects and moving straight-line and with constant speed in direction to each other. Then from the 1st observer point of view the watch of the 2nd observer is slow because he is moving. But the 2nd observer can(?) stipulate that he is at rest and the 1st observer watch is slow. To find out which watch is slow indeed the observers should meet, but that will infringe the terms of inertia – constant and steady motion. The experiment shows the returning watch is slow and this time lag relates to the changes of the gravity potential. But if we return the rules their lengths will not be changed, and that is quite strange because both effects are closely associated.

We would like to show that this mantra is absolutely false. Imagine the 1st observer is sitting of the rain drop falling with the constant speed in the terrestrial gravitational field, while the 2nd observer is on the Earth. By this doubtful statement of Special Theory of Relativity the 1st observer can say that his drop is at rest and that the 2nd observer together with the Earth is flying towards him. If observers are not absolute idiots the first observer should ask the second about the source of such a great amount of kinetic energy. This statement can have a little sense only if the masses of the 1st and

2nd objects are equal. It was found that two counters detected particles at one moment – evident confirmation of phenomena under discussion. With other hand the special relativity is in fact Lorentz transformations (1904) derived by V.Vogt (1887) in the century before last. These transformations followed from the properties of Maxwell equations which are also proposed in the nineteenth century (1873). One of these equations connecting electrostatic field divergence and electric charge (Gauss' law of flux), in fact is just another mathematical notation of Coulomb's law for point charges.

But today anybody knows that Coulomb's law is valid for fixed point charges only. It doesn't work for the frequently moving charges. Besides anybody knows that lasers beams are scattered in vacuum one over another, which is absolutely impossible in Maxwell equations. That means that Maxwell equations are approximate - and for the moving point charges experimental results essentially differs from the estimated ones in the case charges areas are overlapping. Few people think about the shocking nonsense of presenting in any course of physics of point charge electric field in the form of a certain sun with field lines symmetrically coming from the point. But electric field is a vector, and what for is it directed? The total sum of such vectors is null, isn't it?

There are no attempts to talk about, but such idealization is not correct. We should note that Sir Isaac Newton did not use term of a point charge at all, but it is ridiculous to think that such simple idea had not come to him! As for Einstein, he considered “*electron is a stranger in electrodynamics*”. Maxwell equations are not ultimate truth and so we should forget, disavow the common statement about relativist invariance requirement being obligatory permission for any future theory. To reassure severe critics we should note that UQT is relativistic invariant, it allows to obtain correct correlation between an energy and impulse, mass increases with a rate, as for relativistic invariance just follow of the fact that the envelope of moving packet is quiet in any(including non-inertial) reference systems. To be honest we should note that sub waves the particles consist of are relativistic abnormal, at the same time envelope of our wave packet being immovable in all coordinate-systems corresponds to of Lorentz transformations.

The success of Maxwell equations in description of the prior-quantum view of world was very impressing. Its correlation of the classical mechanics in forms of requirement to correspond Lorentz transformations was perfectly confirmed by the experiments that all these had resulted in unreasoned statement of Maxwell equations being an ultimate truth. In this case we can say that effect of acceleration correlates with the changes of gravitational potential, while from General Relativity System point of view gravitation and inertia are the same.

Other reasons for this effect were later very carefully investigated by a follower of one of the authors (L.S.), Professor Yu.L.Ratis. (S.Korolev Samara State Aero-Space University), who formulated the modern spinor quantum electrodynamics from the UQT point of view:

1. Maxwell equations contain constant c , which is interpreted as phase velocity of a plane electromagnetic wave in the vacuum.
2. Michelson and Morley have never measured the dependence of the velocity of a plane electromagnetic wave in the vacuum on the reference system velocity as soon plane waves were mathematical abstraction and it was impossible to analyze their properties in the laboratory experiment in principle.
3. Electromagnetic waves cannot exist in vacuum by definition. A spatial domain where an electromagnetic wave is spreading is no longer a vacuum. Once electromagnetic field arises in some spatial region at the same moment, such domain acquires new characteristic, because it became a material media. And such media possesses special material attributes including power and impulse.
4. Since electromagnetic wave while coming through the abstract vacuum (the mathematical vacuum) transforms it in a material media (physical vacuum) it will interact with this media.
5. The result of the electromagnetic wave and physical vacuum interaction are compact wave packets, called photons.
6. The group velocity of the wave packet (photon) spreading in the media with the normal dispersion is always less its phase velocity.

All abovementioned allows making unambiguous conclusion: the main difficulties of the modern relativistic quantum theory of the field arise from deeply fallacious presuppositions in its base. The reason for this tragic global error was a tripe substitution of ideas--velocity of electromagnetic wave packets ' c ' being obtained in numerous experiments physics was adopted as constant ' c ' appearing in Maxwell equations and Lorentz transformations. Such blind admiration of Maxwell and Einstein geniuses (authors in no case do not doubt in the genius of these persons) had led XX century physics up a blind alley. The way out was in the necessity of revision of the entire fundamental postulates underlying the modern physics. Exactly that was done by UQT [14-16,29,63, 76, 77].

Some time ago CERN has conducted repeated experiments of the neutrino velocity measurement that appeared to be higher than velocity of the light. For UQT they were like a balm into the wounds. The administration of CERN renounced after sometimes these results considering the mas the consequence of experimental errors. As far as the authors know, not all participants of this experiment agree to such

renouncing. Besides, many astronomers detect superluminal velocities during observations of stars and galaxies [34]. In fact the movements in excess of the light velocity were discovered earlier by numerous groups of researches. Nearly everybody disbelieved it [34]. The importance of these experiments for UQT is settled in the article [26] where at the page 69 it is written that *this should be considered as direct experimental proof of UQT principle*.

Other ideas also exist [75]. For example, at «New Relativistic Paradoxes and Open Questions», by Florentin Smarandache, shows several paradoxes, inconsistencies, contradictions, and anomalies in the Theory of Relativity. According to the author, not all physical laws are the same in all inertial reference frames, and he gives several counter-examples. He also supports superluminal speeds, and he considers that the speed of light in vacuum is variable depending on the moving reference frame. The author explains that the red shift and blue shift are not entirely due to the Doppler Effect, but also to the medium composition (i.e. its physical elements, fields, density, heterogeneity, properties, etc.). Professor Smarandache considers that the space is not curved and the light near massive cosmic bodies bends not because of the gravity only as the General Theory of Relativity asserts (Gravitational Lensing), but because of the Medium Lensing.

In order to make the distinction between "clock" and "time", he suggests a first experiment with a different clock type for the GPS clocks, for proving that the resulted dilation and contraction factors are different from those obtained with the cesium atomic clock; and a second experiment with different medium compositions for proving that different degrees of red shifts/blue shifts would result. To regret, the authors today have no decisive position to these complicate questions.

Note, this question is terribly complicate and probably is to be leaved to next generations. From one side, the time in UQT exists, so to say, in our head only. From other side, the Lorentz Transformations describe correctly some experimental facts, for example, the mass growing with velocity. Otherwise, all atomic accelerators would be out of order. Thereafter, it is a big mistake to consider all Special Relativity Theory as erroneous. The attitude to the Special Relativity Theory is today highly vague and may be compared in full with the discussion among painters about significance of the Malevich picture "*The black square*".

Curiosity from the side the Special Relativity Theory declares that the spreading velocity of the information and of the signals cannot exceed the light velocity. At the same time today it is well known that the gravity interaction spreads with the velocity exceeding many times the light velocity. Laplace [46, 71] has obtained corresponding estimates long ago. But this problem is not discussed in any way in Special

Relativity. Over a hundred years passed since the special theory of relativity had been formed. Nowadays it is thought to be absolutely correct, although it was hardly criticized in different countries, and something like medieval inquisition even took place in the USSR and then in the Russian Academy of Sciences in response to the theory. To illustrate the methods of judgment, we cite a paragraph from an article by Academician E. Lifschits published in "Literaturnaya Gazeta", No 24, 1978, where he publicly claimed a paranoiac everyone who dared to criticize the theory of relativity: *"I see two types of scientists. Some of them are persons with paranoid psychic deviations... Not swindlers in science but simply not quite normal mentally... They are generally engaged in fundamental problems and deny quantum physics, the theory of relativity etc..."*

And all this took place in spite of the fact that by the time this accusation was published Academician E Lifschitz had been well familiar with a large heap of scientific facts proving the absurdity of what he considered "the theory of relativity". He was also well familiar with those methods of organized political violence employed for implementing this "greatest theory" into practice. And there came the result: *"... during the year of 1966 only, the department of general and applied physics of RAS USSR helped medical specialists to identify twenty four paranoiacs "* thus entrusting the Academy with the witch-hunting functions for stamping out dissent in physics.

However, numerous honest and courageous scientists do exist in Russia and in the world, for instance. Prof. V. Krasnoyarov, Doctor of Philosophy [42, 43], who wrote as follows: *" With all due respect to the scientific community, one cannot get rid of the thought that it has been mislead (for non-scientific reasons) and was forced to wear the fool's hat of relativism. We feel painful and humiliated but science must pass a hard path of its purification. "*

XIII. THE SPECIAL THEORY OF RELATIVITY AND UQT

The absence of alternatives confuses the mind totally.
Henry Kissinger

The authors should honestly declare that before the main postulates of the Universal Quantum Theory were generated and published, they had not much doubted the conclusions drawn from the Lorentz transformations. The broad scientific community generally gave a hostile reception to the conclusions about time slowed down in a rapidly moving watch. This conclusion has not confused authors till today, as the Lorentz transformations can be drawn from the light speed (electromagnetic waves) independence of the speeds of its source or the observer, which seems completely discouraging as far as common sense in

concerned, and the slowing down of time and the length contraction of a ruler are simply an elementary consequence of this discouraging fact of experimentation. On the other hand, numerous experiments are performing today [27,34,57, 43-45] demonstrating speed changing of electromagnetic waves if watched by moving observers and sources but this fact has not been brought up for discussion.

Transformations of coordinates and time were initially published by Voigt at the beginning of 1887, completed by Lorentz in 1904 and finally referred to as the Lorentz transformations. Poincare and Einstein, dissatisfied with the fact that the Newtonian mechanics was invariant relative to the Galilean transformations, came to the conclusion (1904-1905) that the equations of mechanics should be changed so as to be invariant relative to Lorentz transformations, which led, in mechanics, to mass growing with velocity. This was experimentally confirmed by Kaufmann (1902-1903). The Maxwell theory united various phenomena, previously dissipated, and the special theory of relativity started its triumphant march around the world.

Nobody was aware in these victorious years of the Coulomb law (the Gauss theorem as one of Maxwell's equations) being only true for charges stationary with respect to each other. Besides, as it was experimentally shown later, scattering of electromagnetic waves one on another took place in vacuum and could not be described by Maxwell's equations since they were linear. Nobody approached this problem once again, although it is absolutely clear today that electrodynamics is not a theory of last resort and it does not seem reasonable to demand that any upcoming theory should be invariant relative to Lorentz transformations.

It should be mentioned that Maxwell's equations were initially written using quaternion formulation [40], the vectors \mathbf{E} and \mathbf{B} were employed later, but the initial equations contained the total time derivative. The equations were invariant with respect to Galileo's transformations and Lorentz's transformations had not even been planned. Then Hertz and Heaviside [41] introduced the vector and scalar potentials \mathbf{A} and φ giving rise to non-homogeneous wave equations of second order, which was unknown in Maxwell's quaternion formulation, and the total time derivative was replaced by the partial one. These equations were regarded as the final formulation of electrodynamics and are believed to require no changes. They are now considered as relativistically invariant but the invariance with regard to the Galilean transformations disappeared from them.

The theory of special relativity went to even greater lengths, and it was claimed, though for no good reason, that there were no velocities larger than that of light, which allegedly invalidated the causality principle but was completely wrong in fact. The causality principle provides one of the general principles of physics

establishing the permissible limits of the influence of physical events on one another; it allows no impact of a given event on all the events that have already occurred ("the cause event precedes the effect event in time" and "the future does not influence the past").

The relativist causality principle is even stronger as it also rules out the mutual influence of the events separated by a space-like interval; the notions of "earlier" or "later" are not absolute for them and they change over with the change of the reference frame. The mutual influence of these events would have been possible only with the frame of reference which includes the object travelling at a speed larger than the speed of light in the vacuum. The well-known opinion that superluminal motion is impossible as far as the relativity theory is concerned proceeds therefore from the relativist causality principle and this opinion can be repudiated.

Humanity forgot that nothing beside the Newtonian equations with some additional allowances for other factors is needed to describe the Solar System. If we take into consideration retarded gravitation potential changes in the space then, as was established by Laplace [46, 71], the propagation rate of these changes will be 70 million as much as the speed of light. There is much evidence and experimentation at present showing speeds many times larger than the speed of light [27, 34, 57, 43-45] discussed in the vast literature on the subject. It seems funny that faster-than-light neutrinos were first observed and then abandoned even in CERN (otherwise the relativity theory would have collapsed) under the pretext that the cable with glass fiber was badly attached (!). These studies in CERN involved a lot of researchers and as far as we know not all of them share the same opinion but they keep silent ... as submitted to the discipline.

Incidentally, faster-than-light neutrinos were observed in the supernova explosions [34] and the neutrinos were detected first and the optic explosion was noticed hours later. The problem of medium (aether), easily eliminated by the special relativity theory, is considered apart from its issues. The authors are not of the opinion that the aether as a medium of some particles does exist, and we believe that this most obscure problem of the present must be settled by the generations to come.

Nonetheless, some reproaching stones must be cast towards the relativity theory and electrodynamics. The Lorentz force docs not proceed from Maxwell's equations but it is introduced to electrodynamics by hand! Besides, according to the apt remark made by Einstein himself that "*the electron is a stranger in electrodynamics*" and the true equations must not contain point charges or masses. Incidentally, Sir Isaac Newton never applied the concept of a material point and it is naive to imagine that such a simple idea never came into his mind.

One more irregularity concerning Lorentz's transformations seems to occur: they cannot be fully verified, for the moving watch or the ruler needs to be brought back for verification, which contradicts the condition of the inertia property. Experimentation shows that those watches were slow which returned back for they underwent acceleration... It seems curious that in the paradox of the rulers (which is directly connected with time deceleration) the moving ruler does not change its length after coming back... One must agree that this is very strange...

The solving of the Unitary Quantum Theory brought to light, quite unexpectedly for the authors, some consequences from the Lorentz transformations. It appeared that the principal relativistic correlation between energy and impulse was only correct after averaging. According to UQT, the particle-wave packet periodically appears and disappears when moving (gets smeared over the Mega Galaxy). If the particle is spread out it loses its mass and impulse although it retains its energy in the form of harmonic constituents and the relation

$$E^2 = p^2 c^2 + m^2 c^4$$

Comes out as the averaging. The growth of particle's mass with its growing velocity is now governed by quite other reasons: when the forcing frequency of the moving particle's appearances and disappearances $\omega_B = \frac{mv^2}{\hbar}$ approaches, due to dispersion, the natural frequency of the oscillations of the packet $\omega_S = \frac{mc^2}{\hbar}$ and the general resonance with the packet's amplitude growth occurs when $v \rightarrow c$, then mass growth takes place. The standard graph of the dependence of the particle's mass on its speed is now simply half the amplitude-frequency characteristic of the forced oscillations of a harmonic oscillator with no dissipation, and the mass growth is absolute.

One may ask us: respective to what medium is the particle moving if you have not yet maintained it till now? Once again we shall honestly answer that we do not know it, and that we do not like the idea of aether. If aether is the medium then we do not understand why its influence is nor expressed either in the laws of motion in the Solar System or in the spectrum of the hydrogen atom and why the motion about it is almost imperceptible.

It seems to us that the gravitation field creates something like the stage or the boards in a theatre where all the processes of the Universe are acted. Time is not accelerated nor decelerated in different reference frames, but the rates of all processes are simply equally changed under the effect of the changing gravitation potential because the mass changes.

If an operating watch arrives back it is slow as it has undergone acceleration, which is equivalent to the

changing of the gravitational potential. Gravitation and inertia are one and the same thing and this is one of the most profound physical ideas of the General Theory of Relativity. The target of further generations is to elucidate this.

According to UQT, multi-particle production after the collision of high-energy particles (with a large amplitude of the packet) with some periodical structure of another particle is simply the diffraction process of the interaction of non-linear waves one on another, and the jets of the resulting particles are diffraction maxima. The relativity principle is abandoned in UQT but the relativistic correlation (1) takes place in averaging. It appeared, when solving UQT non-linear integro-differential equations, both relativistic and non-relativistic, that in both the evaluation of the permanent fine structure [9-11,26,60,65] and the mass spectra calculation of [19,31, 65, 60,62] of many elementary particles - the solution had to be sought for in the inherent system, and time as a parameter tightly connected with space was completely disregarded in the analysis. No fundamental constants, except for π and e , were made use of.

So time is regarded here as purely Newtonian and it only exists in our mind, and the requirement of relativistic invariance seems to be a hundred-year long illusion of man. The world is not solely electromagnetic waves. Incidentally, UQT have settled up the problem of reversibility: it now does not exist in the Unitary Quantum Theory [60, 62,76] and the direction of the time arrow is determined by entropy.

The most valuable result of the unitary quantum picture of the world – serious suspicion in validity of Lorentz transformations for every aspect of the world pattern. The World is not only electromagnetic waves, the matter has been earlier examined by the authors in their works [57] and we are not going to recur to this subject again. The main result – four-dimensional relativistic space of time does not exist at all. According to Unitary Quantum picture of the world time is Newton number and it is used by our minds for description of dynamic processes only, nature has no idea of time at all and considers the world as complex geometry of space. The direction of time arrow is determined by entropy only. But today the world science is protecting both special and general relativistic theories. Statement “velocity lights this at most possible velocity in nature” is a mistake. Any deflection of the light from rectilinear (for example in gravitation field) will be impossible, since the module of velocity after deflection will become more than the velocities of the light. But today amicable agreement of science protects as special, so and general theory of relativity.

Further development of UQT showed that Lorentz transformation was found as Pyrrhic victory. It was good reflected in Nahum Korzhavin's poem:

But their disaster was a victory

And far the victory – emptiness.

Unfortunately, thousands of years of science and philosophy progress have led humanity back to Saint Augustine's words:

"If nobody asks me I know what time is, but if I am asked then I am at a loss what to say".

XIV. THE STANDARD MODEL

*Oh, this could all be false and vain,
A sham that trustful souls work out..*

A. Pushkin, "Eugeny Onegin"
(translation Ch. Johnston)

As soon as relativistic invariance underlies each of the numerous quantum theories of the field, it leaves a devilish imprint at everything. Nevertheless, relativistic ratio between energy and impulse, although being absolutely correct, in fact does not obligatorily follow from relativistic invariance only and can result from other mathematical reasons that will be discovered in the future. Nowadays the Standard Model (SM) contains the most elegant mathematical miracles of researches which hands were tied with relativistic strait-jacket and it not so bad describes these experimental data. Amazing that it was possible to think it out at all.

Nowadays to confirm SM one should find a "Higgs boson" and for this purpose the governments of some countries assigned essential sums for the construction of Large Hadrons Collider (LHC). For entire SM the interaction with Higgs field is extremely important, as soon without such a field other particles just will not have mass at all, and that will lead into the theory's destruction.

To start with we should note that the Higgs field is material and can be identified with media (aether) as it was in former centuries. But SM authors as well as modern physics have carefully forgotten about it. We would not like to raise here once again the old discussion about it. It is a quite complicated problem and let us leave it to the next generation.

But another problem of SM has never been mentioned before: in the interaction with Higgs field any particle obtains mass. As for "Higgs boson" itself, it is totally falling out of this universal for every particle mechanism of mass generation! And that is not a mere trifle, such mismatching being fundamental and fraught with certain consequences for SM.

After "Higgs boson" discovery nothing valuable for the world will happen except an immense banquet. Of course boson will justify the waste of tens of billions of Euros. But even now some opinions in CERN are expressed that probably boson non-disclosure will reveal a series of new breath-taking prospects and where were these voices before construction, we wonder? But that's not the point! If this elusive particle

were the only weakness of SM! To our regret today this theory cannot compute correctly the masses of elementary particles including the mass of "Higgs boson". More worse, that SM contains from 20 to 60 adjusting arbitrary! - parameters (there are different versions of SM). SM does not have theoretically proved algorithm for spectrum mass computation and no ideas how to do it! With other hand in SM no place for dark matter, but in UQT there is [26, 31, 57,60].

All these bear strong resemblance to the situation with Ptolemaic models of Solar system before appearance of Kepler`s laws and Newton`s mechanics. These earth-centered models of the planets movement in Solar system had required at first introduction of so called epicycles specially selected for the coordination of theoretical forecasts and observations. Its description of planets positions was quite good; but later to increase the forecasts accuracy it had required another bunch of additional epicycles. Good mathematicians know that epicycles are in fact analogues of Fourier coefficients in moment decomposition in accordance with Kepler`s laws; so by adding epicycles the accuracy of the Ptolemaic model can be increased too. However that does not mean that the Ptolemaic model is adequately describing the reality. Quite the contrary. Note the following remarkable fact: the standard theory allowed detecting spectra by using always the quantum equations with outer potential and as corollaries to geometric relations between de Broglie wave`s length and characteristic dimension of potential function. The quantum equation of our theory does not contain the outer potential and describe a particle in empty free space; the mass quantization arises owing to the delicate balance of dispersion and non-linearity which provides the stability of some wave packets number. It is the first case when spectra are detected by using the quantum equations without outer potential.

XV. THE NUCLEAR PHYSICS

*"...the kernels are pure emeralds,
but people may lie..."*

A.S. Pushkin

Nuclear physics as a part of quantum theory is very luckless. Thus the potential of the strong interactions is so complicated that no one even very bulky and intricate mathematical expression is able to describe with more or less veracity the experiments of two nucleons interaction. This interaction depends in very complicated manner from all parameters of the nucleons movement and their orientation towards vectors of velocity, acceleration, spin, magnetic movement, etc. Scarcely one can find a parameter which practice interaction does not depend on.

From UQT point of view the strong interactions appear in the result of nucleons represented by the wave packets overlapping. Today the way of





mathematical notation of the overlapping wave packets interaction is absolutely vague as soon nonlinear interaction in any space-time point of the waves is different due to different amplitudes.

It`s a really complicated problem as soon there is only one nonlinear mathematical problem existing for each space-time point and even with the intuitive clearance of situation we do not expects its soon solution. The complete understanding of the nuclear structure hardly can be expected in the soonest time without exact expression for the potential of the strong interaction.

In general it should be noted that quantum world looks more clear and simple in UQT than in the general quantum mechanics, but we cannot repeat it while speaking about the mathematics used. The appearance of the exact analytical solution of the scalar problem of elementary particles mass spectrum can be considered as Fate gift (or God`s help) for UQT. By the way the standard Schrödinger quantum mechanics has the same gift -- the exact analytical solution of the Hydrogen atoms equation.

The nuclear process at small energies should be reviewed. Today the strict nuclear physics does not assume nuclear reactions at small energies and that contradict experimental data [12-18, 21, 37, 64, 76]. Here we should also note our skepticism towards the idea of nuclear fusion in Tokamaks, we consider this way as hopeless. To justify these experiments we have to mention that the solution was obtained in the deficient of other ideas and under the great pressure of the future power problems. But the use of the reactions of classical cold fusion for the power output is also difficult due to the complexity of colliding nuclei phasing. This phenomenon is well described by the equation with oscillating charge, while the cold nuclear fusion had been predicted in UQT6 years before its real discovery [15-19, 60, 76, 77].

It was discovered long ago that nuclear transmutations are widely spread (it is especially evident for plants and biological objects), but they are faintly connected with energy liberation. The examples of such reactions are:



In reactions of such a type very slow proton (its kinetic energy is equal practically to zero) is penetrating inside the nucleus by the above-mentioned way and stays there. There is no nuclear energy liberation, because the nucleus remains stable both before and

after reaction. In accordance with classical nuclear physics, the nucleus, as usual, after a charged proton with great kinetic energy gets inside it, becomes unstable and breaks to pieces, and its fragments obtain bigger kinetic energy. The reactions of above-mentioned type were considered impossible at all at small energies and therefore were not studied in the classical nuclear physics. Apparently, that is absolutely new type of nuclear transmutations unacknowledged by modern nuclear science, but experimentally discovered sufficiently long ago. Today there are a lot of experimental data confirming the mass character of nuclear transmutation [60]. Moreover there are many projects of nuclear waste neutralization that use this method.

XVI. THE SOLID-STATE PHYSICS

The band theory of solid is based at the point on the solution of the problem of an electron movement in the field of two or more charges. But this problem does not have analytical solution yet, in practice a speculative quality solution is used only. The results are that electrons in the solid have quite specific allowed power bands. This field of the science is very successful and hardly will be revised. Any solution of the equations with the oscillating charge for the electron moving in the field of few nuclei also result in appearance of allowed and forbidden bands [14-16,21, 60].

Somewhat apart is classical tunneling effect. In UQT the probability of tunneling effect appearance depends on the phase of the wave function (in contrast to the ordinary quantum theory, where at the squaring of the wave function module its dependence on the wave phase totally disappears). It could be interesting to prove such dependence by the experiments. It can be easily done if creating a new transistor on the basis of absolutely new principle of the electron current control [23].

We are not going to analyze the modern theory of superconductivity, but we are sure that the equation with oscillating charge will deepen on both understanding of superconductivity as well as mysterious properties of quantum liquids.

XVII. THE ASTROPHYSICS AND COSMOLOGY

The authors regret not being in sympathy with the ideas of the Universe origin from one singular point. The most amazing in this theory is a detailed computation of events occurred in the fractions of the first second just after the Big Bang. Today when the fundamental physics is making only first shy steps towards the real understanding of the quantum processes we still do not have clear model of the particles, or understanding of a spin appearance, of a charge and magnetic moments. At the same time, Lawrence Livermore National Laboratory USA have

announced in the Internet about sensational results. This Laboratory have many years observations and analysis with Supercomputer have announced about construction of the space model of our entire Universe. *It was turned out that our Universe has the flat structure and all Galaxies have dimensions near a half of million light-years being six milliard light-years apart and all Galaxies lie on the same plane (!)*. Obviously, such picture of our Universe does not correspond with the Big Bang model.

According to UQT the processes of the multiple particle production at collision is a common result of the waves packets of big amplitudes diffraction in periodic structures one another, as for the multiple outgoing in different directions particles they correspond to the general diffraction maximums. But we do not assume the responsibility of the mechanism of the multiple particles production for the Universe appearance. To our opinion the complete understanding of the quantum world will arise only after solving of 32 nonlinear integro-differential equations of UQT [9, 60, 65]. To their regret the authors are not able to solve these equations.

A lot of cosmologists would like to use theories assuming existence Universe localities where the energy is coming into being and also other localities where the energy annihilates. For example, British astronomer Fred Hoyle has developed the theory of Universe where it takes the place the continuous creation of matter. He wrote: *"Different atoms constituting the matter do not exist at some given moment of time and then after instant they exist already. I must admit his idea may look as strange. But all our ideas about creation are strange. According to previous theories the whole quantity of matter in Universe was coming into being just as whole and all process of creation looks as super-gigantic instant explosion. As for me, such idea seems much stranger, than idea of continuous creation"*. (F.Hoyle, La nature de l'Universe, 1952.) The official astronomical science does not accept the ideas of F.Hoyle and of some other astronomers (H.Bondi, T.Gold, and P.Jordan) about continuous creation of matter in Universe because the Conservation Laws are considered as infallible. But from the viewpoint of our UQT these ideas are quite not strange.

Our real world continuum consists of enormous quantity of particles moving with different velocities. Partial waves of the postulated vanishing particles create real vacuum fluctuations that change in a very random way. Certain particles randomly appear in such a system, owing to the harmonic component energy of other vanished particles. The number of such "dependant particles" changes, though; they suddenly appear and vanish forever, as the probability of their reappearance is negligibly small, and so we do expect that all particles are indebted to each other for their existence. Yet, if some particles are disappearing within an object, other particles are arising at the same

moment in that object due to the contribution of those vanishing particles harmonic components and vice versa.

The simultaneous presence of all of the particles within one discrete macroscopic object is unreal. Some constituent particles vanish within the object while others appear. In general, a mass object is extant overall, but is not instantaneously substantive and merely a false image. It is clear that the number of particles according to such a theory is inconstant and all their ongoing processes are random, and their probability analysis will remain always on the agenda of future research.

In UQT other solutions for the quantum harmonic oscillator besides stationary exist, where the given tiny incipient fluctuation is growing, gaining power and finally becoming a particle. It is so called "Maternity Home" solution. There are also other solutions where substance (power) is disappearing. Such solutions have been called "Crematorium". Metagalaxy maybe simply entangled in searching of the balance, isn't it?

All this allows expecting that space continuum in the centers of Galaxies produces different particles, electrons, protons, neutrons, which are the sources of light atoms. Later thanks to the gravitation light atoms are transformed into gas nebulae where under gravity compression the stars are lighting. It is quite possible that the current theory of Stars evolution is correct in general while describing (via Supernova) the production of other atoms apart Hydrogen and Carbon the planets consist of. We do not think nuclear process at small energies (which are possible in UQT, but impossible in standard quantum theory) will essentially modify evolutionary view of the Galaxies development.

It is interesting that the state with the minimum quantum values $L=0$, $m=0$ belongs to the very heavy neutral scalar particle (WIMP) with our name Dzhn and mass about 69.6 TeV, which in principle should purely interact with the others [17,19,22,31, 60,62]. With the growth of the quantum numbers the mass of the particle is diminishing. So there should be a lot of Dzhn-particles due to the small quantum numbers. And probably their existence is responsible for the dark matter in general, in accordance with some evaluations Meta galaxy consist of up to 80-90% of the dark matter.

XVIII. THE GRAVITATIONAL THEORY

Hell is empty and all the devils are here.
"The Tempest" William Shakespeare

It seems Gravitational theory should follow from 32 nonlinear integro-differential equations of UQT and the authors are expecting that it can be done in future [60,65, 76]. Nevertheless we will make now some conservative assertions. The current data regarding the Universe expansion can be interpreted as the change of the gravitational potential sign (gravity is

replacing by repulsion) at great distances for the great masses. Probably the difference between absolute the values of electric charge of a proton and an electron, say in 15-20 signs, is responsible for his phenomena, but for us this idea is extremely unsympathetic.

Gravitational interaction remains an extraordinary mysterious appearance in UQT as actually it has a very high speed of interactions distribution and approximately is in times weaker than electro-magnetic interactions. The origin of such an enormously big number remains the greatest riddle.

On the other hand if any particle is a package of partial waves of some uniform field, probably is possible a following curious phenomenon which was observed and described by us more than once earlier [76]. If to put a ditch with the substance having abnormal dispersion on a way of the wave package moving in flat Euclidean space, the package after ditches can appear even if it is situated at distance of many light years from a package as formally mathematically harmonious components exist on all infinite rectilinear coordinate of package movement as ahead of it, and behind. Thus the package can disappear in that place where it was, and to appear at huge distances ahead of a package, or behind. Thus the package didn't move at all between points of disappearance and new appearance, and the normal idea of speed in the unitary quantum theory loses its initial meaning.

Similar teleportation was observed of ten times. Probably, it is actually a long-range action, (couple long distance) observed in gravitation. A curious though appears that the waves building a package, could be connected with gravitation and all particles consists of a gravitational field. Then this field can be a stage or a scene where all other processes with final speeds of interaction transfer are played. It will allow connecting the quantum theory and the gravitation theory which while aren't connected yet today in the future. But it is a task for the future generations.

At the same time according to the processed information (Hlistunov et al [33]) from Russian Command-and-Measuring Complex for the monitoring and control of the space objects at the entire moment of collision geodesic satellites "Tope-Poseidon" and "GEO_IK" began swaying at their orbits. Normally the orbit of a geodesic satellite lies inside the tube with about 1 km diameter and the orbit can be control with the high accuracy not more than one meter precision for the position data and centimeters per second for velocity. During the collision the sensors registered 5-8 times increase of the trajectory tube diameter. In the same article Hlistunov [33] at all on the basis of correlation analysis of the position data measurements and information obtained from earthquake-detection station it was shown that the waves of gravitational potential variation were the trigger for earthquakes. With other hand official science in Russia did not know about it [33,

61]. To the authors regret they do not have the similar information from NASA.

XIX. THE GENERAL THEORY OF RELATIVITY AND UQT

*Ridiculously enough to seek the truth for fee.
It's always there where payment is higher.*
A. Pechorina

The situation in GTR (the gravitation theory) is even more scandalous. The Authors do not regard themselves as the coryphées in the fields of Riemann's geometry and tensor analysis; nevertheless they are quite confident that GTR by all means bears most profound ideas of physics that will undoubtedly retain in the future theory of gravitation. But, in fact, the conception of the dependence of space properties on the distribution and motion of masses was for the first time put forward and developed by Jacobi in ... 1848. Then this conception was further expanded in the works of a whole plead of such physicists as Lipke, Bcrwald, Frank, Eizerhard [40,41, 43-45]. Nowadays we understand that the spectrum of masses and the fine structure constant [9-11, 31, 62-65] owe their appearance only to geometry and to the properties of space.

The fact that any motion is regarded as absolute in UQT is highly positive for this theory, as was for the first time noted by Academician A. Alexandrov [49] at the All-Union Conference "Space and Time in Modern Physics" in 1959. He said that *"our issue is particularly about a mathematical theorem and, therefore, the statement that the theory is based on "the general relativity principle" (whose senselessness was admitted by Einstein as far back as in 1916) is equal to someone's allegation that "the Einstein theory relies on the general law according to which $2x2=5$... Therefore, GTR rather does eliminate the relativity of motion than extends it from inertia l motions to any accelerated ones"* [49].

Still many leading scientists, both in Russia and abroad, definitely deny GTR at all. The President of the American Physical Society and the Nobel Prize Winner Prof. E. Wigner stated as a well-approved fact [54] that *"such fundamental physical concepts as a coordinate and an impulse, which might be assigned any random initial values, do not bear any physical sense within the frame of GTR"*.

Vice-President of the Russian Academy of Scientists Acad. A. Logunov [50-53] proves that no physical sense is borne by such fundamental physical value as mass within the frame of GTR. Moreover, he wrote unambiguously [53] that *"the energy-impulse tensor in the Einstein theory - has the same relation to physics as does the last-year snow to the mystery of the Tunguska Event"*. When speaking to the UNESCO session in March 1986, Acad. A. Logunov suggested that some special international agreement should be

created for expelling GTR from research as one having nothing to do with natural sciences. His article in a magazine ("Tekhnika Molodezhi", No 10, 1986) carries his opinion that *"the energy-impulse vector is always equal to zero in GRT and GRT no concept of energy can be found there"*.

Theory will be entirely useless if not supported by appropriate experimentation. As regards the quantum science, theory and experiment in it show coincidence with an accuracy of 6 to 9 significant figures. Unfortunately, GRT cannot boast such coincidence. We shall briefly analyze main direct experimental confirmations of the theory. Three of those are the most important. The other ones can be liable to another classical interpretation.

1. The deviation of a star beam in the Sun's gravitational field during solar eclipse. GRT predicts a 1.75" deviation of the stellar beam whereas the Newtonian theory stands for a value two times as small. The Sun has an immense plasma cloud over its surface, which also deflects the light and this deflection is tens of times larger than the predicted effect is. The plasma cloud's parameters are unknown and surely similar predictions are made to achieve needed results. The same considerations work when quasar radio emissions in the Sun's field are measured.
2. Expansion of the Universe according to the Hubble law. The Hubble constant has changed by orders of magnitude since the observations started but all the time it corresponds to the theoretical predictions (!).
3. The motion of the perihelion of Mercury. It has been for long known in observational astronomy that owing to other planets' gravitation Mercury's motion is not simply elliptic but the planet travels along an ellipse that rotates for 575" every hundred years. Corrections based on the Newtonian theory make it to be 532". The remaining value 43" cannot be interpreted within the frame of the Newtonian theory. Not exactly... It takes the Sun about 30 days to make a full rotation on its axis.... That is why it is a bit oblate (like the Earth)... Then the Sun's gravitational field will rely on the angle (with no spherical symmetry), and Mercury's trajectory will certainly make a turn... We do not insist that this deviation will be 43" but it will of course exist. To solve the problem correctly, one needs to know what the Sun's polar and equatorial radius, which have never been measured and no one knows the way to measure them... Everybody keeps silent about this fact for 43" is considered to be excellently accounted for in terms of GRT..

Not long ago the situation grew absolutely scandalous... The collection of articles "Unsolved Problems in Special and General Relativity" (Chief Editor Florentin Smarandach, USA) might be referred to as a requiem for the Special and General Relativity theories.

The authors are an American, a Russian, the rest are the Chinese. All of them cannot be called engaged persons. The first article of the Collection, "Einstein's Explanation of Perihelion Motion of Mercury", is by Chinese mathematician Hua Di [35, page 5]. The author pointed to a rude mistake made by Einstein when calculating the error of 43" by way of integration, and the result must have been not 43" but 71.5". We were so astonished that rushed to make sure whether it was so. Sad to say this, but we all had the same result 71.5". See last confirm calculation [72]. And what did surprise us mostly was the fact that not only Einstein but the authors of many articles and books had stupidly reproduced these calculations, challenging us to think seriously about the situation just like Prof. Krasnoyarov.

To draw a final line in the discussion about the experimental substantiation of the General Relativity Theory (GRT), let us cite the conclusion of French scientist L.Brillouin [48] who left to us his unambiguous estimation: "*The conclusion is that no experimental facts exist that would confirm the mathematically cumbersome theory by Einstein. Everything done after Einstein provides mathematically complicated generalizations, additions or modifications not supported by experimentation. Science fiction in the area of cosmology is, frankly speaking, a very interesting but hypothetical thing.*"

The above-laid considerations reflect a completely dismal general physical picture of the world. If this picture is further accepted in the scientific community, then many countries will continue wasting their time and money in empty projects like the International Reactor for Thermonuclear Synthesis, Large Hadrons Collider and the like. The now existing army of "brothers talc-tellers" will depict for us more and more fantastic physical scenarios. Amazed people will listen to these breathtaking stories about parallel universes, worm holes, the teleportation of large objects, travelling in time, horizontal events and any other stuff like this, and demand more and more money from their Governments for putting up new shows. Leaders of states must remember that "the viability of any idea is determined by the quantity of people feeding on it".

We should note that General Theory of Relativity contains a lot of ambiguities that have not been ever discussed. Thus in Newton's Theory of Gravity velocity of gravitation doesn't enter any equation being considered infinitely large. Laplace [71] in his works on celestial mechanics showed that if gravitational interaction between two objects had no immediate effect (equivalent the use of velocity dependent potential) impulse in the system of moving planet could not be stable. Part of impulse would be transferred to the gravitational field similarly electromagnetic coupling in electrodynamics. From Newtonian point of view if gravitational interaction is transferred with finite velocity

and does not depend on objects' speeds every planet point should be attracted to the previous location of Sun but not to its current position. On this basis Laplace had shown that eccentricity and semi-major axes of orbits in Kepler problem in terms of finite velocity should grow with the lapse of time – exposed to secular drift. Basing on upper-range valuations resulted from Solar System stability and Moon motion Laplace proved that velocity of propagation of gravity Newton interaction could not been less than 50 million times greater than light speed. From mathematical point of view dependence of gravity potential on time indicates non autonomous equation of non closed systems motion, and so Keplerian motion of planets should be forgotten. But if gravity waves are potential gradient their velocities will differs essentially from the speed of light.

As Laplace wrote [46] (back translation): "... *does attraction transform from one object to another immediately? Transmission time, if it were visible, would be appeared in the form of secular drift in moon motion. I proposed this instrument for the explanation of acceleration detected in above mentioned motion and found that its velocity must be seven millions of time greater than that of light to explain the secular variations of the mean motion of the moon. But since the reason for moon secular equation is well-known we can conclude that the velocity of the attracting force must exceed, by at least fifty millions of times, the velocity of light. So without any error concern we can assume gravity transfer as momentum.*"

Nevertheless A. Einstein assumed [78] (back translation), that "*gravity interactions are extended with light speed. For example if Sun were suddenly pulled out of Solar System, Earth would leave its orbit approximately 8 minutes later – time necessary for light to run from Sun to Earth.*" But this question is totally out of discussion and it is still unclear how science society will get out of this problem.

XX. THE CHEMICAL CATALYSIS

The process of chemical catalysis and catalysts are the great mystery of the modern science. The number of chemical catalysis theories equals the number of chemical catalytic processes. A specialist in chemical catalysis used to think that this or that reaction is not going because of the needed catalyst has not been found. Even Michael Faraday studied these problems. He seems to say about platinum as being the universal catalyst. Only this (while platinum practically does not react with anything) immediately suggests an idea that chemical processes are not enabled at all and we should look for the physical universal mechanism of reactions.

We cannot exclude that idea of energy generation within a potential well is just waiting for the creation of general theory of catalysis. Here we should

recall brilliant words of a famous Russian specialist on physical chemistry Professor A.N. Kharin (Russia, Taganrog, 1954) who always said at his lectures: *“The problem of chemical catalysis is the most incomprehensible in the modern physical chemistry and it won't be solved until physicist discover some new mechanism able to explain the liberation of the energy that lowers the reaction barrier.”*

Absolutely the same scenario we have for Nitrogen in production of Ammonia. At standard terms molecular of Nitrogen is nearly inert. It can react with Hydrogen only in atomic state. But transformation of molecular Nitrogen into atomic require a lot of energy. It looks like: molecular of Nitrogen penetrates into catalyst cavern and it terms of “Maternity Home” two free atoms of Nitrogen leave cavern and immediately joint protons (Fig.8).






Fig. 8: Oscillation of Nitrogen molecule in potential well of catalyst

We are sure that in such a way water can be decomposed for Oxygen and Hydrogen. At normal conditions the mixture of Oxygen and Hydrogen is stable. In other words two stable substances (water and gas mixture) are simply divided by a high energy barrier, that can be overcome (tunneling effect analogue) by using the exact catalyst and the UQT ideas. For today a lot of experiments of water decompositions are known, the energy evolved in the process of hydrogen combustion is ten times higher than necessary for decomposition. It makes possible to construct a water-engine for autos.

There are amazing results [55] on catalytic decomposition



with separation of the heat and catalytic reaction



also with separation of the heat! In laboratory Oak Ridge opening by Adam Rondinone catalyst (fullerene with copper) transforming coal acid (soda water) in ethyl alcohol! These reactions do not require any additional energy. But from the point of chemical thermodynamics that is evident infringement of the Energy Conservation Law! According to modern conception no catalyst adds

any energy to the catalyzed process. But practice shows that it does! The catalyst adds energy to the process. And the only rational explanation of this fact gives new solutions for quantum oscillator in UQT. This example is not singular in the chemistry of catalysis. Specialists of catalysis are used to deal with excess heat generation; nevertheless they are “normally” ignoring this fact to avoid reputation of “ignoramus” in simple thermodynamic calculations. The role of catalyst in modern chemistry of catalysis should be revised. And that was done in [14-16, 24, 76, 77]. Our UQT allows, as we hope, to make the first shy steps in right direction.

XXI. THE ORIGIN OF LIFE AND UQT

The origin of life on Earth – this question always interested people. Nearly any nation has legends and stories about this, different texts can be found in ancient holy books like the Bible, the Quran and others. Nowadays the hot disputes around the origin of life on Earth are continuing. The main issue is the question: was it by chance or not.

Let's start with definitions. There is no conventional and generally accepted definition of life. Some scientists consider the life as a process more than a structure and describe it, for example, as process of maintenance of non-equilibrium state of organic system with the production of energy from surrounding media. Systems without distinguished spatial boundary – autocatalytic cycles, —living solutions— can correspond to such definition of life. Other scientists underline the obligatory discreteness of animal objects and think that conception —life is inseparable from the idea —organism.

The only life we know is the life on Earth, and we do not know what properties are obligatory for any life in general. However we would like to take chance and indicate two of these properties. First – the existence of genetic information; second – active functioning for the purpose of self-maintenance, growth and reproduction as well as for production of energy necessary for these works.

Any living organism on Earth solves these problems with the help of three classes of complex organic molecules: DNA, RNA and proteins. DNA is responsible for the first problem – keeping genetic instructions. Proteins are responsible for the second – active —work. It's very strict specialization. Proteins never hold genetic instructions, while DNA never —works actively. Third class of molecules – RNA – serves as intermediary between DNA and proteins providing genetic information read-out. RNA helps to create proteins in accordance with the —instructions of DNA molecule. Some of RNA functions are similar to the proteins duties (active work of genetic code reading and protein synthesis), others remind DNA functions (keeping and transfer of information). And all these

works are done by RNA not solely but with proteins' active participation. On the first sight RNA seems unnecessary. And somebody can easily imagine an organism without RNA at all where its functions are divided between DNA and proteins. But in fact such organisms do not exist in principle.

What molecule appeared first? Some scientists considered it was no doubt proteins: because they were responsible for any work in a living cell and life was impossible without proteins. Other scientists opposed that proteins could not keep genetic instructions. But life is impossible without genetic instructions even less so. And according to second opinion DNA was the first! The problem seemed undesirable: DNA was unnecessary without proteins, and proteins – without DNA. In accordance with these theories both molecules have to appear simultaneously, but that is hard to imagine. During these debates the —spare RNA was nearly forgotten. As everybody thought it could neither keep information nor work without extra assistance.

Our civilization is not aware of other forms of life but it does not mean that they do not exist. Perhaps they do not exist on the Earth, but probably in other circumstances organic-silicon forms of life may exist instead of Earthly carbon forms.

The modern UQT gives us instruments to create different elementary particles, nucleus, atoms and simplest molecules from the chaos of world potentials fluctuations, and then due to gravity to create planets, stars, galaxies. One of the authors of this article (V.D.) five times was in outer space, but he has never faced any interference of Creator. All these reasons can hardly help us in solving the problem of the origin of the life, moreover both the second law of thermodynamics (every system left to its own trends to more from order to disorder, simplification, destruction and in the long run to randomness), and the general reasoning from the probability theory are seriously impeding this processes. We would like to analyze some of these reasons.

Theory of creationism assumes that every living organism (or at least the simplest form) once was created (—constructed) by a certain Supernatural being (divinity, absolute idea, super intelligence, super civilization and so on). Obviously in ancient times the members of mostly all religions took this point of view, in particular the Christians. In modern times the theory of creationism is still widely used not only by religious but also by scientific community. It's usually used for the explanations of the most complicated unsolved for the moment problems of bio-chemical and biological evolution in connection with the synthesis of proteins and nucleic acids, forming of mechanism of their interaction, creation and forming of some complex organelles or organs (like ribosome, eye or brain).

From time to time the acts of -creation are used for the explanation of the absence of evident transition stages from one type of animal to another, for

example, from worms to arthropods, from monkey to human and so on. We should underline that philosophical dispute about priority of mind (super-brain, absolute idea, divinity) over matter cannot be solved in principle; however every attempt to explain any problem of modern biochemistry and evolution theory by incomprehensible super-natural acts of creation brings these problems over the scope of scientific investigations. That is why the theory of creationism cannot be ranked as scientific theory of the origin of life on Earth.

There is another idea – Theory of stationary state. In accordance with that theory the life was carried from one planet to another by —seeds of life|| moving along the space being a part of comets and meteorites (panspermatism). For example, the academician V.I.Vernadsky, the founder of the study of biosphere, held this idea. However the stationary state theory that assumes infinitely long existence of the Universe does not comply with the information of modern astrophysics that stipulates the Universe appeared not so far ago but only 16 billion years.

Obviously all these theories do not propose any explanation of the mechanism of life origin, either replacing it to another planets (panspermatism) or moving back to infinity (theory of stationary state). But question – what is the origin of life at other planets - still remains valid. In any case the scheme of life origin is more or less the same. All this create a lot of other problems, the main – conflicting probability of this event. The mathematical computations definitely show impossibility of accidental appearance of even the simplest cellular structure basing on the known for the moment mechanism of implementation. In other words if God does not exist, then the life of Earth should be the result of numerous random coincidences that is absolutely impossible.

Professor of chemistry R. Schapiro (USA) has calculated that the probability of appearance of 2000 types of proteins to create a simple bacterium equals $1:10^{40000}$. That is there are 10^{40000} (1 and 40 thousand zeros) different variants of these types of proteins creation and only one of them – that should be —absolutely random||- can create a life. Professor of astronomy and mathematics Chandra Wickramasinghe commented it as follows: *"This value (10^{40000}) is big enough to bury Darwin and his theory"*. Most evolutionists have to agree with this truth. For example the well-known scientist evolutionist Harold Bloom admits: *"Accidental appearance of even the smallest protein is absolutely impossible"*. Sir Frederic Hoyle, famous researcher, once said: *"The chances that DNA just occurred are about as unlikely as a typhoon blowing through a junkyard and constructing a Boeing-747."*, - and then: *"The point of view that the current program of living cell could appear on Earth by chance in primordial soup is an utmost and obvious nonsense"*[70].

There is one problem more – being separated all elements of genetic material and proteins are antagonistic to each other. They are destroying each other if being free in the cell, but nobody takes this into account in computations. We can be happy that position of God in the process of life origin remains for the Creator. Our social consciousness damaged by atheism interprets everything in a special manner: if event can be explained by any scientific law the Designed has nothing to do with this. Divinity appears always out of scientific discoveries and acts in the field of miracle. Indeed one can ask every atheist, for example atomic physicist, about the terms he can believe in God. And he will reply that it should be something extraordinary, a Miracle. For instance a patient should recover in a flash and throw off his crutches before his eyes (and only at terms he has known the disable person for many years). In other words a miracle should arise contrary to the laws of physics, biology... contrary to the laws of Nature – only at this terms it will be a Miracle.

But here we get into intellectual trap! The laws of Nature are internally deterministic, one follows another and so there is no space for observer, he cannot affect the Law. That is why it is called the Law of Nature. When we ask the Designer about the Miracle thereby we admit him being the Creator, because only that who creates laws and can correct them for a certain task is able to interfere in the situation and create something in defiance of the Laws of Nature. For example, to create something alive from something lifeless. Or in reply to our prayer to cure cancer to great surprise of physicians. But note that physicists will say that he hasn't seen either the moment of revival of the matter, or cure, or even the annual Descent of the Holy Fire. And that is one more confirmation of fact that Laws of Nature have only one Creator. If the Almighty had no relation to the approval of the Laws of Nature, then the miracles would be at every turn. But as far He has created these laws what can be the reasons for Him to break the laws? Too many miracles can bring down the laws of Nature, miracles will stop being wonders and laws – will stop being laws... This transfer from Nature to Creator and back indicates the dualism of our consciousness. Meanwhile the contrasting the Creator to the Nature is akin to the contrasting father to mother. In reality any search for the scientific truth is in fact the cognition of God. And in the course of these researches we will have to define the laws of that incomprehensible transfer from lifeless to alive, from alive to animate, from animate to spiritual... And thanks to God's will we are sure that is knowable.

Let's resume: Over the whole history of humanity there was not a good event when something alive was descended from anything except alive. Till now evolutionism hasn't presented any believable scientific explanation of the origin of such sophisticated complexes as DNA, human brain and many others

complicated elements in the space. For the materialist the statement that every a live object has arisen by itself while the modern science with the help of natural processes is only coming to the discovery of a protein molecular origination is nonsense. There is no scientific evidence that life can arise from the lifeless material, but there is a reliable illustration that such self-generation is impossible at all. Only DNA can produce DNA. No chemical reactions of molecules are able to reproduce even roughly this super-complicated code that is so important for all known forms of life. Thus UQT does not allow dispersing the darkness in the problem of the origin of life. We would like to resume with the words of Robert Jastrow [69]: *"For the scientist who has lived by his faith in the power of reason, the story ends like a bad dream. He has scaled the mountain of ignorance; he is about to conquer the highest peak; as he pulls himself over the final rock, he is greeted by a band of theologians who have been sitting there for centuries"*.

XXII. CONCLUSION

In essence, our theory discovered new world properties and new theoretical possibility of the radical transformation of the civilization. Let us recollect the prophetic words of the famous US science-fiction author Arthur Clarke: *"Something that is theoretically possible will be achieved practically independent of technical difficulties. It's enough to desire it."* (back translation)- Profiles of the Future, 1963.

In conclusion we would like to quote extremely acute words of Louis de Broglie: *"Those who say that new interpretation is not necessary I would like to note that new interpretation may have more deep roots and such theory in the long run will be able to explain wave-particle dualism, but that explanation will not be received either from abstract formalism, modern nowadays, or from vague notion of supplementary. But I think that the highest aim of the science is always to understand. The history of the science shows if any time somebody succeeded in deeper understanding of physical phenomena class, new phenomena and applications appeared. Hope that many researchers will study that enthralling question casting aside preconceived opinions and not overestimating the importance of mathematical formalism, whatever beautiful and essential it was, because that may result in loss of deep physical sense of phenomena"* (Louis de Broglie, Compt. Rend, 258, 6345, 1964 back translation).

We would like to add the amazing phrase of A. de Saint-Exupéry: *"The truth is not something that could be proved, but something that makes all things easy and clear"* (back translation).

ACKNOWLEDGEMENTS

The authors thank for discussions to professors V. A. Boichenko, A. S. Bogomolov, S. I. Konstantinov, V.

V. Graboshnikov, A. A. Kostin, M. A. Mokulsky, V. I. Utchastkin.

REFERENCES RÉFÉRENCES REFERENCIAS

1. Jammer M. (1961). Concepts of mass in classical and modern physics. Harvard University Press.
2. Sapogin L.G. (1973). «United Field and Quantum Mechanics», System Researches (Physical Researches) Acad. Science USSR, Vladivostok, 2, pp. 54-84, (Russian).
3. Sapogin L.G. (1979). «On Unitary Quantum Mechanics». Nuovo Cimento, vol. 53A, No 2.
4. Sapogin L.G. (1980). "A Unitary Quantum Field Theory". Annales de la Fondation Louis de Broglie, vol.5, No 4, p.285-300.
5. Sapogin L.G. (1982). "A Statistical Theory of Measurements in Unitary Quantum Mechanics". Nuovo Cimento, vol.70B, No.1, p.80.
6. Sapogin L.G. (1982). "A Statistical Theory of the Detector in Unitary Quantum Mechanics", Nuovo Cimento, vol.71B, No.3, p.246.
7. W. Ritz and A. Einstein, Physikalische Zeitschrift, 10, 323—324 (1909)
8. Sapogin L.G. (1983), Journal «Technics for a young», No.1, page 41. (Russian).
9. Sapogin L.G., Boichenko V.A., (1984). "On the Equation of the Unitary Quantum Theory". Annales de la Fondation Louis de Broglie, vol. 9, No.3, p.221.
10. Sapogin L.G., Boichenko V.A. (1988). "On the Solution of One Non-linear Equation" Nuovo Cimento, vol.102B, No 4, p.433.
11. Sapogin L.G., Boichenko V.A. (1991). "On the Charge and Mass of Particles in Unitary Quantum Theory" .NuovoCimento, vol.104A, No 10, p.1483.
12. Sapogin L.G., I.V.Kulikov (1995) "Cold Nuclear Fusion in the Unitary Quantum Theory", Chinese Journal of Nuclear Physics, vol.17, No 4, p.360-370.
13. Sapogin, L.G. (1996) "Cold Nuclear Fusion and Energy Generation Processes in Terms of the Schrödinger Equation". Chinese Journal of Nuclear Physics vol.19,#2, p.115-120, 1996.
14. Sapogin L.G., Ryabov Yu. A., Utchastkin V.I. (2003). Unitary Quantum Theory and a New Energy Sources. Ed. MADI, Moscow, (Russian).
15. Sapogin L.G., Ryabov Yu.A, Boichenko V.A. (2005). Unitary Quantum Theory and a New Sources of Energy, Archer Enterprises, Geneva, NY, USA.
16. Sapogin L.G., Ryabov Yu. A., Boichenko V. A. (2008). Unitary Quantum Theory and a New Sources of Energy, Ed. Science-Press, Moscow, (Russian, transl. from English).
17. Sapogin L.G., Ryabov Yu. A. (2008). «On the mass spectrum of elementary particles in Unitary Quantum Theory», The Old and New Concepts of Physics, Vol. 5, No 3 www.uni.lodz.pl/concepts
18. Sapogin L.G., Dzhaniybekov V.A.(2008), Journal «Technics for a young», No.9, No.11, February (Russian).
19. Sapogin L.G., Ryabov Yu. A. (2010).«New Theoretical Results about the Mass Spectrum of Elementary Particles». Applied Physics Research, vol. 2, No 1, p.86-98, May. www.ccsenet.org/apr
20. Sapogin L.G.(2010), «About Unitary Quantum Field Theory», Applied Physics Research, vol. 2, No 2, p.114-140, November.www.ccsenet.org/apr
21. Sapogin L.G., Ryabov Yu. A. (2011). "Approximation Equations with oscillating charge in Unitary Quantum Theory and its applications to the analysis of some quantum problems." International Journal of Applied Science and Technology, Vol.1, No 5, September.www.ijastnet.com
22. Sapogin L.G., Ryabov Yu. A., Dzhaniybekov V.A "Is Unitary Quantum Theory able to change civilization? "Advances in Social Sciences Research Journal – Vol.4, No.3 Publication Date: Feb. 25, 2017 DoI:10.14738/assrj.43.2714
23. Sapogin L. G., Dzhaniybekov V. A., Sapogin V.G. (2011). "A new approach to control electron current in Unitary Quantum Theory".International Journal of Applied Science and Technology, Vol.1, No.6, November. www.ijastnet.com
24. Sapogin L.G., Ryabov Yu. A. (2011).“Unitary Quantum Theory and Catalytic Process Theory”. International Journal of Pure and Applied Sciences and Technology 3(2), pp.93-120 www.ijopaasat.in
25. Блохинцев Д.И. «Закон сохранения энергии», Москва, стр.51 .МГУ 1993.
26. Sapogin L.G.(2011), "An Unitary Unified Quantum Field Theory" Global Journal of Science Frontier Research, vol.11, Issue 4,Version 1.0, July.
27. Lijun Wang Nature <http://news.bbc.co.uk/2/hi/science/nature>
28. Sapogin L.G. (2012), Journal «Technics for a young», No.2, page 2-11, February (Russian).
29. Sapogin L.G., Ryabov Yu. A., Dzhaniybekov V.A. (2012), "Problems in the Unitary Quantum View of the World" International Journal of Applied Science and Technology,Vol.2, No .5, May.www.ijastnet.com
30. Sapogin L.G., Dzhaniybekov V.A. (2012),"Object Lessons of the Unitary Quantum Theory " Journal of Modern Physics and Applied ,Vol., No .1 page 1-22, <http://scik.org>
31. Sapogin L.G. et al. (2016) Einstein International Journal Organization EIJO- vol.1.issue 1 p.1-18
32. Wang L.J. etc. (2000). "Gain-assisted superluminal light propagation", Nature, 406, p.277-279.
33. W.Hlistunov, Poduvalcev V.V., Mogilyuk J.G. (2011) Science and Education pub. Electronic scientific and technical periodic #11,November.
34. Tsao Chang, (2013) "Neutrinos as Superluminal Particles" Journal of Modern Physics, 4, 6-11

35. Smarandach Florentin-Chief Editor (2013) "Unsolved Problems in Special and General Relativity" Education Publishing & Journal of Matter Regularity (Beijing) ISBN:9781599732206.
36. Sapogin L.G., Ryabov Yu. A. (2013) "Low Energy Nuclear Reactions (LENR) - and Nuclear Transmutations at Unitary Quantum Theory", International Journal of Physics and Astronomy, Vol. 1 No. 1.
37. Sapogin L.G., Ryabov Yu. A., Dzhaniybekov V.A.(2014) "Nuclear Transmutations and Low Energy Nuclear Reactions at the Unitary Quantum Theory" Frontier Research Global Journal of Science Vol. 14 Issue 1 Version 1.0.
38. Josef Gruber (2008) «Raumenenergie-Technik» Michaels Verlag.(in Germany)
39. Sapogin L.G., Ryabov Yu. A., (2014) "Solution of the particles scattering problems in UQT by using the oscillating charge equation" International Journal of Applied Science and Technology, vol.4, #4.
40. Maxwell J.K. "Treatise on Electricity and Magnetism". М.:Наука,1992.
41. Heaviside O. "Electromagnetic Theory. Electrical Papers." Vol.1, 2.London– N.Y., 1892.
42. Бровко Ю.П. "Политика в науке – или наука орудие политики?" Журнал "ПриродаиЧеловек. Свет" №7/2002.(Russian)
43. Marinov St.," The velocity of light is direction dependent" Czech. J. Phys. 1974. B24. N9. p.965-970.
44. ХайдаровК.А. "НевидимаяВселенная". – BRI, Алматы, 2005.(Russian)
45. Хайдаров К.А. "Температура эфира и красные смещения". – BRI, Алматы, 2005.(Russian)
46. P. S. Laplace Mecanique celeste, 4, livre X Paris, 1805.
47. Бронштэн В. "Беседы о космосе и гипотезах". М. Наука, 1968г.(Russian)
48. Brillouin L." Relativity Reexamined". М. Мир. 1972г. с.83
49. Alexandrov А.Д. Доклады Всесоюзной Конференции "Пространство и время в современной физике", 1959г. Москва .(Russian)
50. Logunov А. «Новая теория пространства-времени и гравитации». Препринт П-0139. Институт ядерных исследований АН СССР. 1981г (Russian)
51. Logunov А.А. "К работам Анри Пуанкаре О динамике электрона".М.:МГУ, 1988.
52. Logunov А.А. "Лекции по теории относительности и гравитации. Современный анализ проблемы". М.:Наука, 1987.(Russian)
53. Logunov А., Денисов В.. "Инертная масса, определенная в ОТО, не имеет физического смысла". АН СССР. Журнал теоретической и математической физики.т. 51, № 2/82г.
54. WignerE. "SymmetriesandReflections" М., "Mir". 1971г.(Russian)
55. StartsevA.N.,at all.(2013) "Low Temperature Catalytic Decomposition of Hydrogen Sulfide into Hydrogen and Diatomic Gaseous Sulfur". Topics in Catalysis, 56, 969-980. <http://dx.doi.org/10.1007/s11244-013-0061-y>
56. L.G. Sapogin, V.A. Dzhaniybekov, Y.A. Ryabov (2016) "Enigmatic E-Cat of Andrea Rossi and the Unitary Quantum Theory" Open Access Library Journal, 3: 2833.<http://dx.doi.org/10.4236/oalib.1102833>
57. L.G. Sapogin et all (2015) "About the Conflicts between the Unitary Quantum Theory and the Special and General Relativity Theories" Journal of Modern Physics, 4, 6-11. <http://dx.doi.org/10.4236/jmp.2015.66083>.
58. Kuznetsov V.D. at all "Low Energy Transmutation of Atomic Nuclei of Chemical Elements", Annales Fondation Louis de Broglie, Volume 28, # 2, 2003.
59. Urutskoev L.I. at all Annales de la Fondation Louis de Broglie, Vol. 27, # 4, 2002.
60. L.G. Sapogin, Yu.A. Ryabov and V.A. Boichenko, (2015) "The Unitary Quantum Theory and a New Sources of Energy". Science Publishing Group, USA. <http://www.sciencepublishinggroup.com>
61. Fortov V. E. at all (1996) Uspehi PhysicheskikhNauk vol.166, #4, p.391 (Russian).
62. L.G. Sapogin, Yu. A. Ryabov (2015) "Calculation of the Theoretical Mass Spectrum of Elementary Particles in Unitary Quantum Theory" International Journal of High Energy Physics Special Issue: Symmetries in Relativity, Quantum Theory and Unified Theories. Vol. 2 No(4-1): 71-79; doi: 10.11648/j.ijhep.s.2015020401.16
63. Leo G. Sapogin. «The Unitary Unified Quantum Field Theory». International Journal of High Energy Physics. Special Issue: Symmetries in Relativity, Quantum Theory and Unified Theories. Vol. 2, No. 4-1, 2015, pp. 8-32. doi:10.11648/j.ijhep.s.2015020401.12
64. Leo G. Sapogin, V. A. Dzhaniybekov, Yu. A. Ryabov. "The General Unitary Quantum Picture of the World". International Journal of High Energy Physics. Special Issue: Symmetries in Relativity, Quantum Theory and Unified Theories. Vol. 2, No. 4-1, 2015, pp. 33-53.doi: 10.11648/j.ijhep.s.2015020401.13
65. Leo G. Sapogin, Victor A. Boichenko. "Fundamental Equation, Commutation Relations and Relativistic, Invariance at Unitary Quantum Theory". International Journal of High Energy Physics. Special Issue: Symmetries in Relativity, Quantum Theory and Unified Theories. Vol. 2, No. 4-1, 2015, pp. 59-70. doi: 10.11648/j.ijhep.s.2015020401.15
66. Leo G. Sapogin, V. A. Dzhaniybekov, A.A. Kostin, M. A. Mokulsky, Yu. A. Ryabov, V. I. Utchastkin (2017). "Is Unitary Quantum Theory able to change civilization?" Advances in Social Sciences Research

Journal, 4(3), 181-189.URL:<http://dx.doi.org/10.14738/assrj.43.2714>

67. Humphrey J. Maris, "On the Fission of Elementary Particles and the Evidence for the Fractional Electrons in Liquid Helium", *Journal of Low Temperature Physics* vol.120, page 173, 2000.
68. Journal "New Scientist", Marcus Chown, "Double or Quit", October 14, # 2260, 2000.
69. Jastrow R. 1978. «*God and the Astronomers*».New York, W.W. Norton, p. 116.
70. Fred Hoyle and Chandra Wickramasinghe, «*Evolution from Space*», London: J.M. Dent & Sons, 1981, p. 148.
71. Laplace P. S. *Le Systeme du Monde*. — Paris, 1795.
72. Купряев Н.В. *Известия ВУЗов - Физика* №4, 2018.
73. Clauser J.F., Shimony A., "Bell's theorem: experimental tests and implications", *Rep. Prog. Phys.* vol.41, page 1881-1927, 1978, printed in Great Britain
74. Horne M.A., Shimony A., Zeilinger A., *Phys.Rev.Lett.* vol.62, p.2209, 1989.
75. Smarandach Florentin (2012) "New Relativistic Paradoxes and Open Questions", Somipress.
76. Leo G.Sapogin, V.A.Dzhanibekov, Yu.A.Ryabov, "Global Problems of Science for Pedestrian", *International Journal Of Science*, Vol. 7 June 2018, DOI: 10.18483/ijSci.1714; Online ISSN: 2305-3925; Print ISSN: 2410-4477.
77. Сапогин Л.Г., Джанибеков В.А., Рябов Ю.А.(2018) «Генеральные проблемы науки для пешеходов». Lambert Academic Publishing.
78. Clifford A. Pickover "The Physics BOOK" Sterling Publishing Co, Inc. (USA) page 322.





Assessment of Urban Cooling Island Effects of Jabi Lake Reservoir, Abuja on its Surrounding Microclimate using Geospatial Techniques

By Michael C. Ekwe, Asma T. Ibrahim, Ifeoluwa A. Balogun,
Oluwatola I. Adedeji, David O. Ekwe, & Jemimah Nom

Federal University of Technology

Abstract- The aim of this study is to assess urban cooling island effects of Jabi Lake Reservoir, Abuja on its surrounding microclimate using geospatial techniques. To achieve this, the UCI effects of Jabi Lake Reservoir on surrounding microclimate were analyzed by applying UCI indices such as UCI scale, temperature difference, and UCI intensity. The thermal bands 10 and 11 of Lands at 8 OLI/TIRS satellite imageries acquired on 29th November 2017 were utilized in retrieving LST data while high resolution (0.7 m) QuickBird imagery acquired in 2017 was used to map Jabi Lake Reservoir. Five land use categories were identified and classified within the study area which showed that bare surface covered 607.33 sq.km; water body, 1.32 sq.km; built-up, 281.47 sq.km; vegetation, 453.27 sq.km; and rock outcrop, 114.33 sq.km. It was shown that NDVI and buffer distances from Lake boundary exhibited a strong negative relationship with correlation coefficient, $R = -0.94$. Jabi Lake Reservoir recorded the lowest surface temperature with a mean value of 24.59°C.

Keywords: GIS, land use/land cover, buffer zones, UCI intensity, jabi lake reservoir.

GJSFR-A Classification: FOR Code: 249999



Strictly as per the compliance and regulations of:



Assessment of Urban Cooling Island Effects of Jabi Lake Reservoir, Abuja on its Surrounding Microclimate using Geospatial Techniques

Michael C. Ekwe ^α, Asma T. Ibrahim ^σ, Ifeoluwa A. Balogun ^ρ, Oluwatola I. Adedeji ^ω, David O. Ekwe [¥], & Jemimah Nom [§]

Abstract- The aim of this study is to assess urban cooling island effects of Jabi Lake Reservoir, Abuja on its surrounding microclimate using geospatial techniques. To achieve this, the UCI effects of Jabi Lake Reservoir on surrounding microclimate were analyzed by applying UCI indices such as UCI scale, temperature difference, and UCI intensity. The thermal bands 10 and 11 of Lands at 8 OLI/TIRS satellite imageries acquired on 29th November 2017 were utilized in retrieving LST data while high resolution (0.7 m) QuickBird imagery acquired in 2017 was used to map Jabi Lake Reservoir. Five land use categories were identified and classified within the study area which showed that bare surface covered 607.33 sq.km; water body, 1.32 sq.km; built-up, 281.47 sq.km; vegetation, 453.27 sq.km; and rock outcrop, 114.33 sq.km. It was shown that NDVI and buffer distances from Lake boundary exhibited a strong negative relationship with correlation coefficient, $R = -0.94$. Jabi Lake Reservoir recorded the lowest surface temperature with a mean value of 24.59°C. Further results show that surface temperatures depicted an increasing trend from 27.86°C at 50m to peak value of 30.96°C at 500m buffer zone. Results also depicted that the Lake had the highest effect on areas within the 50m buffer zone with an intensity value of 0.065°C/m while localities within 100m buffer zone and beyond showed decreasing intensities from 0.042°C/m at 100m to 0.013°C/m at 500m buffer zone. Regression analysis results depicted that UCI intensity had a strong negative relationship with buffer distances from the Jabi Lake boundary with correlation coefficient, $R = -0.88$. The findings of this study can be adopted and applied to analyze priority areas within the humid and tropical cities in Nigeria for the creation, design, management or restoration of new water spaces.

Keywords: GIS, land use/land cover, buffer zones, UCI intensity, jabi lake reservoir.

Author α σ ω: Climate Change and Modelling Division, Strategic Space Applications Department, National Space Research and Development Agency, Nigeria. e-mail: ekwemichael2005@gmail.com

Author ρ: Department of Meteorology and Climate Science, School of Earth and Mineral Sciences, Federal University of Technology, P.M.B. 704, Akure, Ondo State, Nigeria

Author ¥: Natural Resources Management Division, Strategic Space Applications Department, National Space Research and Development Agency, Nigeria

Author §: National Weather Forecasting & Climate Research Centre, Nigerian Meteorological Agency, P.M.B. 615, Nnamdi Azikiwe International Airport, Abuja, Nigeria.

I. INTRODUCTION

Due to urbanization and urban-population exponential growth, urban heat island (UHI) intensities are frequently occurring in urban centers as a result of the conversion of green areas and water spaces to impervious surfaces. One of the most noticed consequences of land use/land cover changes and global warming is the UHI which is one of the straight representations of environmental issues. The higher urbanized area leads to added distinct UHI with enormous temperature differences between urban and rural areas (Chibuike *et al.*, 2018). Because this phenomenon can result in heat-related diseases and death, there is a global effort to mitigate it which is in the form of urban water spaces restoration and green infrastructure expansion. Observations have shown that temperatures of urban centers can be up to 12 °C higher than neighboring regions (Voogt, 2002).

Urban water spaces and green areas such as parks, in particular, can provide conducive and comfortable environments for the citizens which at the same time help in controlling urban temperature (Taha, 1991). Contrary to UHI, areas within the urban centers with low surface temperatures compared with their environs are known as urban cooling islands (UCI) (Ca *et al.*, 1998). The urban cooling island effect is created mainly by evapotranspiration effects by water spaces and green areas as well as the shading effect of urban trees (Rosenzweig *et al.*, 2007). Several researchers have proved that recreational parks have subduing effect on urban thermal temperatures called the park cooling island (PCI) effect which serves as an effective approach to mitigate UHI phenomenon (Spronken-Smith and Oke, 1998; Chang *et al.*, 2007; Zhang *et al.*, 2009; Cao *et al.*, 2010; Edward *et al.*, 2012; Armson *et al.*, 2012; Mackey *et al.*, 2012; Gago *et al.*, 2013; Chibuike *et al.*, 2018; Balogun and Daramola, 2018).

In UCI, water spaces such as lakes are relatively more efficient in mitigating UHI effect than green areas due to a higher rate of evapotranspiration. Water spaces, therefore serve as cooling islands in urban centers due to the temperature difference of their surrounding environment (Sun and Chen, 2012; Gober *et al.*, 2010; Hathway and Sharples, 2012). The aim of

this study is to present management and planning information on Jabi Lake Reservoir, Abuja to mitigate UHI, by assessing the effects on the surrounding microclimate due to the characteristics of the Lake.

II. STUDY AREA AND DATA ACQUISITION

a) *The study area*

The study area is Jabi Lake Reservoir and its environs located in the FCT, Abuja, Nigeria. It lies within latitude 9.04°N - 9.12°N and longitude 7.38 °E - 7.49°E. The lake covers a total surface area of approximately 1,316 hectares. The master plan for Abuja and the FCT was developed by International Planning Associates (IPA) with five consortiums (Eleh, 2001). Being centrally located, the study area is blessed with a mix of agricultural activities and produce such as tubers and root crops of the south (yams, cassava, maize, and plantains) and grain (sorghum, guinea corn, and rice) of the north. The creation of the new Federal Capital Territory (FCT) and its capital, Abuja, represents perhaps the most important instrument for enhancing the overall socio-economic development of the entire middle belt of Nigeria (Abumere, 1984).

The influence of climate variability on lake water recharge is envisaged especially during wet seasons. The peculiarity of Jabi Lake and its environs as a Savannah Zone vegetation of the West African sub-region makes it unique for change pattern analysis as a result of urbanization and population growth. The temperature in the study area ranges between 28°C to as high as 39 °C in the dry season. Rainfall is highest in August (WMO, 2016). According to Koppen's climate classification, the city exhibits rainy/wet and dry/hot climate respectively. There is the presence of short harmattan season characterized dry and dusty northeasterly trade winds which blow from the Sahara Desert over West Africa with the resultant cold and dry weather conditions especially around November to early March. The rainfall pattern in the city is affected by its location at the windward side of Jos and located at the zone of convergence receiving frequent rainfall during the monsoon season (Touristlink, 2013).




Fig. 1: Map of the Study Area Showing Jabi Lake Reservoir and its Environs

b) Data

Cloud-free Landsat 8 OLI/TIRS satellite imageries for 29th November 2017 of Path 189 and Row 054 with less than 10% cloud cover was downloaded from the United States Geological Survey (USGS) Earth Explorer data website (<http://earthexplorer.usgs.gov>) and this was used to classify the study area and its environs into different landuse categories namely water body, vegetation, rock outcrop, built-up and bare surface using the Maximum Likelihood Classification algorithm in ArcGIS 10.4.1 software. Bands 10 and 11

which are the thermal bands of Landsat 8 OLI/TIRS mainly used for thermal studies (Rida *et al.*, 2016) were used to retrieve the land surface temperatures (LST) of the Lake and its environs while bands 5 and 4 were utilized in estimating the Normalized Difference Vegetation Index (NDVI) for the area. The importance of Landsat data in environmental studies, monitoring, and climate issues cannot be over-emphasized (Alavipanah *et al.*, 2010; Mfondoum *et al.*, 2016; Narayan *et al.*, 2016).

Table 1: Band properties of Lands at 8 OLI/TIRS

Band	Name	Band Width (μm)	Resolution (m)
Band 1	Coastal	0.43–0.45	30
Band 2	Blue	0.45–0.51	30
Band 3	Green	0.53–0.59	30
Band 4	Red	0.64–0.67	30
Band 5	(NIR)	0.85–0.88	30
Band 6	SWIR 1	1.57–1.65	30
Band 7	SWIR 2	2.11–2.29	30
Band 8	Panchromatic	0.5–0.68	15
Band 9	Cirrus	1.36–1.38	30
Band 10	TIRS 1	10.6–11.19	100
Band 11	TIRS 2	11.5–12.51	100

Source: Landsat 8 User Handbook Manual, (2016)

III. METHODOLOGY

a) Generation of Normalized Differences Vegetation Index (NDVI) Map

The Normalized Difference Vegetation Index (NDVI) is a measure of the amount and vigor of vegetation at the surface. The reason NDVI is related to vegetation is that healthy vegetation reflects very well in the near infrared part of the Electromagnetic Spectrum. The index is defined by the equation below for Lands at 8 OLI/TIRS,

$$NDVI = \frac{\text{Band 5} - \text{Band 4}}{\text{Band 5} + \text{Band 4}} \quad (1)$$

Where band 5 and band 4 are the reflectance bands in the near-infrared and red portion of the Electromagnetic Spectrum of Operation Land Imager (OLI) sensor of Lands at 8 respectively. The value is normalized to $-1 \leq NDVI \leq 1$ to partially account for differences in illumination and surface slope. Negative values correspond to water, values close to zero, but positive values correspond to soils and further, from 0.2 to 0.6 indicate the presence of surfaces vegetated with maximum values around 0.8 for very dense vegetation.

b) Land Surface Temperature (LST) Retrieval

Land surface temperature is defined as the radiative temperature of the land surface (Ghent *et al.*, 2010). It is influenced by albedo, soil moisture and vegetation cover (<http://land.copernicus.eu/global/products/lst>). The surface can include ice, snow, bare soil, grass, or the roofs of buildings. Usually, LST is measured by remote sensing. LST using Lands at 8 OLI/TIRS can be calculated using the following steps:

Step 1: The Digital Numbers (DN) of bands 10 and 11 from the Lands at 8 OLI/TIRS were first converted to spectral radiance using:

Lands at 8 with header file data on Radiance Multiplier (M_L) and Radiance Add (A_L), the thermal infrared (TIR) band was converted into spectral radiance

(L_λ) using the approach provided by Chander and Markhan (2003) and the Lands at 8 OLI science Data Users Handbook:

$$L_\lambda = (M_L \times Q_{Cal}) + A_L \quad (2)$$

Where L_λ = Top of Atmosphere (TOA) spectral radiance ($Wm^{-2}sr^{-1}\mu m^{-1}$), M_L = Band-specific multiplicative rescaling factor from the metadata (RADIANCE_MULT_BAND_x, where x is the band number), A_L = Band-specific additive rescaling factor from the metadata (RADIANCE_ADD_BAND_x, where x is the band number), and Q_{Cal} = Quantized and calibrated standard product pixel values (DN).

Step 2: The effective at-sensor brightness temperature (T_B) also known as black body temperature was obtained from the spectral radiance using Plank's inverse function:

Spectral radiance values for bands 10 and 11 were converted to radiant surface temperature under an assumption of uniform emissivity using pre-launch calibration constants for the Lands at 8 OLI/TIRS sensor implemented into the following equation:

$$T_B = \frac{K2}{\ln\left(\frac{K1}{L_\lambda} + 1\right)} - 273.15 \quad (3)$$

Where T_B = radiant surface temperature (in Degree Celsius), L_λ = Top of Atmosphere (TOA) spectral radiance ($Wm^{-2}sr^{-1}\mu m^{-1}$), $K1$ = Band-specific thermal conversion constant from the metadata ($K1_CONSTANT_BAND_x$, where x is the thermal band number), $K2$ = Band-specific thermal conversion constant from the metadata ($K2_CONSTANT_BAND_x$, where x is the thermal band number). All pre-launch calibration constants used in the equation above were supplied by the Lands at Project Science Office (2001).

Table 2: Lands at 8 OLI/TIRS Calibration Constants

Data	K1 (Wm ² sr ¹ μm ⁻¹)	K2 (Wm ² sr ¹ μm ⁻¹)
Landsat 8 OLI TIRS-1	774.89	1321.08
Landsat 8 OLI TIRS-2	480.89	1201.14

Step 3: Land surface Emissivity Estimation:

According to Sobrino *et al.*, (2004), the emissivity is calculated using equation 4:

$$\epsilon = 0.004 \times P_V + 0.986 \quad (4)$$

Where P_V is the vegetation proportion obtained using;

$$P_V = \left[\frac{NDVI - NDVI_{min}}{NDVI_{max} - NDVI_{min}} \right]^2 \quad (5)$$

Where $NDVI_{max}$ = maximum value of NDVI and $NDVI_{min}$ = minimum value of NDVI.

Step 4: The calculated radiant surface temperatures were successively corrected for emissivity using the equation:

$$LST = \frac{T_B}{1 + (\lambda \times T_B / \rho) \times \ln \epsilon} \quad (6)$$

Where LST is land surface temperature (in Degree Celsius), T_B is radiant surface temperature (in Degree Celsius), λ is the wavelength of emitted radiance (10.8μm for band 10 and 12μm for band 11 respectively), ρ is $h \times c / \sigma$ ($1.438 \times 10^{-2} mK$), h is Planck's constant ($6.26 \times 10^{-34} J s$), c is the velocity of light ($2.998 \times 10^8 m/sec$), σ is Stefan Boltzmann's constant ($1.38 \times 10^{-23} J K^{-1}$), and ϵ is land surface emissivity.

c) *Determination of Urban Cooling Island (UCI) Indices and its Relationship with Distance from Lake Boundary*

i. *Definition of Jabi Lake Reservoir in this study*

Jabi Lake Reservoir is defined as natural spaces that have significant accumulation of water which serves as an area for storing water surrounded by different land use types such as built-up. The Lake's shape file was extracted and digitized from high-resolution QuickBird Imagery of 2017.

ii. *UCI Indices*

UCI indices in this study are defined according to Sun *et al.*, (2012). The indices include UCI scale, temperature difference, and UCI intensity. UCI scale is defined as the distance from the boundary of water spaces to a buffer zone which has the maximum temperature. The temperature difference is the difference between the temperature of water spaces and the mean temperature on the UCI scale. UCI intensity is the water temperature difference per unit distance (equation 7). Increase in UCI gradient implies rising temperature at buffer zones further away from the water boundary. To identify UCI indices, ten (10) buffer zones around the Jabi Lake Reservoir were created at 50m intervals (i.e., 50m, 100m, 150m, 200m, 250m, 300m,

350m, 400m, 450m, and 500m). The average temperature of each buffer zone was estimated, and the buffer zone with the peak mean temperature is selected as the UCI scale. Regression analysis was employed to determine the correlation between UCI intensity and a buffer distance.

$$UCI \text{ Intensity} = \frac{T_{buffer \text{ zone}} - T_{Jabi \text{ Lake Reservoir}}}{\text{distance of buffer zone from Jabi Lake Boundary}} \quad (7)$$

Where $T_{buffer \text{ zone}}$ = the surface temperature at buffer zone and $T_{Jabi \text{ Lake Reservoir}}$ = the surface temperature at Jabi Lake Reservoir.

IV. RESULTS AND DISCUSSION

a) *Landuse/Landcover Dynamics in the Study Area*

Fig. 2 depicts the landuse/landcover categories at Jabi Lake Reservoir and its environs for 2017. Five land use classes were identified and classified within the study area which includes water body, vegetation, rock outcrop, built-up and bare surface. It was shown that in the year 2017 in the area, bare surface covered the highest area with 607.33 sq.km while Jabi Lake Reservoir and other open water spaces cover approximately 1.32 sq.km. The built-up had an area coverage of 281.47 sq.km, with the rock outcrop covering 114.33 sq.km respectively.




Fig. 2: Landuse/Landcover categories at Jabi Lake Reservoir and its environs for year 2017

b) Relationship between Normalized Vegetation Index (NDVI) and Buffer Distance from Jabi Lake Boundary

Fig. 3 depicts the NDVI distribution at Jabi Lake Reservoir and its environs. It was observed that the highest NDVI value is 0.45 while the lowest value is -0.11. The built-up areas and Jabi Lake Reservoir exhibited negative to near-zero NDVI values respectively while vegetation had NDVI values greater than or equal

to 0.30. Fig. 5 shows that there exists a strong negative relationship between NDVI and buffer distances from the Lake boundary with correlation coefficient, $R = -0.94$. This showed that away from the Lake boundary, there is a rapid conversion of vegetal cover to non-vegetated surfaces such as the built-up and bare surfaces which is attributed to urbanization taking place in the area.




Fig. 3: NDVI distribution at Jabi Lake Reservoir and its environs




Fig. 4: Normalized Difference Vegetation Index distribution at various buffer distances




Fig. 5: Correlation between NDVI and buffer distances from the Lake boundary

c) *Surface Temperature Distribution Across Various Buffer Distances from Jabir Lake Boundary*

Fig. 7 shows the surface temperature distribution at Jabir Lake Reservoir and its environs across various buffer zones from the outer boundaries of the Lake. It was shown that Jabir Lake Reservoir recorded the lowest surface temperature with a mean value of 24.59°C. However, it was depicted that surface temperatures exhibited an increasing trend from 27.86°C at 50 m to peak mean value of 30.96°C at 500 m buffer zones respectively.






Fig. 6: Surface temperature distribution at Jabi Lake Reservoir and its environs




Fig. 7: Surface temperature distribution at various buffer distances(Source: Landsat 8 OLI, 29/11/2017)

d) *Urban Cooling Effect Intensity and Its Correlation with buffer range at Jabi Lake Reservoir, Abuja*

Fig. 8 shows the UCI intensity distribution at various buffer distances. The UCI intensity values depict the impact of Jabi Lake Reservoir on its surrounding environs which were sectioned into different buffer zones from the Lake boundary (50m, 100m, 150m, 200m, 250m, 300m, 350m, 400m, 450m, and 500m). It was shown that the Lake had the highest effect on areas within the 50m buffer zone with an intensity value of 0.065°C/m. There were noticeable decreasing effects on areas within 100m buffer zone (0.042°C/m), with the least

effect on places within the 500m buffer zone (0.013°C/m).

Fig. 9 shows the relationship between UCI intensity and buffer range at Jabi Lake Reservoir, Abuja. Regression analysis results depicted that UCI intensity had a strong negative relationship with buffer distances from the Jabi Lake boundary with correlation coefficient, $R = -0.88$ which implies that locations very close to Jabi Lake felt more cooling effect than areas further apart from the lake boundary.




Fig. 8: UCI Intensity distribution at various buffer distances




Fig. 9: The relationship between UCI intensity and buffer range at Jabi Lake Reservoir, Abuja

Table 3: Descriptive Statistics of UCI Indices

	UCI Scale (m)	LST(°C)	Temperature Difference (°C)	UCI Intensity (°C/m)
Max.	500	30.96	6.37	0.065
Min.	50	27.86	3.27	0.013
Avg.	275		4.84	0.024
SD	151.38		1.86	0.017

V. CONCLUSIONS

This study has proved that urban cooling intensity of Jabi Lake has a direct effect on its surrounding developed built-up microclimate. The results obtained from this study show that urban water spaces are capable of reducing the high surface temperature of the surrounding built-up areas. The management and sustenance of urban water spaces are very critical in mitigating UHI in urban cities. Understanding the correlation between UCI intensity and buffer zones from the Jabi Lake boundary is very crucial for urban planners, environmental decision makers and

Government Authorities to design and maintain water spaces within cities and its environs to mitigate UHI effects especially in a hot and humid tropical cities in Nigeria. The findings from this study have proved that urban water spaces such as Jabi Lake Reservoir can create UCI effects on Abuja microclimate. Moreover, other methods of data acquisition such as the use of ground-based air temperature sensors may be adopted for air temperature measurements to obtain more quantitative results which will serve as a yardstick to validating LSTs retrieved from Lands at 8 OLI/TIRS satellite imageries. Lastly, wind speed and wind direction prevalent within the study area may likely

influence the cooling effect, and this should be the focus of future research.

ACKNOWLEDGEMENT

The authors wish to acknowledge the United States Geological Survey (USGS) for the provision of data used for this study.

Conflict of Interest

We wish to confirm that there are no known conflicts of interest associated with this publication and there has been no significant financial support for this work that could have influenced its outcome.

REFERENCES RÉFÉRENCES REFERENCIAS

- Voogt, J. (2002). Urban Heat Island. In Munn, T. (ed.) *Encyclopedia of Global Environmental Change*, Vol. 3. Chichester: John Wiley and Sons.
- H. Taha, H. Akbari, and A. Rosenfeld, "Heat island and oasis effects of vegetative canopies: Micro-meteorological field measurements," *Theoretical and Applied Climatology*, vol. 44, pp. 123-138, March 1991.
- V. T. Ca, T. Asaeda, and E. M. Abu, "Reductions in air conditioning energy caused by a nearby park," *Energy and Buildings*, vol. 29, pp. 83-92, December 1998.
- C. Rosenzweig, W. Solecki, and R. Slosberg, *Mitigating New York City's Heat Island with Urban Forestry, Living Roofs and Light Surfaces*, New York: New York State Energy Research and Development Authority, 2007.
- Spronken-Smith, R.A.; Oke, T.R (1998). The thermal regime of urban parks in two cities with different summer climates. *Int. J. Remote Sens.* 19, 2085–2104.
- Chang, C.R.; Li, M.H.; Chang, S.D (2007). A preliminary study on the local cool-island intensity of Taipei city parks. *Landsc. Urban. Plan* 2007, 80, 386–395.
- Ekwe Michael Chibuike, Adedeji Oluwatola Ibukun, Ahmad Abbas, Joshua Jonah Kunda (2018). Assessment of green parks cooling effect on Abuja urban microclimate using geospatial techniques. *Remote Sensing Applications: Society and Environment*, 11, 11–21.
- Zhang, X.; Zhong, T.; Feng, X.; Wang, K (2009). Estimation of the relationship between forest patches and urban land surface temperature with remote sensing. *Int. J. Remote. Sens.* 30, 2105–2118.
- Cao, X.; Onishi, A.; Chen, J.; Imura, H (2010). Quantifying the cool island intensity of urban parks using ASTER and IKONOS data. *Landsc. Urban Plan.* 96, 224–231.
- Edward, N., Liang, C., Yingna, W., Chao, Y., Ng, E., Chen, L., Yuan, C. (2012). A Study on the Cooling Effects of Greening in a High-density City: An Experience from Hong Kong. *Building and Environment*, 47, 256–271. doi:10.1016/j.buildenv.2011.07.014
- Armson, D., Stringer, P., & Ennos, A. R. (2012). The Effect of Tree Shade and Grass on Surface and Globe Temperatures in an Urban Area. *Urban Forestry & Urban Greening*, 11(3), 245–255. doi:10.1016/j.ufug.2012.05.002
- Mackey, C. W., Lee, X., & Smith, R. B. (2012). Remotely Sensing the Cooling Effects of City Scale Efforts to Reduce Urban Heat Island. *Building and Environment*, 49, 348–358. doi:10.1016/j.buildenv.2011.08.004
- Gago, E. J., Roldan, J., Pacheco-Torres, R., & Ordóñez, J. (2013). The City and Urban Heat Islands: A Review of Strategies to Mitigate Adverse Effects. *Renewable and Sustainable Energy Reviews*, 25, 749–758. doi:10.1016/j.rser.2013.05.057
- I.A. Balogun and M.T. Daramola. The impact of urban green areas on the surface thermal environment of a tropical city: a case study of Ibadan, Nigeria. *M.T. Spat. Inf. Res.* (2018). <https://doi.org/10.1007/s41324-018-0219-6>.
- R. Sun and L. Chen, "How can urban water bodies be designed for climate adaptation?" *Landscape and Urban Planning*, vol. 105, pp.27-33, March 2012.
- P. Gober, A. Brazel, R. Quay, S. Myint, S. G. Clarke, A. Miller, and S. Rossi, "Using watered landscapes to manipulate urban heat island effects," *Journal of the American Planning Association*, vol. 76, pp. 109 -121, 2010.
- E. A. Hathway and S. Sharples, "The interaction of rivers and urban form in mitigating the Urban Heat Island effect: A UK case study". *Building and Environment*, vol. 58, pp. 14-22, December 2012.
- Eleh, N. (2001). Abuja: the single most ambitious urban design project of the 20th century. Volume 5 of *Architektur der Welt*. University of Michigan: VDG, Verlag und Datenbank-fürGeisteswissenschaften publishers. pp 98.
- Abumere, S.I. (1984). The future population of the Federal Capital Territory, Abuja. *The Nigerian Journal of Economic and Social Studies*, 26(3): 287-313.\
- WMO (2016). World weather information service: Official Fore-cast. Retrieved from <http://world-weather.wmo.int/en/city.html?cityId=324> on 05 March, 2016.
- Touristlink.com (2013). "Abuja Nigeria Tourist Information". Retrieved 2013-08-30.
- Alavipanah, S.K., Saradjian, M., Savaghebi, G.R., Komaki, C.B., Moghimi, E., Karimpur Reyhan, M. (2010). Land surface temperature in the yardang region of Lut desert (Iran) based on field

- measurements and landsat thermal data. *J. Agric. Sci. Technol.* 9, 287–303.
23. Mfondoum, A.H.N., Joachim, E., Nongsi, B.K., Mvogo Moto, F.A., Deussieu, F.G.N. (2016). Assessment of land degradation Status and its Impact in arid and semi-Arid Areas by correlating spectral and principal component. *Int. J. Adv. Remote. GIS* 2016 5 (2), 1539–1560.
 24. Narayan, K., Khanindra, P., Abhisek, C., Sahoo, S. (2016). Urban heat island explored by correlation between land surface temperature vs multiplevegetation indices. *Spat. Inf. Res.* <http://dx.doi.org/10.1007/s41324-016-0049-3>.
 25. Ghent, D.; Kaduk, J.; Remedios, J.; Ardö, J.; Balzter, H (2010). Assimilation of land surface temperature into the land surface model JULES with an ensemble Kalman filter. *J. Geophys. Res. Atmos.* 2010.
 26. Chander, G., Markham, B., 2003. Revised Landsat-5 TM radiometric calibration procedures and post calibration dynamic ranges. *IEEE Trans. Geosci. Remote Sens.* 41 (11), 2674–2677.
 27. Sobrino, J.A., Jiménez-Muñoz, J.C., Paolini, L., 2004. Land surface temperature retrieval from LANDSAT TM 5. *Remote Sens. Environ.* 90 (4), 434–440.





This page is intentionally left blank



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH: A
PHYSICS AND SPACE SCIENCE

Volume 19 Issue 2 Version 1.0 Year 2019

Type : Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals

Online ISSN: 2249-4626 & Print ISSN: 0975-5896

Time Unit of Mende

By F. F. Mende

Abstract- The concept of time does not up to now have the substantiated physical determination. Contemporary the unit of the measurement of time are based on the periods of the rotation of the Earth around its axis and rotation around the sun, and also the rotation of the Moon around the Earth. This selection of ones is caused both by the historical and practical considerations: by the need for matching human activity with the change of day and night or seasons. In the system SI as the unit of time second, where its following determination is accepted, is accepted: "one second - this is the time interval, equal 9192631770 to the periods of the emission, which corresponds to the passage between two hyperfine levels of the basic quantum state of cesium - 133 atom at rest with 0 K». In the proposed article it is shown that the unit of time is not primary value, and can be expressed through such fundamental values as mass and length taking into account the fundamental law of the equivalence of gravitational and inert mass.

Keywords: mass, length, force, acceleration, time, second, gravity, time unit of mende.

GJSFR-A Classification: FOR Code: 029999



Strictly as per the compliance and regulations of:



Time Unit of Mende

F. F. Mende

Abstract- The concept of time does not up to now have the substantiated physical determination. Contemporary the unit of the measurement of time are based on the periods of the rotation of the Earth around its axis and rotation around the sun, and also the rotation of the Moon around the Earth. This selection of ones is caused both by the historical and practical considerations: by the need for matching human activity with the change of day and night or seasons. In the system SI as the unit of time second, where its following determination is accepted, is accepted: "one second - this is the time interval, equal 9192631770 to the periods of the emission, which corresponds to the passage between two hyperfine levels of the basic quantum state of cesium -133 atom at rest with 0 K». In the proposed article it is shown that the unit of time is not primary value, and can be expressed through such fundamental values as mass and length taking into account the fundamental law of the equivalence of gravitational and inert mass.

Keywords: mass, length, force, acceleration, time, second, gravity, time unit of mende.

I. INTRODUCTION

As well known the word: mass, space, time. However, in the literary sources there is no precision determination of these concepts. If we speak about the mass, then to us, at least, are known its three properties, which it characterize as mass. The first property consists in the fact that any mass has linear dimensions. If it did not have this property, then it would be unobservable. The mass is had two additional fundamental properties, in connection with which to be introduced this concept as force. The law of universal gravitation indicates this concept. Actually, two masses are always attracted in accordance with this law. This property is the consequence of the fact that around the mass is observed the potential field, whose gradient is critical for the appearance of this force. This also means that the system of two remote bodies possesses potential energy. The third fundamental property of mass is this its inertia properties, which indicate that for accelerating the mass, it is necessary to exert force. From this property escapes the fact that the moving mass possesses kinetic energy. Thus, mass as physical concept possesses the following fundamental properties: it has linear dimensions, and also it can possess potential and kinetic energy.

The concept of space with the concept of linear dimensions or length, space is connected three-dimensional. Coordinate systems are introduced for the formal realization of this concept. But the space has one

additional characteristic, which can be named exclusion principle. This principle consists in the fact that at one and the same point of space at the given instant, cannot be located two different masses. Strictly this principle defines one of the characteristics of this concept as time, that attests to the fact that the different bodies simultaneously can be located only at the different points of space.

What is time, how and why it flows, scientists and philosophers still argue. It is known that time on the level with the mass and the length, enters into all systems of units as primary not on what the not depending value. However, it is known that, in order to measure the time, hours are necessary. There are many types of different hours, but all them unites one special feature. It occurs that in all conceivable hours, always occurs interaction of other primary physical quantities, after all as masses, length and force. In the pendulum hours their motion is determined by the mass of the Earth and by the length of pendulum. The same relates also to the satellites, which revolve around their stars or planets. In the hours with the mechanical springs the motion is determined by mass and dimensions of pendulum, and also by elastic properties of spring. Mechanical resonance systems can be used as the hours, but also in the required order here occurs interaction of three primary parameters: force, mass and length. Electromagnetic resonance systems also can be used as the hours, but also here their motion will depend on the dimensions of resonator, and also on the dielectric and magnetic properties of medium.

But give let us visualize that in this inertial system suddenly for some reasons changed the gravitational constant, either the inertia properties of mass changed, or the electrodynamic properties of medium finally changed - all this will involve a change in the rate of the motion of hours. Thus, asserts itself the conclusion that time is not primary physical quantity as, for example, the mass length and force, but directly it depends on the values indicated it can be through them expressed.

Important is a question about side to what, and as rapidly flows the time. It is known that practically all laws of microcosm are invariant with respect to sign change of time; therefore for these laws does not have a value to what side it flows time.

If we have a frame of reference, which passes of one inertial system to another, which is unavoidably connected with the processes of retarding or accelerating this system, then in this system the process

Author: Kharkov, Ukraine. e-mail: fedormende@gmail.com

of retarding or accelerating the time must occur. Thus, it is possible to consider that the time can leak unevenly, first being accelerated, then slowing down. But if this is so, that arises question, and time can generally stop, or change its direction. Almost obvious it is the fact that, if any motion suddenly ceased, and all bodies, including atoms, suddenly they stood still at its places, then the concept of time would lose its sense. The same would occur when the universe was absolutely empty. Thus, asserts itself the conclusion that the concept of time is the consequence of existence of material objects and their properties.

Is known that time reversal, i.e., sign change of time does not change the form of equations of motion. This means that for any possible motion of system can be achieved the time-reversed motion, when system consecutively passes to the reverse order of the states, symmetrical to states, passed in the previous motion. In this posing of the question naturally to assume that, when in the system it occurs no changes, then time for this system not at all flows. When in the system some reversible changes occur, i.e., it after a certain evolution returns reversibly to its initial state, the time flows first in one, and then in other direction. Since in this case the concept of time is used to in application to this concrete system, it is possible to introduce the proper time of system, i.e., to assume that in each separately undertaken system there is its proper time. States symmetrical on the time are characterized by opposite directions of the speeds (pulses) of particles and magnetic field. Temporary invariance leads to specific ratios between the probabilities of direct and reverse reactions, to the prohibition of some states of the polarization of particles in the reactions, to the equality to zero electrical dipole moment of elementary particles. It follows from the general principles of the quantum field theory that all processes in nature are symmetrical relative to the work of three operations: the time reversal, three-dimensional inversion and charge conjugation.

However the existing systems of units do not assume the application of time with the different signs. Why thus it did happen? Most likely because the time as physical quantity was introduced not on the basis any deep physical principles, but on the basis the solutions of the chamber of measures and weights. Simply for measuring the time were undertaken the existing in nature periodic processes, which frequently have different nature.

As was said, the hours, with the aid of which the time is measured, compulsorily operates with other physical quantities, such, for example, as mass, length and force. And if we express time through these parameters, then their combination will prove to be under the root, and it means and time will be able to assume both positive and negative values. But, although mass, length and force exist as the primary objectively existing physical quantities, we will encounter

that difficulty, that by the existing systems of units force itself is evinced after the already introduced time. Is there a way of overcoming this difficulty? Yes, this way is located.

II. UNIT OF MENDE'S TIME

The mass itself in accordance with the law of universal gravitation is the carrier of force, since. two masses, spread in the space, are attracted. Let us write down this law:

$$F = G \frac{m_1 m_2}{r^2} \quad (2.1)$$

Here G - gravitational constant, equal $6.67408(31) \times 10^{-11} \text{ m}^3/\text{kg} \cdot \text{s}^2$. The Gravitational constant in this relationship is expressed in the units of the system SI (m, kg, s).

The force of interaction of the attracted masses is constant value and it must not depend on time; however, time enters into gravitational constant. This connected with the fact that in the system SI the force is expressed in the newtons, into dimensionality of which enters the time.

It is known from other side that there is a principle of the equivalence of heavy (gravitational) and inert mass. Moreover it is experimentally proven that this principle is observed with the very high degree of accuracy. Specifically, these two principles can be undertaken as the fundamental bases for the introduction to time as physical quantity.

If are located two identical masses m , located at a distance $2r$, then, in accordance with the law of universal gravitation, the force of their attraction determines the dependence:

$$F_g = \frac{mm}{4r^2} \quad (2.2)$$

In the relationship (2.2) the gravitational constant is accepted to equal unit and is dimensionless quantity.

If the masses indicated revolve around the overall center of masses and acts the principle of the equivalence of gravitational and inert mass, then the equality will be carried out:

$$T = \pm 4\pi \sqrt{\frac{r^3}{m}}, \quad (2.3)$$

where T - period of revolution of masses around the overall center.

Let us accept the value of the obtained period for the time unit of Mende and let us designate by its letter M :

$$M=T=\pm 4\pi\sqrt{\frac{r^3}{m}} \tag{2.4}$$

The relationship (2.3) includes immediately two laws: the law of universal gravitation and the principle of the equivalence of gravitational and inert mass. It also determines the dimensionality of time. Certainly, this dimensionality to us is unusual, but became accustomed we to other dimensionality in physics, into which enters incomprehensibly from where undertaken second. The advantage of this approach is the fact that the time as physical quantity is introduced on the basis of the fundamental laws of physics and it, as a consequence of this, corresponds to the principle of time reversal.

If we as the unit of length take meter, and as the unit of the mass - kilograms, the unit of time in this system will be value 4π , dimensionality of which it is determined by the relationship (2.3). In order to transfer this value into seconds, should be divided it into square root of gravitational constant. If this was made, then it will be evident that the newly introduced unit of time into 1.5318×10^6 of times is more than second. This, of course, is not very convenient, but in order to avoid these inconveniences, it is possible to introduce the dimensionless conversion factor, equal to the value indicated. In this case the relationships between the values of all physical quantities will be preserved, although the dimensionality in them will be others.

Since time now has its own dimensionality, passage to the electrical systems of units also does not compose labor, simply into the appropriate dimensionality of ones it is necessary to put the new dimensionality of time with the selected dimensionless conversion factor. In this case the dimensionality of all of those existing of one will be expressed only in the units of mass and length.

The introduction of the new unit of time it is possible to approach and differently. Let us write down law of gravity (2.1) only through the mass of the interacting bodies and distance between them, assuming gravitational constant to the equal dimensionless unit

$$F = \frac{m_1 m_2}{r^2}$$

Assuming $m_1 = m_2$, we obtain

$$F = \frac{m^2}{r^2} \tag{2.5}$$

If we with the force (2.5) act on the body by mass m , the body will obtain the acceleration $a = \frac{F}{m}$. For

the unit of time M_1 this body will cover a distance $s = \frac{FM_1^2}{2m}$, from where, using relationship (2.5), we obtain

$$M_1 = \pm \sqrt{2} \sqrt{\frac{sr^2}{m}} \tag{2.6}$$

Assuming $s=r$ from (2.6) we obtain

$$M_1 = \pm \sqrt{2} \sqrt{\frac{r^3}{m}} \tag{2.7}$$

Comparison (2.7) and (2.4) shows that these relationships are characterized by only coefficient. Therefore both approaches in the content are equivalent.

Thus, it is shown that the unit of time is not primary value and can be expressed through such fundamental concepts as mass and length.

It should also be noted that the adoption of this innovation can lead to serious reconstruction of our views.

III. CONCLUSION

The concept of time does not up to now have the substantiated physical determination. Contemporary the unit of the measurement of time are based on the periods of the rotation of the Earth around its axis and rotation around the sun, and also the rotation of the Moon around the Earth. This selection of ones is caused both by the historical and practical considerations: by the need for matching human activity with the change of day and night or seasons. In the system SI as the unit of time second, where its following determination is accepted, is accepted: "one second - this is the time interval, equal 19192631770 to the periods of the emission, which corresponds to the passage between two hyperfine levels of the basic quantum state of cesium -133 atom at rest with 0 K». In the proposed article it is shown that the unit of time is not primary value, and can be expressed through such fundamental values as mass and length taking into account the fundamental law of the equivalence of gravitational and inert mass.

REFERENCES RÉFÉRENCES REFERENCIAS

1. F. F. Mende, A. S. Dubrovin. The binary system of metric units and its substantiation. Engineering Physics, №1, 2018, p. 4-7.



This page is intentionally left blank



On the Physical Mechanism of the Formation of Electrical Fields on the Inductions

By F. F. Mende

Abstract- Near the conductor, along which flows the current, are formed electrical induction fields, these fields are formed is only is when to the conductor applied a potential difference and charges in it are accelerated. But, unfortunately, physics of this process is not thus far clear. In the work on the basis of the concept of scalar- vector potential is revealed the physical mechanism of formation fields on inductions.

Keywords: laws of induction, maxwell equations, wave equation, galilei transformations, scalar-vector potential.

GJSFR-A Classification: FOR Code: 029999



Strictly as per the compliance and regulations of:



On the Physical Mechanism of the Formation of Electrical Fields on the Inductions

F. F. Mende

Abstract- Near the conductor, along which flows the current, are formed electrical induction fields, these fields are formed is only is when to the conductor applied a potential difference and charges in it are accelerated. But, unfortunately, physics of this process is not thus far clear. In the work on the basis of the concept of scalar- vector potential is revealed the physical mechanism of formation fields on inductions.

Keywords: laws of induction, maxwell equations, wave equation, galilei transformations, scalar-vector potential.

I. INTRODUCTION

Near the conductor, along which flows the current, are formed electrical induction fields, these fields are formed is only is when to the conductor applied a potential difference and charges in it are accelerated. But, unfortunately, physics of this process is not thus far clear. In our view, the reason for this state of affairs consists of the imperfection of very equations of Maxwell. Is exponential quotation from [1]: but “in what does consist the basic initial reason for the discrepancy of the built by Maxwell electrodynamics? For the single-valued answer to this question... it should be noted that even in its time of amperes, Grossman, Gauss, Lentz, Neumann, Veber, Riemann and other they stood on the point of view, that, without being turned to the concept “of magnetic field”, any magnetic interactions can be reduced to usual interactions of current elements or moving charges... in the electrodynamics repossessed then the point of view of Faraday and Maxwell, that the electrical and “magnetic” fields are the independent physical essences, although connected together. In the prevailing then historical situation given, erroneous from a physical point of view, assumptions predetermined by themselves entire further motion of the development of electrodynamics with the deliberately placed into it insoluble contradictions and the paradoxes”. And further there: “for the non contradictory reflection of the physical essence of the laws of electromagnetism necessary to completely forego any concepts “magnetic field” as certain independent physical essence... for determining the forces of interaction of moving in the physical vacuum of real space electric charges completely sufficient to consider the deformation of electrical fields on these charges, caused by the trivial effects of the being late potentials... To there remains only be surprised at the sagacity of the ampere, which warned that if we in the

electrodynamics do not forego ourselves the concept “magnet”, then subsequently this threatens by incredible confusion in the theory”.

As already mentioned, in the classical electrodynamics be absent the rule of the conversion of electrical and magnetic fields on upon transfer of one inertial system [IRS] to another. The special theory of relativity (STR) removes this deficiency, substituting the conversions of Galileo by the Lorenz transformation, whose physical essence with the entire mathematical validity is not explained [2]. However, specialists (first of all, by experimenters) discovered, that the classical electrodynamics and STR, in spite of already more than 100- summer myth, are located in the contradiction to each other [3,4]. However, contemporary experiences on the measurement of the speed of light in one direction (but the not averaged speed “back and forth” as, for example, in Fizeau's experiments and to them analogous) [5] contradict postulate STR about the constancy of the speed of light and is brought into question the physical validity of the Lorenz transformation.

II. CONCEPT OF SCALAR- VECTOR POTENTIAL

The fields, which are created in this IRS by moving charges and moving sources of electromagnetic waves, we will call dynamic. Can serve as an example of dynamic field the magnetic field, which appears around the moving charges.

By the first step in the direction of the location of the physically substantiated ways of obtaining the conversions fields on and the determination of dynamic potentials appeared the introduction of the symmetrical laws of the magnetoelectric and electromagnetic induction [6, 7]. They are obtained within the framework the conversions of Galileo with the use in the equations of induction by the substantial derivative and are written as follows [8-12]:

$$\oint \mathbf{E}' d\mathbf{l}' = - \int \frac{\partial \mathbf{B}}{\partial t} ds + \oint [\mathbf{v} \times \mathbf{B}] d\mathbf{l}' , \quad (2.1)$$

$$\oint \mathbf{H}' d\mathbf{l}' = \int \frac{\partial \mathbf{D}}{\partial t} ds - \oint [\mathbf{v} \times \mathbf{D}] d\mathbf{l}'$$

or

$$\begin{aligned} \operatorname{rot} \mathbf{E}' &= -\frac{\partial \mathbf{B}}{\partial t} + \operatorname{rot} [\mathbf{v} \times \mathbf{B}] \\ \operatorname{rot} \mathbf{H}' &= \frac{\partial \mathbf{D}}{\partial t} - \operatorname{rot} [\mathbf{v} \times \mathbf{D}] \end{aligned} \quad (2.2)$$

For the constants fields on conversions (2.2) they take the form:

$$\begin{aligned} \mathbf{E}' &= [\mathbf{v} \times \mathbf{B}] \\ \mathbf{H}' &= -[\mathbf{v} \times \mathbf{D}] \end{aligned} \quad (2.3)$$

In relationships (2.1-2.3), which assume the validity of the Galilei transformations branded and not branded values present fields and elements in moving and fixed IRS respectively. Previously conversions (2.3) were derived only from the Lorentz transformation.

The laws of induction (2.1)–(2.3) do not indicate the reason for appearance fields on in initial fixed IRS, but is described only propagation fields on their conversions upon transfer to another IRS. Of relationship (16.3) attest to the fact that in the case of relative motion of frame of references, between the fields of and there is a cross coupling, i.e., motion in the fields of leads to the appearance fields on and vice versa. Consequences of (2.3) are for the first time examined in [13]. If in parallel to the axis of rod in its g electric field charged with the linear charge $E = \frac{g}{2\pi\epsilon r}$ (r – distance from the axis of rod to the observation point) moves with IRS with speed Δv , that in it the additional magnetic field will appear $\Delta H = \epsilon E \Delta v$. If we now with respect to already moving IRS begin to move third frame of reference with the speed Δv , then already due to the motion in the field ΔH will appear additive to the electric field $\Delta E = \mu \epsilon E (\Delta v)^2$. This process can be continued and further, as a result of which can be obtained the number, which gives the value of the electric field $E'_v(r)$ in moving IRS with reaching of the speed $v = n\Delta v$, when $\Delta v \rightarrow 0$, and $n \rightarrow \infty$. In the final analysis in moving IRS the value of dynamic electric field will prove to be more than in the initial and to be determined by the relationship:

$$E'(r, v) = \frac{g \operatorname{ch} \frac{v}{c}}{2\pi\epsilon r} = E \operatorname{ch} \frac{v}{c}.$$

The created by the moving point charge e transverse electric field (here and throughout this there is that component of the electric field of charge, whose tension is directed normally the charge rate in the same plane, at which the vector, which connects the moving charge and observation point lies) of signs the form:

$$E'(r, v) = \frac{e \operatorname{ch} \frac{v}{c}}{4\pi\epsilon r^2},$$

where v - the velocity of charge.

The created by the same charge longitudinal electric field (here and throughout this is that component of the electric field of charge, whose tension it is collinear charge rate) on charge rate does not depend.

The scalar potential of transverse electric field takes the form:

$$\varphi'(r, v) = \frac{e \operatorname{ch} \frac{v}{c}}{4\pi\epsilon r} = \varphi(r) \operatorname{ch} \frac{v}{c}, \quad (2.4)$$

where $\varphi(r)$ - scalar potential of fixed charge. The potential $\varphi'(r, v)$ can be named scalar- vector potential, since it depends not only on the absolute value of charge, but also on speed and direction of its motion with respect to the observation point. The scalar potential of created by the same charge longitudinal electric field on charge rate does not depend. The electric fields, induced by the quickly moving charge, can be calculated also.

The same result for the charged rod can be obtained by another method. Let us write down the formulas of mutual induction fields on in the mobile frame of reference:

$$dH' = \epsilon E' dv, \quad (2.5)$$

$$dE' = \mu H' dv \quad (2.6)$$

or, otherwise,

$$\frac{dH'}{dv} = \epsilon E' \quad (2.7)$$

$$\frac{dE'}{dv} = \mu H', \quad (2.8)$$

where (2.7) it corresponds (2.5), and (2.8) it corresponds (2.6).

After dividing equations (2.7) and (2.8) on E , we will obtain respectively:

$$\frac{d(H'/E)}{dv} = \epsilon \frac{E'}{E}, \quad (2.9)$$

$$\frac{d(E'/E)}{dv} = \mu \frac{H'}{E}. \quad (2.10)$$

Differentiating both parts (2.10), we have:

$$\frac{d^2(E'/E)}{dv^2} = \mu \frac{d(H'/E)}{dv} \tag{2.11}$$

After substituting (2.9) in (2.11), we will obtain:

$$\frac{d^2(E'/E)}{dv^2} = \mu\epsilon \frac{E'}{E} \tag{2.12}$$

The function is the general solution (2.12) of differential equation

$$\frac{E'}{E} = C_2 \operatorname{ch}\left(\frac{v}{c}\right) + C_1 \operatorname{sh}\left(\frac{v}{c}\right), \tag{2.13}$$

where C_1, C_2 – arbitrary constants.

Since with $v=0$ must be made $E' = E$, that from (2.13) we will obtain:

$$\frac{E'}{E} = \operatorname{ch}\left(\frac{v}{c}\right) + C_1 \operatorname{sh}\left(\frac{v}{c}\right).$$

Selecting $C_1 = 0$, we have:

$$E' = E \operatorname{ch}\left(\frac{v}{c}\right).$$

If we apply the obtained results to the electromagnetic wave and to designate components fields on parallel speeds IRS as $E_{\uparrow}, H_{\uparrow}$, and E_{\perp}, H_{\perp} as components normal to it, then conversions fields on they will be written down:

$$\mathbf{E}'_{\uparrow} = \mathbf{E}_{\uparrow},$$

$$\mathbf{E}'_{\perp} = \mathbf{E}_{\perp} \operatorname{ch} \frac{v}{c} + \frac{Z_0}{v} [\mathbf{v} \times \mathbf{H}_{\perp}] \operatorname{sh} \frac{v}{c},$$

$$\mathbf{H}'_{\uparrow} = \mathbf{H}_{\uparrow}, \tag{2.14}$$

$$\mathbf{H}'_{\perp} = \mathbf{H}_{\perp} \operatorname{ch} \frac{v}{c} - \frac{1}{vZ_0} [\mathbf{v} \times \mathbf{E}_{\perp}] \operatorname{sh} \frac{v}{c},$$

where $Z_0 = \sqrt{\frac{\mu_0}{\epsilon_0}}$ - impedance of free space, $c = \sqrt{\frac{1}{\mu_0 \epsilon_0}}$ - speed of light.

Conversions (2.14) are usually called the Mende transformation[14]. A strict mathematical foundation they obtained in [14] within the framework the trans-coordinate formulation of Maxwell's equations [15], by that generalizing the traditional formulation of Hertz-Heaviside in the direction of more adequate passage from one IRS to another due to the improvement of the mathematical apparatus for differential calculus of the field functions within the framework of giperkontinualnykh ideas about the space and in the time [16], of those generalizing relativistic ideas.

III. THE FORMATION OF ELECTRICAL FIELDS ON THE INDUCTIONS

This concept makes it possible to obtain the laws of electro-electrical induction for the wave process not only in the free space, but also in the long line.

let us examine the diagram of the propagation of current and voltage in the section of the long line, represented in Fig. Voltage on incoming line grows from zero to its nominal value in transit time $t = \frac{z_2}{c}$, where z_2 – the length of the front of wave, i.e., the transition section, to which applied the voltage of the power source and in which the charges are accelerated from the zero speed to the values, necessary for creating the rated current in the line.




Fig. 1: Diagram of the propagation of voltage and current in the section of long line

This time depends on the law of an increase in the voltage on incoming line after the connection to it of the voltage source. Actually it can be any, but for simplicity let us accept its linear. Then in time Δt (in the line this transient process engages section $z_1 = c\Delta t$) stress it grows from zero (more to the right section z_1) to maximum final value U , and charge rate – from zero to

$$v = \sqrt{\frac{2eU}{m}},$$

where e and m – charge and the mass of current carriers.

The speed of current carriers in the section z_1 depends on coordinate (see Fig. 2):

$$v^2(z) = \frac{2e}{m} \frac{\partial U}{\partial z} z = \frac{2e}{m} E_z z,$$

where $E_z = \frac{\partial U}{\partial z} = \frac{U}{z_2}$ -field strength, which accelerates charges in the section z_1 .




Fig. 2: Current wave front, which is extended in the long line

Scalar potential $\varphi(z)$ and the field strength E'_z r from the line let us at a distance write down, using only first two members of the expansion of hyperbolic cosine in the series (prime it here indicates the motion of field along the conductor of line with the speed of light):

$$\varphi(z) = \frac{e}{4\pi \epsilon_0 r} \left(1 + \frac{1}{2} \frac{v^2(z)}{c^2} \right) = \frac{e}{4\pi \epsilon_0 r} \left(1 + \frac{eE_z z}{mc^2} \right),$$

$$E'_z = -\frac{\partial \varphi(z)}{\partial z} = -\frac{e^2 E_z}{4\pi \epsilon_0 r m c^2} = -\frac{e a_z}{4\pi \epsilon_0 r c^2}, \quad (3.1)$$

where $a_z = \frac{eE_z}{m}$ – the acceleration, experienced by charge e in the field E'_z .

Thus, the charges, accelerated in the section of the line z_1 , induce at a distance r from this section the electric field. Direction of the induced field and induction currents to the conversely inducing fields and to currents. The obtained law of electro-electrical induction is called to replace Faraday law as the fundamental law of induction, since passing field- mediators (magnetic field or vector potential) establish the reason for the appearance of induction electrical fields on around the moving charge it gives straight answer about the place of the application of force of interaction between the charges.

Equality (3.1) can be written down with the use of the vector potential A_H :

$$E'_z = -\frac{e}{4\pi \epsilon_0 r c^2} \frac{\partial v_z}{\partial t} = -\mu \frac{\partial A_H}{\partial t},$$

from where, integrating by the time, we obtain the known determination of the vector potential:

$$A_H = \frac{e v_z}{4\pi r}.$$

Vector potential and magnetic field – is this the useful mathematical device of the solution of number of electrodynamic problems; however, fundamentals – scalar- vector potential.

IV. CONCLUSION

Near the conductor, along which flows the current, are formed electrical induction fields, these fields are formed is only is when to the conductor applied a potential difference and charges in it are accelerated. But, unfortunately, physics of this process is not thus far clear. In the work on the basis of the concept of scalar- vector potential is revealed the physical mechanism of formation fields on inductions.

REFERENCES RÉFÉRENCES REFERENCIAS

1. Николаев Г.В. Современная электродинамика и причины ее парадоксальности: издание 2-е, дополненное. Томск: Изд-во научно-технической литературы, 2003. 177 с.
2. П. К. Рашевский. Риманова геометрия и тензорный анализ. М.: Наука, 1967.

3. Gomori M., Szabo L.E. Is the relativity principle consistent with classical electrodynamics? Towards a logico-empiricist reconstruction of a physical theory. Budapest: Institute of Philosophy, Department of Logic. Preprint (v5) of 4 April 2011.39 p.
4. Bertocci U. And Capria M.M. Am. J. Phys. **59** (11), November 1991. P. 1030 – 1032.
5. Маринов С. Экспериментальные нарушения принципов относительности, эквивалентности и сохранения энергии/Физическая мысль России. 1995. № 2. С. 52-77.
6. Ф. Ф. Менде. Существуют ли ошибки в современной физике, Харьков, Константа, 2003.
7. Ф. Ф. Менде. Великие заблуждения и ошибки физиков XIX-XX столетий. Революция в современной физике. Харьков, НТМТ, 2010.
8. F. F. Mende. What is Not Taken into Account and they Did Not Notice Ampere, Faraday, Maxwell, Heaviside and Hertz. AASCIT Journal of Physics, 2015, Vol.1, No. 1, p. 28-52.
9. Менде Ф. Ф. Новые подходы в современной классической электродинамике, Часть II, Инженерная физика, 2013, №2, с. 3-17.
10. F. F. Mende, Concept of Scalar-Vector Potential in the Contemporary Electrodynamics, Problem of Homopolar Induction and Its Solution. International Journal of Physics, 2014, Vol. 2, No. 6, p. 202-210.
11. F. F. Mende, Consideration and the Refinement of Some Laws and Concepts of Classical Electrodynamics and New Ideas in Modern Electrodynamics. International Journal of Physics, 2014, Vol. 2, No. 8, p. 231-263.
12. F. F. Mende. Concept of Scalar-Vector Potential and Its Experimental Confirmation. AASCIT Journal of Physics, 2015, Vol.1 , No. 3, p. 135-148.
13. Ф. Ф. Менде. К вопросу об уточнении уравнений электромагнитной индукции. Харьков, депонирована в ВИНТИ, №774-В88Деп., 1988, 32с.
14. Дубровин А.С. Преобразования Менде в транскоординатной электродинамике//Международный журнал прикладных и фундаментальных исследований. 2015. № 12. С. 1006-1012.
15. Дубровин А.С. Транскоординатная электродинамика в пространственно-временном гиперконтинууме//Международный журнал прикладных и фундаментальных исследований. 2015. № 12. С. 34-41.
16. Дубровин А.С. Алгебраические свойства функций одномерных синусоидальных волн и пространство-время//Вестник Воронежского государственного университета. Сер. Физика. Математика. 2013. № 1. С. 5-19.

GLOBAL JOURNALS GUIDELINES HANDBOOK 2019

WWW.GLOBALJOURNALS.ORG

FELLOWS

FELLOW OF ASSOCIATION OF RESEARCH SOCIETY IN SCIENCE (FARSS)

Global Journals Incorporate (USA) is accredited by Open Association of Research Society (OARS), U.S.A and in turn, awards “FARSS” title to individuals. The 'FARSS' title is accorded to a selected professional after the approval of the Editor-in-Chief/Editorial Board Members/Dean.



- The “FARSS” is a dignified title which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., FARSS or William Walldroff, M.S., FARSS.

FARSS accrediting is an honor. It authenticates your research activities. After recognition as FARSS, you can add 'FARSS' title with your name as you use this recognition as additional suffix to your status. This will definitely enhance and add more value and reputation to your name. You may use it on your professional Counseling Materials such as CV, Resume, and Visiting Card etc.

The following benefits can be availed by you only for next three years from the date of certification:



FARSS designated members are entitled to avail a 40% discount while publishing their research papers (of a single author) with Global Journals Incorporation (USA), if the same is accepted by Editorial Board/Peer Reviewers. If you are a main author or co-author in case of multiple authors, you will be entitled to avail discount of 10%.

Once FARSS title is accorded, the Fellow is authorized to organize a symposium/seminar/conference on behalf of Global Journal Incorporation (USA). The Fellow can also participate in conference/seminar/symposium organized by another institution as representative of Global Journal. In both the cases, it is mandatory for him to discuss with us and obtain our consent.



You may join as member of the Editorial Board of Global Journals Incorporation (USA) after successful completion of three years as Fellow and as Peer Reviewer. In addition, it is also desirable that you should organize seminar/symposium/conference at least once.


We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.





The FARSS can go through standards of OARS. You can also play vital role if you have any suggestions so that proper amendment can take place to improve the same for the benefit of entire research community.

As FARSS, you will be given a renowned, secure and free professional email address with 100 GB of space e.g. johnhall@globaljournals.org. This will include Webmail, Spam Assassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.



The FARSS will be eligible for a free application of standardization of their researches. Standardization of research will be subject to acceptability within stipulated norms as the next step after publishing in a journal. We shall depute a team of specialized research professionals who will render their services for elevating your researches to next higher level, which is worldwide open standardization.

The FARSS member can apply for grading and certification of standards of their educational and Institutional Degrees to Open Association of Research, Society U.S.A. Once you are designated as FARSS, you may send us a scanned copy of all of your credentials. OARS will verify, grade and certify them. This will be based on your academic records, quality of research papers published by you, and some more criteria. After certification of all your credentials by OARS, they will be published on your Fellow Profile link on website <https://associationofresearch.org> which will be helpful to upgrade the dignity.



The FARSS members can avail the benefits of free research podcasting in Global Research Radio with their research documents. After publishing the work, (including published elsewhere worldwide with proper authorization) you can upload your research paper with your recorded voice or you can utilize chargeable services of our professional RJs to record your paper in their voice on request.



The FARSS member also entitled to get the benefits of free research podcasting of their research documents through video clips. We can also streamline your conference videos and display your slides/ online slides and online research video clips at reasonable charges, on request.





The FARSS is eligible to earn from sales proceeds of his/her researches/reference/review Books or literature, while publishing with Global Journals. The FARSS can decide whether he/she would like to publish his/her research in a closed manner. In this case, whenever readers purchase that individual research paper for reading, maximum 60% of its profit earned as royalty by Global Journals, will be credited to his/her bank account. The entire entitled amount will be credited to his/her bank account exceeding limit of minimum fixed balance. There is no minimum time limit for collection. The FARSS member can decide its price and we can help in making the right decision.

The FARSS member is eligible to join as a paid peer reviewer at Global Journals Incorporation (USA) and can get remuneration of 15% of author fees, taken from the author of a respective paper. After reviewing 5 or more papers you can request to transfer the amount to your bank account.



MEMBER OF ASSOCIATION OF RESEARCH SOCIETY IN SCIENCE (MARSS)

The ' MARSS ' title is accorded to a selected professional after the approval of the Editor-in-Chief / Editorial Board Members/Dean.

The “MARSS” is a dignified ornament which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., MARSS or William Walldroff, M.S., MARSS.



MARSS accrediting is an honor. It authenticates your research activities. After becoming MARSS, you can add 'MARSS' title with your name as you use this recognition as additional suffix to your status. This will definitely enhance and add more value and repute to your name. You may use it on your professional Counseling Materials such as CV, Resume, Visiting Card and Name Plate etc.

The following benefits can be availed by you only for next three years from the date of certification.



MARSS designated members are entitled to avail a 25% discount while publishing their research papers (of a single author) in Global Journals Inc., if the same is accepted by our Editorial Board and Peer Reviewers. If you are a main author or co-author of a group of authors, you will get discount of 10%.

As MARSS, you will be given a renowned, secure and free professional email address with 30 GB of space e.g. johnhall@globaljournals.org. This will include Webmail, Spam Assassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.





We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.

The MARSS member can apply for approval, grading and certification of standards of their educational and Institutional Degrees to Open Association of Research, Society U.S.A.



Once you are designated as MARSS, you may send us a scanned copy of all of your credentials. OARS will verify, grade and certify them. This will be based on your academic records, quality of research papers published by you, and some more criteria.

It is mandatory to read all terms and conditions carefully.



AUXILIARY MEMBERSHIPS

Institutional Fellow of Global Journals Incorporation (USA)-OARS (USA)

Global Journals Incorporation (USA) is accredited by Open Association of Research Society, U.S.A (OARS) and in turn, affiliates research institutions as “Institutional Fellow of Open Association of Research Society” (IFOARS).



The “FARSC” is a dignified title which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., FARSC or William Walldroff, M.S., FARSC.

The IFOARS institution is entitled to form a Board comprised of one Chairperson and three to five board members preferably from different streams. The Board will be recognized as “Institutional Board of Open Association of Research Society”-(IBOARS).

The Institute will be entitled to following benefits:



The IBOARS can initially review research papers of their institute and recommend them to publish with respective journal of Global Journals. It can also review the papers of other institutions after obtaining our consent. The second review will be done by peer reviewer of Global Journals Incorporation (USA) The Board is at liberty to appoint a peer reviewer with the approval of chairperson after consulting us.

The author fees of such paper may be waived off up to 40%.

The Global Journals Incorporation (USA) at its discretion can also refer double blind peer reviewed paper at their end to the board for the verification and to get recommendation for final stage of acceptance of publication.




The IBOARS can organize symposium/seminar/conference in their country on behalf of Global Journals Incorporation (USA)-OARS (USA). The terms and conditions can be discussed separately.


The Board can also play vital role by exploring and giving valuable suggestions regarding the Standards of “Open Association of Research Society, U.S.A (OARS)” so that proper amendment can take place for the benefit of entire research community. We shall provide details of particular standard only on receipt of request from the Board.



The board members can also join us as Individual Fellow with 40% discount on total fees applicable to Individual Fellow. They will be entitled to avail all the benefits as declared. Please visit Individual Fellow-sub menu of GlobalJournals.org to have more relevant details.



We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.



After nomination of your institution as “Institutional Fellow” and constantly functioning successfully for one year, we can consider giving recognition to your institute to function as Regional/Zonal office on our behalf.

The board can also take up the additional allied activities for betterment after our consultation.

The following entitlements are applicable to individual Fellows:

Open Association of Research Society, U.S.A (OARS) By-laws states that an individual Fellow may use the designations as applicable, or the corresponding initials. The Credentials of individual Fellow and Associate designations signify that the individual has gained knowledge of the fundamental concepts. One is magnanimous and proficient in an expertise course covering the professional code of conduct, and follows recognized standards of practice.



Open Association of Research Society (US)/ Global Journals Incorporation (USA), as described in Corporate Statements, are educational, research publishing and professional membership organizations. Achieving our individual Fellow or Associate status is based mainly on meeting stated educational research requirements.

Disbursement of 40% Royalty earned through Global Journals : Researcher = 50%, Peer Reviewer = 37.50%, Institution = 12.50% E.g. Out of 40%, the 20% benefit should be passed on to researcher, 15 % benefit towards remuneration should be given to a reviewer and remaining 5% is to be retained by the institution.



We shall provide print version of 12 issues of any three journals [as per your requirement] out of our 38 journals worth \$ 2376 USD.

Other:

The individual Fellow and Associate designations accredited by Open Association of Research Society (US) credentials signify guarantees following achievements:

- The professional accredited with Fellow honor, is entitled to various benefits viz. name, fame, honor, regular flow of income, secured bright future, social status etc.



- In addition to above, if one is single author, then entitled to 40% discount on publishing research paper and can get 10% discount if one is co-author or main author among group of authors.
- The Fellow can organize symposium/seminar/conference on behalf of Global Journals Incorporation (USA) and he/she can also attend the same organized by other institutes on behalf of Global Journals.
- The Fellow can become member of Editorial Board Member after completing 3yrs.
- The Fellow can earn 60% of sales proceeds from the sale of reference/review books/literature/publishing of research paper.
- Fellow can also join as paid peer reviewer and earn 15% remuneration of author charges and can also get an opportunity to join as member of the Editorial Board of Global Journals Incorporation (USA)
- • This individual has learned the basic methods of applying those concepts and techniques to common challenging situations. This individual has further demonstrated an in-depth understanding of the application of suitable techniques to a particular area of research practice.

Note :

//

- In future, if the board feels the necessity to change any board member, the same can be done with the consent of the chairperson along with anyone board member without our approval.
- In case, the chairperson needs to be replaced then consent of 2/3rd board members are required and they are also required to jointly pass the resolution copy of which should be sent to us. In such case, it will be compulsory to obtain our approval before replacement.
- In case of “Difference of Opinion [if any]” among the Board members, our decision will be final and binding to everyone.

//



PREFERRED AUTHOR GUIDELINES

We accept the manuscript submissions in any standard (generic) format.

We typeset manuscripts using advanced typesetting tools like Adobe In Design, CorelDraw, TeXnicCenter, and TeXStudio. We usually recommend authors submit their research using any standard format they are comfortable with, and let Global Journals do the rest.

Alternatively, you can download our basic template from <https://globaljournals.org/Template.zip>

Authors should submit their complete paper/article, including text illustrations, graphics, conclusions, artwork, and tables. Authors who are not able to submit manuscript using the form above can email the manuscript department at submit@globaljournals.org or get in touch with chiefeditor@globaljournals.org if they wish to send the abstract before submission.

BEFORE AND DURING SUBMISSION

Authors must ensure the information provided during the submission of a paper is authentic. Please go through the following checklist before submitting:

1. Authors must go through the complete author guideline and understand and *agree to Global Journals' ethics and code of conduct*, along with author responsibilities.
2. Authors must accept the privacy policy, terms, and conditions of Global Journals.
3. Ensure corresponding author's email address and postal address are accurate and reachable.
4. Manuscript to be submitted must include keywords, an abstract, a paper title, co-author(s) names and details (email address, name, phone number, and institution), figures and illustrations in vector format including appropriate captions, tables, including titles and footnotes, a conclusion, results, acknowledgments and references.
5. Authors should submit paper in a ZIP archive if any supplementary files are required along with the paper.
6. Proper permissions must be acquired for the use of any copyrighted material.
7. Manuscript submitted *must not have been submitted or published elsewhere* and all authors must be aware of the submission.

Declaration of Conflicts of Interest

It is required for authors to declare all financial, institutional, and personal relationships with other individuals and organizations that could influence (bias) their research.

POLICY ON PLAGIARISM

Plagiarism is not acceptable in Global Journals submissions at all.

Plagiarized content will not be considered for publication. We reserve the right to inform authors' institutions about plagiarism detected either before or after publication. If plagiarism is identified, we will follow COPE guidelines:

Authors are solely responsible for all the plagiarism that is found. The author must not fabricate, falsify or plagiarize existing research data. The following, if copied, will be considered plagiarism:

- Words (language)
- Ideas
- Findings
- Writings
- Diagrams
- Graphs
- Illustrations
- Lectures



- Printed material
- Graphic representations
- Computer programs
- Electronic material
- Any other original work

AUTHORSHIP POLICIES

Global Journals follows the definition of authorship set up by the Open Association of Research Society, USA. According to its guidelines, authorship criteria must be based on:

1. Substantial contributions to the conception and acquisition of data, analysis, and interpretation of findings.
2. Drafting the paper and revising it critically regarding important academic content.
3. Final approval of the version of the paper to be published.

Changes in Authorship

The corresponding author should mention the name and complete details of all co-authors during submission and in manuscript. We support addition, rearrangement, manipulation, and deletions in authors list till the early view publication of the journal. We expect that corresponding author will notify all co-authors of submission. We follow COPE guidelines for changes in authorship.

Copyright

During submission of the manuscript, the author is confirming an exclusive license agreement with Global Journals which gives Global Journals the authority to reproduce, reuse, and republish authors' research. We also believe in flexible copyright terms where copyright may remain with authors/employers/institutions as well. Contact your editor after acceptance to choose your copyright policy. You may follow this form for copyright transfers.

Appealing Decisions

Unless specified in the notification, the Editorial Board's decision on publication of the paper is final and cannot be appealed before making the major change in the manuscript.

Acknowledgments

Contributors to the research other than authors credited should be mentioned in Acknowledgments. The source of funding for the research can be included. Suppliers of resources may be mentioned along with their addresses.

Declaration of funding sources

Global Journals is in partnership with various universities, laboratories, and other institutions worldwide in the research domain. Authors are requested to disclose their source of funding during every stage of their research, such as making analysis, performing laboratory operations, computing data, and using institutional resources, from writing an article to its submission. This will also help authors to get reimbursements by requesting an open access publication letter from Global Journals and submitting to the respective funding source.

PREPARING YOUR MANUSCRIPT

Authors can submit papers and articles in an acceptable file format: MS Word (doc, docx), LaTeX (.tex, .zip or .rar including all of your files), Adobe PDF (.pdf), rich text format (.rtf), simple text document (.txt), Open Document Text (.odt), and Apple Pages (.pages). Our professional layout editors will format the entire paper according to our official guidelines. This is one of the highlights of publishing with Global Journals—authors should not be concerned about the formatting of their paper. Global Journals accepts articles and manuscripts in every major language, be it Spanish, Chinese, Japanese, Portuguese, Russian, French, German, Dutch, Italian, Greek, or any other national language, but the title, subtitle, and abstract should be in English. This will facilitate indexing and the pre-peer review process.

The following is the official style and template developed for publication of a research paper. Authors are not required to follow this style during the submission of the paper. It is just for reference purposes.



Manuscript Style Instruction (Optional)

- Microsoft Word Document Setting Instructions.
- Font type of all text should be Swis721 Lt BT.
- Page size: 8.27" x 11", left margin: 0.65, right margin: 0.65, bottom margin: 0.75.
- Paper title should be in one column of font size 24.
- Author name in font size of 11 in one column.
- Abstract: font size 9 with the word "Abstract" in bold italics.
- Main text: font size 10 with two justified columns.
- Two columns with equal column width of 3.38 and spacing of 0.2.
- First character must be three lines drop-capped.
- The paragraph before spacing of 1 pt and after of 0 pt.
- Line spacing of 1 pt.
- Large images must be in one column.
- The names of first main headings (Heading 1) must be in Roman font, capital letters, and font size of 10.
- The names of second main headings (Heading 2) must not include numbers and must be in italics with a font size of 10.

Structure and Format of Manuscript

The recommended size of an original research paper is under 15,000 words and review papers under 7,000 words. Research articles should be less than 10,000 words. Research papers are usually longer than review papers. Review papers are reports of significant research (typically less than 7,000 words, including tables, figures, and references)

A research paper must include:

- a) A title which should be relevant to the theme of the paper.
- b) A summary, known as an abstract (less than 150 words), containing the major results and conclusions.
- c) Up to 10 keywords that precisely identify the paper's subject, purpose, and focus.
- d) An introduction, giving fundamental background objectives.
- e) Resources and techniques with sufficient complete experimental details (wherever possible by reference) to permit repetition, sources of information must be given, and numerical methods must be specified by reference.
- f) Results which should be presented concisely by well-designed tables and figures.
- g) Suitable statistical data should also be given.
- h) All data must have been gathered with attention to numerical detail in the planning stage.

Design has been recognized to be essential to experiments for a considerable time, and the editor has decided that any paper that appears not to have adequate numerical treatments of the data will be returned unrefereed.

- i) Discussion should cover implications and consequences and not just recapitulate the results; conclusions should also be summarized.
- j) There should be brief acknowledgments.
- k) There ought to be references in the conventional format. Global Journals recommends APA format.

Authors should carefully consider the preparation of papers to ensure that they communicate effectively. Papers are much more likely to be accepted if they are carefully designed and laid out, contain few or no errors, are summarizing, and follow instructions. They will also be published with much fewer delays than those that require much technical and editorial correction.

The Editorial Board reserves the right to make literary corrections and suggestions to improve brevity.



FORMAT STRUCTURE

It is necessary that authors take care in submitting a manuscript that is written in simple language and adheres to published guidelines.

All manuscripts submitted to Global Journals should include:

Title

The title page must carry an informative title that reflects the content, a running title (less than 45 characters together with spaces), names of the authors and co-authors, and the place(s) where the work was carried out.

Author details

The full postal address of any related author(s) must be specified.

Abstract

The abstract is the foundation of the research paper. It should be clear and concise and must contain the objective of the paper and inferences drawn. It is advised to not include big mathematical equations or complicated jargon.

Many researchers searching for information online will use search engines such as Google, Yahoo or others. By optimizing your paper for search engines, you will amplify the chance of someone finding it. In turn, this will make it more likely to be viewed and cited in further works. Global Journals has compiled these guidelines to facilitate you to maximize the web-friendliness of the most public part of your paper.

Keywords

A major lynchpin of research work for the writing of research papers is the keyword search, which one will employ to find both library and internet resources. Up to eleven keywords or very brief phrases have to be given to help data retrieval, mining, and indexing.

One must be persistent and creative in using keywords. An effective keyword search requires a strategy: planning of a list of possible keywords and phrases to try.

Choice of the main keywords is the first tool of writing a research paper. Research paper writing is an art. Keyword search should be as strategic as possible.

One should start brainstorming lists of potential keywords before even beginning searching. Think about the most important concepts related to research work. Ask, "What words would a source have to include to be truly valuable in a research paper?" Then consider synonyms for the important words.

It may take the discovery of only one important paper to steer in the right keyword direction because, in most databases, the keywords under which a research paper is abstracted are listed with the paper.

Numerical Methods

Numerical methods used should be transparent and, where appropriate, supported by references.

Abbreviations

Authors must list all the abbreviations used in the paper at the end of the paper or in a separate table before using them.

Formulas and equations

Authors are advised to submit any mathematical equation using either MathJax, KaTeX, or LaTeX, or in a very high-quality image.

Tables, Figures, and Figure Legends

Tables: Tables should be cautiously designed, uncrowned, and include only essential data. Each must have an Arabic number, e.g., Table 4, a self-explanatory caption, and be on a separate sheet. Authors must submit tables in an editable format and not as images. References to these tables (if any) must be mentioned accurately.



Figures

Figures are supposed to be submitted as separate files. Always include a citation in the text for each figure using Arabic numbers, e.g., Fig. 4. Artwork must be submitted online in vector electronic form or by emailing it.

PREPARATION OF ELETRONIC FIGURES FOR PUBLICATION

Although low-quality images are sufficient for review purposes, print publication requires high-quality images to prevent the final product being blurred or fuzzy. Submit (possibly by e-mail) EPS (line art) or TIFF (halftone/ photographs) files only. MS PowerPoint and Word Graphics are unsuitable for printed pictures. Avoid using pixel-oriented software. Scans (TIFF only) should have a resolution of at least 350 dpi (halftone) or 700 to 1100 dpi (line drawings). Please give the data for figures in black and white or submit a Color Work Agreement form. EPS files must be saved with fonts embedded (and with a TIFF preview, if possible).

For scanned images, the scanning resolution at final image size ought to be as follows to ensure good reproduction: line art: >650 dpi; halftones (including gel photographs): >350 dpi; figures containing both halftone and line images: >650 dpi.

Color charges: Authors are advised to pay the full cost for the reproduction of their color artwork. Hence, please note that if there is color artwork in your manuscript when it is accepted for publication, we would require you to complete and return a Color Work Agreement form before your paper can be published. Also, you can email your editor to remove the color fee after acceptance of the paper.

TIPS FOR WRITING A GOOD QUALITY SCIENCE FRONTIER RESEARCH PAPER

Techniques for writing a good quality Science Frontier Research paper:

1. Choosing the topic: In most cases, the topic is selected by the interests of the author, but it can also be suggested by the guides. You can have several topics, and then judge which you are most comfortable with. This may be done by asking several questions of yourself, like "Will I be able to carry out a search in this area? Will I find all necessary resources to accomplish the search? Will I be able to find all information in this field area?" If the answer to this type of question is "yes," then you ought to choose that topic. In most cases, you may have to conduct surveys and visit several places. Also, you might have to do a lot of work to find all the rises and falls of the various data on that subject. Sometimes, detailed information plays a vital role, instead of short information. Evaluators are human: The first thing to remember is that evaluators are also human beings. They are not only meant for rejecting a paper. They are here to evaluate your paper. So present your best aspect.

2. Think like evaluators: If you are in confusion or getting demotivated because your paper may not be accepted by the evaluators, then think, and try to evaluate your paper like an evaluator. Try to understand what an evaluator wants in your research paper, and you will automatically have your answer. Make blueprints of paper: The outline is the plan or framework that will help you to arrange your thoughts. It will make your paper logical. But remember that all points of your outline must be related to the topic you have chosen.

3. Ask your guides: If you are having any difficulty with your research, then do not hesitate to share your difficulty with your guide (if you have one). They will surely help you out and resolve your doubts. If you can't clarify what exactly you require for your work, then ask your supervisor to help you with an alternative. He or she might also provide you with a list of essential readings.

4. Use of computer is recommended: As you are doing research in the field of science frontier then this point is quite obvious. Use right software: Always use good quality software packages. If you are not capable of judging good software, then you can lose the quality of your paper unknowingly. There are various programs available to help you which you can get through the internet.

5. Use the internet for help: An excellent start for your paper is using Google. It is a wondrous search engine, where you can have your doubts resolved. You may also read some answers for the frequent question of how to write your research paper or find a model research paper. You can download books from the internet. If you have all the required books, place importance on reading, selecting, and analyzing the specified information. Then sketch out your research paper. Use big pictures: You may use encyclopedias like Wikipedia to get pictures with the best resolution. At Global Journals, you should strictly follow here.



6. Bookmarks are useful: When you read any book or magazine, you generally use bookmarks, right? It is a good habit which helps to not lose your continuity. You should always use bookmarks while searching on the internet also, which will make your search easier.

7. Revise what you wrote: When you write anything, always read it, summarize it, and then finalize it.

8. Make every effort: Make every effort to mention what you are going to write in your paper. That means always have a good start. Try to mention everything in the introduction—what is the need for a particular research paper. Polish your work with good writing skills and always give an evaluator what he wants. Make backups: When you are going to do any important thing like making a research paper, you should always have backup copies of it either on your computer or on paper. This protects you from losing any portion of your important data.

9. Produce good diagrams of your own: Always try to include good charts or diagrams in your paper to improve quality. Using several unnecessary diagrams will degrade the quality of your paper by creating a hodgepodge. So always try to include diagrams which were made by you to improve the readability of your paper. Use of direct quotes: When you do research relevant to literature, history, or current affairs, then use of quotes becomes essential, but if the study is relevant to science, use of quotes is not preferable.

10. Use proper verb tense: Use proper verb tenses in your paper. Use past tense to present those events that have happened. Use present tense to indicate events that are going on. Use future tense to indicate events that will happen in the future. Use of wrong tenses will confuse the evaluator. Avoid sentences that are incomplete.

11. Pick a good study spot: Always try to pick a spot for your research which is quiet. Not every spot is good for studying.

12. Know what you know: Always try to know what you know by making objectives, otherwise you will be confused and unable to achieve your target.

13. Use good grammar: Always use good grammar and words that will have a positive impact on the evaluator; use of good vocabulary does not mean using tough words which the evaluator has to find in a dictionary. Do not fragment sentences. Eliminate one-word sentences. Do not ever use a big word when a smaller one would suffice.

Verbs have to be in agreement with their subjects. In a research paper, do not start sentences with conjunctions or finish them with prepositions. When writing formally, it is advisable to never split an infinitive because someone will (wrongly) complain. Avoid clichés like a disease. Always shun irritating alliteration. Use language which is simple and straightforward. Put together a neat summary.

14. Arrangement of information: Each section of the main body should start with an opening sentence, and there should be a changeover at the end of the section. Give only valid and powerful arguments for your topic. You may also maintain your arguments with records.

15. Never start at the last minute: Always allow enough time for research work. Leaving everything to the last minute will degrade your paper and spoil your work.

16. Multitasking in research is not good: Doing several things at the same time is a bad habit in the case of research activity. Research is an area where everything has a particular time slot. Divide your research work into parts, and do a particular part in a particular time slot.

17. Never copy others' work: Never copy others' work and give it your name because if the evaluator has seen it anywhere, you will be in trouble. Take proper rest and food: No matter how many hours you spend on your research activity, if you are not taking care of your health, then all your efforts will have been in vain. For quality research, take proper rest and food.

18. Go to seminars: Attend seminars if the topic is relevant to your research area. Utilize all your resources.

19. Refresh your mind after intervals: Try to give your mind a rest by listening to soft music or sleeping in intervals. This will also improve your memory. Acquire colleagues: Always try to acquire colleagues. No matter how sharp you are, if you acquire colleagues, they can give you ideas which will be helpful to your research.



20. Think technically: Always think technically. If anything happens, search for its reasons, benefits, and demerits. Think and then print: When you go to print your paper, check that tables are not split, headings are not detached from their descriptions, and page sequence is maintained.

21. Adding unnecessary information: Do not add unnecessary information like "I have used MS Excel to draw graphs." Irrelevant and inappropriate material is superfluous. Foreign terminology and phrases are not apropos. One should never take a broad view. Analogy is like feathers on a snake. Use words properly, regardless of how others use them. Remove quotations. Puns are for kids, not grunt readers. Never oversimplify: When adding material to your research paper, never go for oversimplification; this will definitely irritate the evaluator. Be specific. Never use rhythmic redundancies. Contractions shouldn't be used in a research paper. Comparisons are as terrible as clichés. Give up ampersands, abbreviations, and so on. Remove commas that are not necessary. Parenthetical words should be between brackets or commas. Understatement is always the best way to put forward earth-shaking thoughts. Give a detailed literary review.

22. Report concluded results: Use concluded results. From raw data, filter the results, and then conclude your studies based on measurements and observations taken. An appropriate number of decimal places should be used. Parenthetical remarks are prohibited here. Proofread carefully at the final stage. At the end, give an outline to your arguments. Spot perspectives of further study of the subject. Justify your conclusion at the bottom sufficiently, which will probably include examples.

23. Upon conclusion: Once you have concluded your research, the next most important step is to present your findings. Presentation is extremely important as it is the definite medium through which your research is going to be in print for the rest of the crowd. Care should be taken to categorize your thoughts well and present them in a logical and neat manner. A good quality research paper format is essential because it serves to highlight your research paper and bring to light all necessary aspects of your research.

INFORMAL GUIDELINES OF RESEARCH PAPER WRITING

Key points to remember:

- Submit all work in its final form.
- Write your paper in the form which is presented in the guidelines using the template.
- Please note the criteria peer reviewers will use for grading the final paper.

Final points:

One purpose of organizing a research paper is to let people interpret your efforts selectively. The journal requires the following sections, submitted in the order listed, with each section starting on a new page:

The introduction: This will be compiled from reference matter and reflect the design processes or outline of basis that directed you to make a study. As you carry out the process of study, the method and process section will be constructed like that. The results segment will show related statistics in nearly sequential order and direct reviewers to similar intellectual paths throughout the data that you gathered to carry out your study.

The discussion section:

This will provide understanding of the data and projections as to the implications of the results. The use of good quality references throughout the paper will give the effort trustworthiness by representing an alertness to prior workings.

Writing a research paper is not an easy job, no matter how trouble-free the actual research or concept. Practice, excellent preparation, and controlled record-keeping are the only means to make straightforward progression.

General style:

Specific editorial column necessities for compliance of a manuscript will always take over from directions in these general guidelines.

To make a paper clear: Adhere to recommended page limits.



Mistakes to avoid:

- Insertion of a title at the foot of a page with subsequent text on the next page.
- Separating a table, chart, or figure—confine each to a single page.
- Submitting a manuscript with pages out of sequence.
- In every section of your document, use standard writing style, including articles ("a" and "the").
- Keep paying attention to the topic of the paper.
- Use paragraphs to split each significant point (excluding the abstract).
- Align the primary line of each section.
- Present your points in sound order.
- Use present tense to report well-accepted matters.
- Use past tense to describe specific results.
- Do not use familiar wording; don't address the reviewer directly. Don't use slang or superlatives.
- Avoid use of extra pictures—include only those figures essential to presenting results.

Title page:

Choose a revealing title. It should be short and include the name(s) and address(es) of all authors. It should not have acronyms or abbreviations or exceed two printed lines.

Abstract: This summary should be two hundred words or less. It should clearly and briefly explain the key findings reported in the manuscript and must have precise statistics. It should not have acronyms or abbreviations. It should be logical in itself. Do not cite references at this point.

An abstract is a brief, distinct paragraph summary of finished work or work in development. In a minute or less, a reviewer can be taught the foundation behind the study, common approaches to the problem, relevant results, and significant conclusions or new questions.

Write your summary when your paper is completed because how can you write the summary of anything which is not yet written? Wealth of terminology is very essential in abstract. Use comprehensive sentences, and do not sacrifice readability for brevity; you can maintain it succinctly by phrasing sentences so that they provide more than a lone rationale. The author can at this moment go straight to shortening the outcome. Sum up the study with the subsequent elements in any summary. Try to limit the initial two items to no more than one line each.

Reason for writing the article—theory, overall issue, purpose.

- Fundamental goal.
- To-the-point depiction of the research.
- Consequences, including definite statistics—if the consequences are quantitative in nature, account for this; results of any numerical analysis should be reported. Significant conclusions or questions that emerge from the research.

Approach:

- Single section and succinct.
- An outline of the job done is always written in past tense.
- Concentrate on shortening results—limit background information to a verdict or two.
- Exact spelling, clarity of sentences and phrases, and appropriate reporting of quantities (proper units, important statistics) are just as significant in an abstract as they are anywhere else.

Introduction:

The introduction should "introduce" the manuscript. The reviewer should be presented with sufficient background information to be capable of comprehending and calculating the purpose of your study without having to refer to other works. The basis for the study should be offered. Give the most important references, but avoid making a comprehensive appraisal of the topic. Describe the problem visibly. If the problem is not acknowledged in a logical, reasonable way, the reviewer will give no attention to your results. Speak in common terms about techniques used to explain the problem, if needed, but do not present any particulars about the protocols here.



The following approach can create a valuable beginning:

- Explain the value (significance) of the study.
- Defend the model—why did you employ this particular system or method? What is its compensation? Remark upon its appropriateness from an abstract point of view as well as pointing out sensible reasons for using it.
- Present a justification. State your particular theory(-ies) or aim(s), and describe the logic that led you to choose them.
- Briefly explain the study's tentative purpose and how it meets the declared objectives.

Approach:

Use past tense except for when referring to recognized facts. After all, the manuscript will be submitted after the entire job is done. Sort out your thoughts; manufacture one key point for every section. If you make the four points listed above, you will need at least four paragraphs. Present surrounding information only when it is necessary to support a situation. The reviewer does not desire to read everything you know about a topic. Shape the theory specifically—do not take a broad view.

As always, give awareness to spelling, simplicity, and correctness of sentences and phrases.

Procedures (methods and materials):

This part is supposed to be the easiest to carve if you have good skills. A soundly written procedures segment allows a capable scientist to replicate your results. Present precise information about your supplies. The suppliers and clarity of reagents can be helpful bits of information. Present methods in sequential order, but linked methodologies can be grouped as a segment. Be concise when relating the protocols. Attempt to give the least amount of information that would permit another capable scientist to replicate your outcome, but be cautious that vital information is integrated. The use of subheadings is suggested and ought to be synchronized with the results section.

When a technique is used that has been well-described in another section, mention the specific item describing the way, but draw the basic principle while stating the situation. The purpose is to show all particular resources and broad procedures so that another person may use some or all of the methods in one more study or referee the scientific value of your work. It is not to be a step-by-step report of the whole thing you did, nor is a methods section a set of orders.

Materials:

Materials may be reported in part of a section or else they may be recognized along with your measures.

Methods:

- Report the method and not the particulars of each process that engaged the same methodology.
- Describe the method entirely.
- To be succinct, present methods under headings dedicated to specific dealings or groups of measures.
- Simplify—detail how procedures were completed, not how they were performed on a particular day.
- If well-known procedures were used, account for the procedure by name, possibly with a reference, and that's all.

Approach:

It is embarrassing to use vigorous voice when documenting methods without using first person, which would focus the reviewer's interest on the researcher rather than the job. As a result, when writing up the methods, most authors use third person passive voice.

Use standard style in this and every other part of the paper—avoid familiar lists, and use full sentences.

What to keep away from:

- Resources and methods are not a set of information.
- Skip all descriptive information and surroundings—save it for the argument.
- Leave out information that is immaterial to a third party.



Results:

The principle of a results segment is to present and demonstrate your conclusion. Create this part as entirely objective details of the outcome, and save all understanding for the discussion.

The page length of this segment is set by the sum and types of data to be reported. Use statistics and tables, if suitable, to present consequences most efficiently.

You must clearly differentiate material which would usually be incorporated in a study editorial from any unprocessed data or additional appendix matter that would not be available. In fact, such matters should not be submitted at all except if requested by the instructor.

Content:

- Sum up your conclusions in text and demonstrate them, if suitable, with figures and tables.
- In the manuscript, explain each of your consequences, and point the reader to remarks that are most appropriate.
- Present a background, such as by describing the question that was addressed by creation of an exacting study.
- Explain results of control experiments and give remarks that are not accessible in a prescribed figure or table, if appropriate.
- Examine your data, then prepare the analyzed (transformed) data in the form of a figure (graph), table, or manuscript.

What to stay away from:

- Do not discuss or infer your outcome, report surrounding information, or try to explain anything.
- Do not include raw data or intermediate calculations in a research manuscript.
- Do not present similar data more than once.
- A manuscript should complement any figures or tables, not duplicate information.
- Never confuse figures with tables—there is a difference.

Approach:

As always, use past tense when you submit your results, and put the whole thing in a reasonable order.

Put figures and tables, appropriately numbered, in order at the end of the report.

If you desire, you may place your figures and tables properly within the text of your results section.

Figures and tables:


If you put figures and tables at the end of some details, make certain that they are visibly distinguished from any attached appendix materials, such as raw facts. Whatever the position, each table must be titled, numbered one after the other, and include a heading. All figures and tables must be divided from the text.

Discussion:

The discussion is expected to be the trickiest segment to write. A lot of papers submitted to the journal are discarded based on problems with the discussion. There is no rule for how long an argument should be.

Position your understanding of the outcome visibly to lead the reviewer through your conclusions, and then finish the paper with a summing up of the implications of the study. The purpose here is to offer an understanding of your results and support all of your conclusions, using facts from your research and generally accepted information, if suitable. The implication of results should be fully described.

Infer your data in the conversation in suitable depth. This means that when you clarify an observable fact, you must explain mechanisms that may account for the observation. If your results vary from your prospect, make clear why that may have happened. If your results agree, then explain the theory that the proof supported. It is never suitable to just state that the data approved the prospect, and let it drop at that. Make a decision as to whether each premise is supported or discarded or if you cannot make a conclusion with assurance. Do not just dismiss a study or part of a study as "uncertain."



Research papers are not acknowledged if the work is imperfect. Draw what conclusions you can based upon the results that you have, and take care of the study as a finished work.

- You may propose future guidelines, such as how an experiment might be personalized to accomplish a new idea.
- Give details of all of your remarks as much as possible, focusing on mechanisms.
- Make a decision as to whether the tentative design sufficiently addressed the theory and whether or not it was correctly restricted. Try to present substitute explanations if they are sensible alternatives.
- One piece of research will not counter an overall question, so maintain the large picture in mind. Where do you go next? The best studies unlock new avenues of study. What questions remain?
- Recommendations for detailed papers will offer supplementary suggestions.

Approach:

When you refer to information, differentiate data generated by your own studies from other available information. Present work done by specific persons (including you) in past tense.

Describe generally acknowledged facts and main beliefs in present tense.

THE ADMINISTRATION RULES

Administration Rules to Be Strictly Followed before Submitting Your Research Paper to Global Journals Inc.

Please read the following rules and regulations carefully before submitting your research paper to Global Journals Inc. to avoid rejection.

Segment draft and final research paper: You have to strictly follow the template of a research paper, failing which your paper may get rejected. You are expected to write each part of the paper wholly on your own. The peer reviewers need to identify your own perspective of the concepts in your own terms. Please do not extract straight from any other source, and do not rephrase someone else's analysis. Do not allow anyone else to proofread your manuscript.

Written material: You may discuss this with your guides and key sources. Do not copy anyone else's paper, even if this is only imitation, otherwise it will be rejected on the grounds of plagiarism, which is illegal. Various methods to avoid plagiarism are strictly applied by us to every paper, and, if found guilty, you may be blacklisted, which could affect your career adversely. To guard yourself and others from possible illegal use, please do not permit anyone to use or even read your paper and file.



CRITERION FOR GRADING A RESEARCH PAPER (COMPILATION)
BY GLOBAL JOURNALS

Please note that following table is only a Grading of "Paper Compilation" and not on "Performed/Stated Research" whose grading solely depends on Individual Assigned Peer Reviewer and Editorial Board Member. These can be available only on request and after decision of Paper. This report will be the property of Global Journals.

Topics	Grades		
	A-B	C-D	E-F
<i>Abstract</i>	Clear and concise with appropriate content, Correct format. 200 words or below	Unclear summary and no specific data, Incorrect form Above 200 words	No specific data with ambiguous information Above 250 words
<i>Introduction</i>	Containing all background details with clear goal and appropriate details, flow specification, no grammar and spelling mistake, well organized sentence and paragraph, reference cited	Unclear and confusing data, appropriate format, grammar and spelling errors with unorganized matter	Out of place depth and content, hazy format
<i>Methods and Procedures</i>	Clear and to the point with well arranged paragraph, precision and accuracy of facts and figures, well organized subheads	Difficult to comprehend with embarrassed text, too much explanation but completed	Incorrect and unorganized structure with hazy meaning
<i>Result</i>	Well organized, Clear and specific, Correct units with precision, correct data, well structuring of paragraph, no grammar and spelling mistake	Complete and embarrassed text, difficult to comprehend	Irregular format with wrong facts and figures
<i>Discussion</i>	Well organized, meaningful specification, sound conclusion, logical and concise explanation, highly structured paragraph reference cited	Wordy, unclear conclusion, spurious	Conclusion is not cited, unorganized, difficult to comprehend
<i>References</i>	Complete and correct format, well organized	Beside the point, Incomplete	Wrong format and structuring



INDEX

B

Ballistics · 25

C

Collision · 40, 47, 50, 51, 75
Coryphées · 51
Courageous · 45
Crematorium · 34, 35, 39, 50
Crutches · 56
Cumbersome · 52

D

Derivation · 37, 75
Dualistic · 22

E

Elucidate · 47
Enthralling · 56

G

Geospatial · 60

H

Hypothetic · 25, 27, 28

I

Idyllic · 26
Implies · 18, 37, 64, 67

L

Laminar · 10
Liberation · 35, 49, 53

M

Malevich · 44
Meteorites · 55
Milliard · 50
Mysterious · 36, 50, 51

P

Paradox · 22, 41, 43, 46
Paranoiac · 45
Pedestrian · 22, 59
Prohibition · 22, 35, 41, 72
Pyrrhic · 47

Q

Quanta · 27

S

Spontaneous · 40
Swindlers · 37, 45

T

Tragic · 44




save our planet



Global Journal of Science Frontier Research

Visit us on the Web at www.GlobalJournals.org | www.JournalofScience.org
or email us at helpdesk@globaljournals.org

ISSN 9755896



© Global Journals